













OUTLINES

OF

PHYSICAL GEOGRAPHY

BY
GEORGE W. FITCH.

ILLUSTRATED WITH
Six Maps and Numerous Engravings.

"Let me once understand the real geography of a country,—its organic structure, if I may so call it; the form of its skeleton,—that is, of its hills; the magnitude and course of its veins and arteries,—that is, of its streams and rivers; let me conceive of it as a whole, made up of connected parts; and then the position of man's dwellings, viewed in reference to these parts, becomes at once easily remembered, and lively and intelligible besides."

DR. ARNOLD.

REVISED, WITH NOTES, ALTERATIONS, AND ADDITIONS,

BY
ALPHONSO J. ROBINSON.

TENTH LARGE EDITION,

NEW YORK:
IVISON, PHINNEY, BLAKEMAN & COMPANY,
Nos. 48 & 50 WALKER STREET.

CHICAGO: S. C. GRIGGS & CO., 39 & 41 LAKE ST.

PHILADELPHIA: SOWER, BARNES & CO.

1865.

5850
F59
1265

ENTERED, ACCORDING TO ACT OF CONGRESS, IN THE YEAR 1855, BY
J. H. COLTON & CO. AND G. W. FITCH,
IN THE CLERK'S OFFICE OF THE DISTRICT COURT OF THE UNITED STATES FOR
THE SOUTHERN DISTRICT OF NEW YORK.

ENTERED, ACCORDING TO ACT OF CONGRESS IN THE YEAR 1858, BY
J. H. COLTON,
IN THE CLERK'S OFFICE OF THE DISTRICT COURT OF THE UNITED STATES FOR
THE SOUTHERN DISTRICT OF NEW YORK.

RECORDED
JAN 6 1882

P R E F A C E.

THE following pages have been prepared with the view of supplying the want of a treatise on Physical Geography, adapted to the use of Schools and Academies. It is rather a remarkable fact, that among the multitude and variety of school-books prepared for the schools in the United States, there is not one devoted exclusively to this science. The consequence is, that Physical Geography, as a separate study, is very rarely taught in our schools, and that all, or most of the knowledge acquired respecting it, is what is incidently obtained in pursuing other kindred studies.

The Author has aimed to present none but well-authenticated facts, and accordingly he has consulted the latest and most reliable authorities. Among the works from which valuable information has been obtained are "LYELL'S PRINCIPLES OF GEOLOGY," "MILNER'S GALLERY OF NATURE," "MILNER'S GEOGRAPHY," "KEMTZ'S METEOROLOGY," "HUGHES' OUTLINES OF GEOGRAPHY," and "SOMERVILLE'S PHYSICAL GEOGRAPHY." In this connection, the Author would acknowledge his great obligation to Lieut. M. F. Maury, Superintendent of the National Observatory, Washington, for very valuable information on the recent deep-sea soundings which he has caused to be made in the Atlantic Ocean. From Maury's "SAILING DIRECTIONS" many interesting facts have been gleaned respecting the winds and currents of the ocean, trade routes, etc. To A D Bache, Superintendent of the United States Coast Survey, the Author is indebted for various Reports of the operations of that department, and for a Tide Table of the United States which was specially prepared for this book.

The maps were compiled with the greatest care by Mr. George W. Colton, the aim being to exhibit the most remarkable and interesting features of Physical Geography, as far as they are capable of being represented to the eye.

PREFACE.

It is proper to observe that, in the preparation of this treatise, no attempt at originality was made, but simply an effort to digest and arrange the more important facts in an intelligible style for learners. In many instances the Author has employed the phraseology of other writers, without always defacing the pages with quotation marks and references. Lengthened extracts, and those containing peculiar views of an author, are credited to their proper sources.

The Author can not refrain from expressing the hope that the book will meet the approbation of teachers, and excite in the minds of learners a desire for further attainments in this interesting department of science.

CONTENTS.

INTRODUCTION.

DEFINITION of Physical Geography—how divided—the First Part—the Second Part—the Third Part—the Fourth Part..... Pages 1-3

PART I.

THE LAND.

LESSON I.—EXTENT AND DISTRIBUTION OF THE LAND 4-5

LESSON II.—CONTINENTS: Eastern continent—its extreme limits. North America: its length and breadth—area—coast-line—indentations. South America: its dimensions. 6-7

LESSON III.—CONTINENTS (*continued*): Eastern continent: its length and breadth—area. Europe: its dimensions—its peninsular character. Asia: its dimensions. Africa: its dimensions. Table of the area of the five grand divisions, their extent of coast-line, etc. General remarks on the continents..... 7-9

LESSON IV.—ISLANDS: Australia—table of the area of some of the largest islands, and their comparative size—Rockall—chains of islands or continental islands—oceanic islands—archipelagoes—single islands, St. Helena, Ascension Islands—volcanic islands—examples of islands suddenly formed by volcanic action, Graham Island..... 10-12

LESSON V.—CORAL ISLANDS: Great extent of coralline structures—Great Barrier Reef—description of coral animals and their operations—an atoll—lagoons—encircling-reefs—barrier-reefs—action of the waves on the Great Barrier Reef—Florida Reef—Florida Keys—coral fringes—observations on coral islands by Capt. Basil Hall 13-17

LESSON VI.—MOUNTAINS: Insulated mountains—usual arrangement of mountains—mountain systems of the two continents—secondary ranges—highest known mountains on the globe—loftiest summits in the other four grand divisions—table of heights above the sea of some remarkable inhabited sites—list of some remarkable heights which have been reached..... 18-21

LESSON VII.—THE MOUNTAIN SYSTEMS OF THE WESTERN CONTINENT: *North American Mountains*.—The Rocky Mountains, the highest summits—the Mountains of the West Coast—the Apalachian or Alleghany ranges, Green Mountains, White Mountains, Adirondack Mountains, Catskill Mountains—highest summits in the Apalachian range—Ozark Mountains—the mountains in Mexico—*South American Mountains*.—The Andes—how divided—peculiarities of each division. The mountains of Guiana—of Brazil. 22-26

LESSON VIII.—MOUNTAIN SYSTEMS OF THE EASTERN CONTINENTS: *European Mountains*.—The Balkan Mountains—the Alps, celebrated passes—the Apennines—the Carpathian Mountains—the Mountains of the Spanish peninsula—the Scandinavian Mount-

ains—the Ural Mountains. <i>Asiatic Mountains</i> .—The Himalaya Mountains—the Altai Mountains—the Hindoo-Koosh—the Mountains of Armenia—the chain of Mount Taurus. <i>African Mountains</i> .—Atlas Mountains—the Mountains of Abyssinia—mountains of the western coast—of the eastern coast—of South Africa.....	Pages 26-33
LESSON IX.—UPLAND PLAINS OR TABLE-LANDS: Table-lands of North America—plateau of Chihuahua—table-lands of South America—the most extensive table-land of Europe—table-lands of Asia—elevation of the plain of Tibet—table-lands of Africa..	34-36
LESSON X.—LOWLAND PLAINS: The great central plain of North America—prairies—the plain or lowland of the Atlantic coast—the great central plain of South America—llanos—selvas—pampas.....	36-40
LESSON XI.—GLACIERS: Regions of glaciers—their origin—movements of glaciers—appearance of glaciers—their uses.....	40-43
LESSON XII.—SNOW MOUNTAINS AND AVALANCHES: Drift, sliding, creeping, and ice avalanches—destructive effects of avalanches	43-45
LESSON XIII.—VOLCANOES: Active, intermittent, or extinct volcanoes—number and distribution of volcanoes.....	45-47
LESSON XIV.—VOLCANIC REGIONS: <i>The Volcanic Regions of the Andes.—Of North America.</i> Volcanoes of Mexico—of the West India Islands. <i>Volcanic Region from the Aleutian Isles to the Moluccas and Isles of Sunda.</i> <i>Volcanic Regions of the Mediterranean</i>	47-52
LESSON XV.—VESUVIUS: Description of its crater—Herculaneum and Pompeii. <i>Etna</i> —its eruption in 1669. <i>Volcanoes of Iceland</i> —eruption of Skaptar Jokul in 1783. <i>Geysers</i>	52-57
LESSON XVI.—EARTHQUAKES: Proof that earthquakes and volcanoes have a similar origin—intensity of earthquakes—movements of the earth they produce—their duration, instances—their frequency—their effects in elevating and depressing the land, instances—clefts and fissures—fatal effects of earthquakes	57-59

PART II.

THE WATERS.

LESSON I.—CHEMICAL COMPOSITION OF WATER: The fresh waters—the salt water—salts contained in sea-water—salt-water lakes—the benevolence of the Deity as manifested in the wide diffusion of water over the globe.....	60-62
LESSON II.—MINERAL SPRINGS: Acidulous waters—chalybeate springs—sulphurous springs—saline springs, the salt springs at Salina and Syracuse—mineral springs of the United States.....	63-65
LESSON III.—RIVERS: Their sources—basins—area of the principal river basins—course of rivers—table of river windings.....	65-67
LESSON IV.—RIVERS (<i>continued</i>): The fall of rivers—cataracts—the Falls of Niagara—of St. Anthony—other noted falls in America—principal waterfalls of the eastern continent.....	68-71
LESSON V.—RIVERS (<i>continued</i>): The termination of rivers—deltas—the delta of the Mississippi, how produced—sedimentary matter of the Ganges—oceanic rivers—continental rivers—causes which determine the magnitude of rivers—proportional quantity of water discharged by some of the principal rivers—inundations of rivers—historic associations of rivers.....	71-76

LESSON VI.—THE RIVER SYSTEMS OF THE WESTERN CONTINENT: <i>North American Rivers</i> .—Divisions of the continent with reference to its drainage—the Mississippi—the Missouri—the Ohio—the St. Lawrence—other streams draining the Atlantic slope—rivers draining the region west of the Rocky Mountains—rivers draining the northern slope—other streams.	Pages 76-79
LESSON VII.—RIVER SYSTEMS OF THE WESTERN CONTINENT (<i>continued</i>): <i>South American Rivers</i> .—The Orinoco—the Amazon—the Rio de la Plata	80-81
LESSON VIII.—RIVER SYSTEMS OF THE EASTERN CONTINENT: The two principal river systems of Europe—the Volga—Danube—Rhine—other European rivers.....	82-84
LESSON IX.—RIVER SYSTEMS OF THE EASTERN CONTINENT (<i>continued</i>): The two principal classes of Asiatic rivers—the Obi—Yenesei—Lena—Ganges—the Indus—other Asiatic rivers—drainage by continental rivers. <i>African Rivers</i> .—The Nile—the Niger—other African rivers.....	84-88
LESSON X.—LAKES: Distribution of fresh-water lakes—salt-water lakes—physical difference of lakes—lakes which have no outlet, and do not receive any running water—lakes which receive water, but have no apparent outlet—lakes which receive no streams, but give birth to some—lakes which both receive and discharge water—elevations of lakes	88-90
LESSON XI.—LAKES (<i>continued</i>): <i>North American Lakes</i> .—Lake Superior—Huron—Michigan—Ontario—other North American Lakes. <i>South American Lakes</i> .—Lake Titicaca.....	90-93
LESSON XII.—LAKES (<i>continued</i>): <i>European Lakes</i> .—Tables of the dimensions of the principal European lakes, their elevations, etc. <i>Asiatic Lakes</i> . <i>African Lakes</i> ..	93-95
LESSON XIII.—THE OCEAN: Partial oceans and their branches—the Arctic Ocean—floating masses of ice—sheet ice—the Grinnell Expedition—icebergs—point of the greatest cold—the Atlantic Ocean—"Banks of Fucus"—the Pacific Ocean—the Indian Ocean—the Antarctic Ocean—discoveries of Wilkes and Ross.....	96-100
LESSON XIV.—THE OCEAN (<i>continued</i>): Temperature—color—depth—deep-sea soundings	100-104
LESSON XV.—THE OCEAN (<i>continued</i>): Waves—tides—theory of tides explained—tide table for the coast of the United States	105-109
LESSON XVI.—THE OCEAN (<i>continued</i>): Currents—causes of the oceanic currents—arctic current—equatorial current—Mexican Gulf Stream.....	110-115

PART III.

THE ATMOSPHERE.

LESSON I.—COMPOSITION OF AIR: Properties of oxygen gas	116-117
LESSON II.—PROPERTIES OF THE ATMOSPHERE: Transparency—fluidity—weight—how indicated—the use that is made of barometers to ascertain the height of mountains—elasticity of the atmosphere—effect of rarefied air on the human body.....	118-121
LESSON III.—WINDS: How caused—uses—how their direction is indicated—the direction of the wind in the upper regions often the reverse of what it is in the lower—velocity of winds. <i>Variable Winds</i> .—Table of the relative frequency of winds in different countries—cold winds—the bora, mistral, vent de bise, galego—hot winds—simoon—harmattan—sirocco—salano.....	121-129
LESSON IV.—PERMANENT WINDS: The trade-winds—how explained—important uses of trade-winds	130-135

LESSON V.—PERIODICAL WINDS: Monsoons—Etesian winds—land and sea breezes—the zone of calms.....	185-189
LESSON VI.—HURRICANES: The three hurricane regions.....	189-146
LESSON VII.—MOISTURE: When least in the atmosphere—when greatest—mists and fogs.....	140-146
LESSON VIII.—CLOUDS: Cirrus or curlcloud—cumulus or stackencloud—stratus or fallcloud—composite forms—height of clouds.....	143-146
LESSON IX.—RAIN: Extraordinary showers—unequal distribution of rain—table showing the diminution of rain from the equator to the poles—increase in the annual number of the rainy days as we go from the equator explained—fall of rain the greatest near the coasts—and in mountainous districts—rainless regions—rainy seasons in the tropics ..	147-149
LESSON X.—SNOW AND HAIL: Forms of snow crystals—limits of snow at the level of the sea—uses of snow—hail, how formed.....	150-153
LESSON XI.—CLIMATE: Meaning of the term—by what causes determined—the <i>latitude of a country—elevation above the level of the sea—line of perpetual snow—climates of mountainous regions in the torrid zone—height above the sea of individual classes of vegetation—vegetable regions on Mount Etna—Teneriffe</i>	153-157
LESSON XII.—CLIMATE (<i>continued</i>): <i>The nearness to, or remoteness of a country from the sea—why America has a colder climate than corresponding latitudes in the eastern hemisphere—the slope of a country, or the aspect it presents to the sun's course—how observed in the Alps—the position and direction of mountain chains—the nature of the soil—the cultivation and improvement of a country—prevalent winds—annual quantity of rain:</i>	158-162
LESSON XIII.—CLIMATE (<i>continued</i>): When the greatest cold occurs—table of the climates of different places—isothermal lines—hot regions—warm regions—temperate regions—cold regions—frozen regions.....	162-166

PART IV.

ORGANIC EXISTENCE.

LESSON I.—PLANTS: Organic existence defined—wide distribution of plants—light, heat, and moisture as affecting plants—number of species known—divisions of the vegetable kingdom—ages of trees.....	168-171
LESSON II.—DISTRIBUTION OF PLANTS: Indigenous and exotic plants—different regions inhabited by distinct species of plants—botanical provinces—diffusion of plants ..	171-175
LESSON III.—FOOD PLANTS: What plants man has selected for his food—arborescent food-plants—the food plants which prevail in the Old World—those which have their origin in the New World—barley, rye, oats—wheat, buckwheat—maize or Indian corn, rice—olive, date-palm—banana—cocoa-nut palm—bread-fruit tree—potato—cassava—arrow root—sugar-cane—coffee—tea—the vine—fig—the cocoa or chocolate tree.	175-180
LESSON IV.—ANIMALS: Number of species—four grand divisions—vertebrated animals—how subdivided—mammalia—birds—reptiles—molluscous animals—articulated animals—radiated animals.....	181-182
LESSON V.—DISTRIBUTION OF ANIMALS: Diversity in the organizations of animals—profusion of animal life in the torrid zone—insects of the torrid zone—reptiles, birds, and mammiferous quadrupeds of the torrid zone—animal tribes of the temperate and cold regions—adaptation of animals to different climates.....	182-185

- LESSON VI.—ZOOLOGICAL REGIONS:** Different regions inhabited by distinct species of animals, as well as plants—number of zoological regions—European region—African region—region of Southern Africa—of Madagascar—of India—of the Indian Archipelago—of New Guinea—of Australia—of North America—of South America.... 181-188
- LESSON VII.—MAN:** Number of the human race—their wide diffusion—man's capability of accommodating himself to a great diversity of circumstances..... 188-189
- LESSON VIII.—RACES OF MEN:** All mankind the offspring of common parents—classifications of mankind with reference to the color of the hair—with reference to the shape of the skull—the Caucasian race—the Mongolian race—the Ethiopic race—the American race—the Malay race..... 190-195

APPENDIX.


CHIEF PRODUCTIONS OF THE EARTH AND THE COUNTRIES WHERE THEY ARE PRODUCED.....	197-199
EXPORTS OF COUNTRIES.....	199-201
TRADE ROUTES.....	201-204
METALLIC PRODUCTIONS.....	204-211
LIST OF THE PRINCIPAL MOUNTAINS, WITH THEIR ELEVATIONS.	212-217
LIST OF THE PRINCIPAL RIVERS, WITH THEIR CHIEF TRIBUTA- RIES.....	218-221
TABLE OF TEMPERATURE	222-225

LIST OF MAPS.

↓	I. THE WORLD,	illustrating the Principal Features of the Land	6
		NOTE—For the sake of greater clearness, the Co-tidal Lines are shown on this map rather than on the next, where the water portion is devoted to an illustration of the Oceanic Currents.	
↓	II.	“ illustrating the Divisions and Movements of the Waters of the Globe.....	62
↓	III.	“ illustrating the Geographical Distribution of some of the Principal Phenomena of Meteorology.....	122
↓	IV.	“ showing the Geographical Distribution and Limits of Cultivation of some of the Principal Plants useful to Mankind.....	172
↓	V.	“ showing the Geographical Distribution and Range of some of the Principal Members of the Animal Kingdom	182
↓	VI.	“ illustrating the Productive Industry of various Countries, and exhibiting the Principal Localities of Commerce and Navigation, Trade Routes, etc.....	196

PHYSICAL GEOGRAPHY.

INTRODUCTION.



PHYSICAL Geography is a description of the general features of the earth's surface, the organized beings placed upon it, and the operations of the atmosphere by which it is universally surrounded. It relates to the earth as it exists in a state of nature, without regard to political or arbitrary divisions, or to any of the changes effected by man.

2. It may be divided into four parts, relating respectively to the following subjects: 1. The **LAND**, or solid portion of the earth's surface; 2. The **WATER**,

Questions.—1. What is Physical Geography? To what does it relate? 2. Into how many parts may it be divided? Name the subjects to which they relate.

or liquid portion; 3. The operations of the ATMOSPHERE; 4. ANIMAL and VEGETABLE life.

3. The *First Part* describes the extent and distribution of the land; the arrangement of the continental masses and islands; the magnitude and direction of the great mountain systems; and the situation and extent of the vast plains, upland and lowland, which constitute the most productive portions of the earth's surface. This part also relates to volcanoes, earthquakes, etc., in their relation to the character and aspect of the land portion of the earth.

4. The *Second Part* relates to the waters of the globe, whether salt or fresh; the origin, course, fall, and termination of rivers; the distribution and magnitude of lakes; and the extent, depth, tidal and other movements of the oceanic waters.

5. The *Third Part* treats of the operations of the atmosphere which surrounds our globe. It describes the laws in accordance with which winds are produced, and the causes influencing their course and velocity; it explains the phenomena of moisture, dew, rain, snow, and hail, and the various causes which are concerned in the regulation of climate.

6. The *Fourth Part* relates to organic existence, or the animals and plants distributed over the globe. It describes the great natural divisions of plants, the agencies which contribute to their diffusion, the food plants, and the regions where they are produced. It presents the orders of the animal kingdom, shows its diversity of organization, and its diffusion, and explains the zoological character of the different portions of the world.

7. The facts of Physical Geography are of a more permanent character than those which relate to the civil or political affairs of mankind. The boundaries of nations are frequently changed, either by conquests or treaties; new countries become peopled, and new states and territories organized; populous cities spring suddenly into existence; and the arts of civilization are rapidly carried to distant quarters of the earth. The varying condition of countries with respect to population, internal improvements, boundary lines, etc., is such as to require a constant correction of maps and statistical works, to make them correct exponents of political affairs.

Questions.—3. What does the first part describe? To what does it also relate? 4. To what does the second part relate? 5. Of what does the third part treat? What does it describe? 6. To what does the fourth part relate? What does it describe? 7. What is said of the facts of Physical Geography? Illustrate. Varying condition of countries?

8. Such fluctuations do not belong to the science of Physical Geography. The grand and majestic features which God has impressed on the face of our globe—its continents and oceans—its mountains, valleys, rivers, and lakes,—remain now, with all their prominent characteristics, very nearly the same as they have existed for centuries past.

9. It is true that natural agencies are at work, changing to a limited extent the face of nature. Volcanic action has rent the crust of the earth in numerous places, raising some portions and depressing others; some rivers have worked new channels, and formed extensive deltas at their mouths; and, as in Holland, vast areas of land have been rescued from the ocean by embankments and artificial modes of drainage. These and other alterations, considerable as they may appear, are comparatively unimportant as regards the world at large, and scarcely serve to qualify the remark, that the physical aspect of the earth has not greatly changed in modern times.

10. From what is here observed, it must not be inferred that the earth has not been the scene of mighty convulsions. An examination of its surface shows that at very early periods important changes successively took place. To explain those changes, and the causes which have led to the present state or condition of the earth, belongs properly to the science of Geology.

11. Physical Geography explains many interesting facts of Civil Geography. It shows where nature has provided for the growth of cities, the peopling of states, the construction of railroads, canals, and other works of internal improvement; it points out what courses on the ocean the mariner must pursue to avail himself of its favoring winds and currents; and explains what pursuits are best adapted to the people of different countries. The influence of mountains, rivers, seas, climate, and natural productions on the industry of a people and the progress of nations is so great, that it is impossible for one to acquire a thorough knowledge of general geography, without first understanding the facts and principles of Physical Geography.


Questions.—8. Do such fluctuations belong to the science of Physical Geography? 9. How are certain changes of the earth's surface produced? What is observed of these alterations? 10. What does an examination of the earth's surface show? What belongs to the science of Geology? 11. Why is a knowledge of Physical Geography important?

PART I.

THE LAND.

LESSON I.

EXTENT AND DISTRIBUTION.



THE surface of the earth consists of unequal portions of land and water. It has been estimated to contain about 196,500,000 English square miles. Of this area, the dry land is supposed to occupy about 51,000,000 of square miles. Hence it will be seen that the fluid portion predominates over the solid in the ratio of about 285 to 100.

The exact extent of each division can not be ascertained, owing to the north and south polar regions not having been fully explored.

13. There is but little regularity in the arrangement of the land upon the globe. In some parts the coast is indented by deep bays and gulfs, in others the land projects into the ocean in capes and promontories, while the islands are scattered throughout the ocean, either singly or in irregular groups.

14. The distribution of the land is very unequal,—by far the greater portion being in the northern hemisphere. It has been calculated that there is about three times as much land north of the equator as south of it, and about two and a half times as much in the eastern as in the western hemisphere.

Questions.—12. Of what does the surface of the earth consist? How many square miles does it contain? Square miles of the land? In what proportion does the fluid portion predominate over the solid? Why can not the extent of each division be exactly ascertained? 13. What is said of the arrangement of the land? Illustrate. 14. What is said of the distribution of the land? Which hemisphere contains the greater portion, the northern or southern? How much more land is there in the northern than in the southern hemisphere? In the eastern than in the western?

Its distribution through the different zones is as follows :

NORTHERN HEMISPHERE.	Sq. Miles.	SOUTHERN HEMISPHERE.	Sq. Miles.
Arctic Zone.....	2,792,000	Antarctic Zone.....	Unknown.
Temperate Zone.....	24,488,000	Temperate Zone.....	3,205,000
Torrid Zone.....	9,949,000	Torrid Zone.....	10,466,000
Total.....	37,229,000	Total.....	13,771,000



Southern Hemisphere.



Northern Hemisphere.

15. The unequal distribution of the land may be most strikingly seen from an inspection of a map of the hemispheres, projected upon the plain of the horizon of London. The hemisphere, in which that city occupies the center, includes nearly all the land on the globe, while the other is almost covered with water. One may therefore be termed the *continental* or *land hemisphere*; and the other, the *oceanic* or *water hemisphere*.



Water Hemisphere.



Land Hemisphere

Questions.—15. How may the unequal distribution of the land be most strikingly seen? Which hemisphere includes nearly all the land? How termed?

LESSON II.

CONTINENTS.

16. THERE are two continents,—the Eastern Continent, comprising Europe, Asia, and Africa; and the Western Continent, or New World, including North and South America. The Eastern Continent is styled the Old World, from its being the only one known to Europeans previous to the close of the fifteenth century. The terms Eastern and Western refer to the meridian of Ferro Isle,* from which longitude was formerly reckoned.

17. The length of the Western Continent, from north to south, is about 8,700 miles. Its greatest width is about 3,200 miles; while its least width, being the distance across the Isthmus of Panama, is about 30 miles.


18. North America is the northern portion of the Western Continent. Its greatest length from north to south is about 4,400 miles, and its greatest breadth about 3,100 miles. It contains an area of about 8,600,000 square miles. The main body of the continent may be included within a triangle, whose base extends along the northern shores, and whose vertical angle is in Mexico.

19. The eastern side of North America, being penetrated by numerous branches of the ocean, presents several peninsular formations; while the only important projection of the western coast is that of the long peninsula of California. These indented shores, which give to the continent a coast-line of 24,500 miles, or 1 mile to every 350 square miles of surface, are, with numerous rivers and lakes, the means by which civilization and commerce have been extended, and are now rapidly extending into the interior.

20. Among the numerous indentations of the Atlantic coast, south of Labrador, are the Gulf of St. Lawrence, Bay of Fundy,

Questions.—16. How many continents are there, and what countries do they respectively include? Why is the Eastern Continent styled the Old World? To what do the terms Eastern and Western refer? 17. Length of the Western Continent? Greatest breadth? Least breadth? 18. Length and breadth of North America? Area? General form of the continent? 19. What is the character of the coast-line? Extent of coast-line? 20. Principal indentations of the Atlantic coast south of Labrador?

* Ferro is the most southwesterly of the Canary Islands.







PLATEAUS.		PLAINS OR LOWLANDS.	
Sweden & Spitzbergen 4,000 feet above sea		Siberia.	Europe (North eastern part)
Central Germany 1,600		China (N E part).	Hungary.
1/3 S. & W. parts of 1,000		Siam.	Interior of North America
America (part of) 500		Hindustan.	from Gulf of Mexico
and 900		Turkestan.	to Arctic Ocean.
America (mountains) 600		Arabia.	Interior of South America
9,000		Lower Egypt.	embracing Vallies
11,000		Soudan or Negroland	of the Orinoco.
13,000		Europe (Eastern part).	Amazon & La Plata.



30 60 90 120 150 180



Passamaquoddy Bay, Penobscot Bay, Massachusetts Bay, Cape Cod Bay, Buzzard's Bay, Narragansett Bay, New York Bay, Raritan Bay, Delaware Bay, Chesapeake Bay, Albemarle Sound, Pamlico Sound, Gulf of Mexico, Bay of Honduras, etc.

21. South America is the smaller of the two divisions of the Western Continent. Its greatest length from north to south is about 4,600 miles; and its greatest width, from east to west, about 3,200 miles. Its area is about 6,420,000 square miles. Its form is triangular. Its unbroken coast-line of 14,500 miles in extent, gives only a mile of sea-coast for every 420 square miles of surface, and presents few bays or harbors.

22. The slow progress of civilization in South America may be attributed in a great measure to the want of bays and gulfs extending inland and affording maritime advantages to its interior regions. The disadvantage of its unbroken coast-line, however, is partly counterbalanced by the vast navigable streams of the Orinoco, Amazon, La Plata, and their branches.

LESSON III.

CONTINENTS—(*continued*).

23. THE Eastern Continent is the largest mass of land on the globe. It extends from east to west, about 10,000 miles; and, from north to south, about 8,000 miles. Its area is nearly 33,000,000 square miles, or two and one fourth times that of the Western Continent.

24. Europe is the smallest of the five grand divisions. Its greatest length from Cape St. Vincent, in the southwest, to the Gulf of Kara, in the northeast, is about 3,500 miles; its greatest breadth, from North Cape to Cape Matapan, is about 2,400 miles. The area of its surface, including the islands, amounts to about 3,500,000 square miles.

25. Europe is indented by numerous bays and seas on its western and southern sides, in consequence of which the coast-

Questions.—21. What is said of South America? Greatest length? Breadth? Area? Form? Extent of coast-line? 22. Slow progress of civilization in South America? What compensation is there for its unbroken coast-line? 23. What is said of the Eastern Continent? Its length and breadth? Area? 24. What is the comparative size of Europe? Its length and breadth? Area? 25. What is said of its coast indentation? Extent of sea-coast? What is said of its peninsular character? What large peninsulas does it embrace?

line is of great extent, and in proportion larger than that of any other of the grand divisions. Its line of shores extends 17,000 miles; it therefore enjoys a mile of coast-line for every 156 square miles of surface, thus possessing great facilities for commercial enterprise. Europe is essentially the region of *peninsular* formations: it embraces the Scandinavian Peninsula (Norway and Sweden); the Peninsula of Denmark; the Peninsula of Spain and Portugal; and the Peninsulas of Italy and Greece.

26. Asia is the largest of the grand divisions of the earth. Its greatest length, from east to west, is about 5,600 miles; and its greatest breadth, from north to south, about 5,300 miles. It contains an area of nearly 17,500,000 square miles, or considerably more than are comprised in both North and South America. It has a coast-line of 30,800 miles, giving it, exclusive of the Arctic Ocean which is scarcely navigable, only 1 mile of sea-coast for every 459 miles of surface.

27. Africa, like South America, is a vast peninsula, being entirely surrounded by the waters of the ocean, except at the Isthmus of Suez, by which it is connected with Asia. Its greatest length, from north to south, is about 5,600 miles; and its greatest breadth, from east to west, about 4,700 miles. Its approximate area is 11,300,000 square miles. In consequence of its peculiar form, with no considerable peninsulas or sea indentations, its coast-line is only 14,000 miles, or 1 mile of sea-coast for every 623 square miles of surface. On this account, it is the most inaccessible, least civilized, and least known to civilized nations.

28. The following table exhibits the superficial extent of each continent in English square miles, together with the length of coast-line possessed by each (in English miles), and the proportion which the latter of these measures bears to the former:

	Surface.	Coast-line.	Square Miles of Surface for 1 Mile of Coast.
North America	8,600,000	24,500	350
South America	6,420,000	14,500	420
Europe	3,500,000	17,000	156
Asia.....	17,500,000	30,800	459
Africa.....	11,300,000	14,000	623

Questions.—26. Comparative extent of Asia? Its length and breadth? Area? Coast-line? 27. What is said of Africa? Its length and breadth? Area? Extent of coast-line?

GENERAL REMARKS ON THE CONTINENTS.

29. If we examine the map of the world, we shall notice several features of similarity between the two continents. (1.) Each expands into broad, extensive flats toward the north; while, toward the south, they narrow down to points, offering a rude resemblance to an inverted pyramid.

30. (2.) Both attain their greatest breadth near the parallel of 50° N., and are cut off by the ocean at about latitude 70° .

31. (3.) Each has a large portion of its area nearly detached; South America being joined to North America by the Isthmus of Panama, about 30 miles broad; and Africa being connected with Asia by the Isthmus of Suez, about 75 miles broad.

32. (4.) The peninsulas of both continents follow a southerly direction—as Scandinavia (embracing Sweden and Norway), Spain, Italy, Greece, Africa, Arabia, India, Malacca, Cambodia, Corea, and Kamtschatka, in the one; and South America, California, Florida, and Alaska, in the other. There are two important exceptions to this rule; the peninsula of Yucatan, in Central America, and of Denmark, in Europe, both of which project toward the north.

33. The great point of dissimilarity between the Eastern Continent and the Western, is in the prevailing direction of the land which extends from east to west in the former, and from north to south in the latter.

34. Comparing the western shores of Europe and Africa with the eastern shores of North and South America, a mutual adaptation to unite may be observed in the advancing and retreating shape of the land. Thus, the great convexity of Western Africa is opposite the indentation of the Gulf of Mexico; and the convexity of the Brazilian shore is opposite the Gulf of Guinea. From this peculiar outline, the idea has been entertained that the two continents once formed an undivided territory which some great convulsion separated.

Questions.—29. What may be noticed by examining a map of the world? What is the first feature of similarity mentioned? 30. What is the second? 31. What the third? 32. The fourth? What exceptions are there to the fourth remark? 33. What is the great point of dissimilarity between the Eastern and Western continents? 34. What may be observed by comparing the western shores of Europe and Asia with the eastern shores of North and South America?

LESSON IV.

ISLANDS.

35. ISLANDS differ vastly in size, some being miniature continents, with systems of mountains, rivers, and lakes ; while others are mere banks of sand or points of rock just raised above the level of the waves. The largest island in the world is Australia. It is 2,400 miles from east to west, 1,700 miles from north to south, and contains an area of nearly 3,000,000 square miles. Its extent of coast-line is about 8,000 miles.

36. The following table exhibits the area of some of the largest islands, and their relative size, as compared with the area of the State of New York which is 46,220 square miles.

Name.	Area in Square Miles.	Comparative Size.
STATE OF NEW YORK.....	46,220	1·00
Iceland	30,000	·65
Ireland	32,515	·70
Newfoundland	36,000	·78
Cuba	43,000	·90
Great Britain, including England, Wales, and Scotland	83,827	1·82
Sumatra	120,000	2·59
Papua, or New Guinea	200,000	4·33
Madagascar	200,000	4·33
Borneo	270,000	5·08
Australia	3,000,000	64·81

37. Of the small islands, the most remarkable is Rockall, in the North Atlantic. It is only a hundred yards in circumference, and is situated 260 miles from the north coast of Ireland, and 180 miles from any other land.

38. Islands occur under various conditions, in chains, clusters, archipelagoes, or singly.

39. The principal *chains* are adjacent to some main shore ; and, on this account, they are sometimes termed continental islands. They are long in proportion to their breadth, and follow each other, in succession, along the margin of the continents. America offers


Questions.—25. How do islands differ ? The largest island and its extent ? 26. What is the area of Iceland, and what its relative size as compared with the State of New York ? Ireland ? Newfoundland ? Cuba ? Great Britain ? Sumatra ? Papua, or New Guinea ? Madagascar ? Borneo ? Australia ? 27. Give particulars of the island of Rockall ? 28. Under what various conditions do islands occur ? 29. Where are the principal chains ? Shape and arrangement ? What chains belonging to America are mentioned ? Other instances ?

numerous examples of this kind of islands. On the northwestern coast there is a long chain of them, beginning, on the south, with Vancouver's Island. Another range occurs at the southern extremity of South America, extending from Chiloe to Cape Horn. To this class, also, belong the Aleutian Isles which form a chain between North America and Asia, in the North Pacific; and the Kurile and Japan Isles, stretching along the eastern Asiatic coast.

40. *Clusters*, sometimes called oceanic islands, are those which occur at a distance from continents. They are very numerous in the Pacific and Indian oceans. They usually contain one or two principal members centrally situated with reference to others of smaller size; as, for example, the Marquesas and Society groups.

41. An *archipelago* is a sea interspersed with numerous islands. The term archipelago was originally applied to those islands which lie between the shores of Greece and Asia Minor. The principal archipelagoes are the Caribbean, or Antilles, in the West Indies; the Maldivé and Laccadive, in the Indian Ocean; the Dangerous, Louisiade, and Great Cyclades, in the Pacific Ocean.

42. *Single islands*, at a great distance from any other shore, are of rare occurrence. St. Helena, remarkable for being the



St. Helena.

place of Napoleon's last exile, is 1,800 miles from the coast of Brazil, 1,200 from the coast of Africa, and 680 from Ascension

Questions—40. What are clusters? Where numerous? How usually arranged? Examples? 41. What is an archipelago? How originally applied? Principal archipelagoes? 42. What is said of single islands? St. Helena? Ascension Island?

Island, the nearest point of land. Ascension Island is also 520 miles from its next neighbor, the Isle of St. Matthew.

43. A vast number of islands are volcanic. Some are at present the scenes of fiery convulsions. Volcanic islands are found principally in the Indian and Pacific oceans, though some occur in high northern and southern latitudes. They are characterized by a considerable elevation, with a precipitous coast.

44. In the Grecian Archipelago, the Old Kaimeni, a small islet, was thrown up somewhat more than two centuries before the Christian era. A second appeared in the year 1573, called the Little Kaimeni, and a third was formed in the year 1707, called the New Kaimeni.

45. In the year 1811, the temporary island of Sabrina rose off the coast of St. Michael, one of the Azores. It attained the height of 300 feet, was about a mile in circumference, but gradually subsided, and wholly disappeared by the close of February, 1812. In 1813, there were five hundred feet of water at the spot.



Graham Island.

46. The most recent instance of an island formed by volcanic action was Graham Island, which rose in the Mediterranean Sea, southwest of Sicily, in July, 1831. A column of water was seen rising from the sea like a water-spout, followed by dense steam and an island which gained the height of 200 feet, and a circumfer-

ence of three miles. Toward the close of the year, this island gradually sank beneath the waves, forming a dangerous shoal.

Questions.—43. What is said of volcanic islands? Where principally found? How characterized? 44. What volcanic islands were formed in the Grecian Archipelago? 45. Give the particulars of the formation and disappearance of the island of Sabrina. 46. Of Graham Island.

LESSON V.

CORAL ISLANDS.

47. A VAST number of islands and reefs* in the Pacific and Indian oceans are of coral formation. They owe their existence to the work of countless myriads of the coral-insect which inhabit those seas, and which flourish only in the warmer regions of the globe.

48. Coralline structures are sometimes of immense extent. On the northeast coast of Australia is a reef of coral called the Great Barrier Reef, having a length of nearly 1,000 miles, and being, in one part, unbroken for a distance of 350 miles. Some groups of coral islands in the Pacific are from 1,100 to 1,200 miles in length, by 300 or 400 in breadth; as, for examples, the Dangerous and Radack archipelagoes. The Maldivé Islands, situated in the Indian Ocean, forming a chain of 470 geographical miles, are composed throughout of a series of circular assemblages of islets, all formed of coral.

49. The following description of coral animals and their operations is from Hughes' "Manual of Geography:" "The coral reefs of the Pacific, as well as those in other parts of the globe, are all produced by the secretions of the coral-insect, and the process by which they are formed is one of the most curious and instructive phenomena which the natural world presents to view. The architects of these wonderful structures are *polypes* of minute size, and of various species, but all possessing a general similarity of form and structure. They consist, to appearance, of a little oblong bag of jelly, closed at one end, but having the other extremity open, and surrounded by tentacles (usually six or eight in number), set like the rays of a star.

50. "Multitudes of these tiny creatures are associated in the secretion of a common stony skeleton, that is, the coral, or madrepore, in the minute orifices of which they reside; protruding their mouths and tentacles when under water, but the moment they are molested, or become exposed to the atmosphere, withdrawing by sudden contraction into their holes. It is proved by observation that these creatures are unable to exist at a greater


Questions.—47. Islands and reefs in the Indian and Pacific oceans? To what owing? 48. Extent of coralline structures? Great Barrier Reef? Groups in the Indian and Pacific oceans? Examples? Maldivé Islands? 49. Coral reefs, how formed? Architects of these wonderful structures? Of what do they consist? 50. Describe the operations of the coral insects. To what depth do they exist? Upon what must coral islands be based?

* REEF, a chain or range of rocks lying at or near the surface of the water.

depth than twenty or thirty fathoms; so that the numberless coral islands of the Pacific, and other seas, must be based upon submarine rocks, or mountains, though it was at one time supposed that they were raised, by the process described above, from the bottom of the sea."

51. Coral formations are of four different kinds; namely, atolls or lagoon islands, encircling reefs, barrier-reefs, and coral fringes.

52. An *atoll* consists of a circular strip or ring of coral surrounding a shallow lake or lagoon in its center. The circular reefs raise themselves just above the level of the sea, with an average breadth of a quarter of a mile, oftener less, and are surrounded by a deep and often unfathomable ocean. The annexed cut represents one of these circular islands inclosing a lagoon of tranquil water.



Coral Island.

The usual form of such islands may be seen in the section below.



Section of a Coral Island.

a, a, Habitable part of the island, consisting of a strip of coral, inclosing a lagoon. *b, b*, The lagoon.

53. Lagoons are found in a very large proportion of the coral islands. They were found in twenty-nine out of the thirty-two

Questions.—51. Kinds of coral formations? 52. The atoll? What does it surround? Height of the circular reef? Breadth? How surrounded? 53. Lagoons? Lagoons found by Beechey? Their extent? Openings into lagoons?

islands visited by Beechey, in his voyage to the Pacific. The largest was thirty miles in diameter, and the smallest less than a mile. There is almost always a deep narrow passage opening into the lagoon, generally on the leeward side, which is kept open by the efflux of the sea, as the tide goes down; and, through this channel, ships may sail into the inclosed waters, and find a good harbor.

54. *Encircling-reefs* are those which extend around mountainous islands, commonly at a distance of two or three miles from the shore, rising on the outside from a very deep ocean, and separated from the land by a channel 200 or 300 feet deep. The Caroline Archipelago exhibits examples of this structure. Otaheite ('Tahiti), the largest of the Society group, is an instance of an encircled island of the most beautiful kind, being hemmed in from the ocean by a coral band, at a distance varying from half a mile to three miles.

55. *Barrier-reefs* are similar in their structure to the two preceding classes, but differ from them in their position with regard to the land. The largest of this class is the Great Barrier Reef off the northeast coast of Australia, before alluded to (48). It rises up in the ocean at an average distance of from 20 to 30 miles from the shore, and extends to the distance of about 1,000 miles.

56. The action of the waves as they dash upon this reef has been admirably described: "The long ocean-swell being suddenly impeded by this barrier, lifted itself in one great continuous ridge of deep blue water, which, curling over, fell on the edge of the reef in an unbroken cataract of dazzling white foam. Each line of breaker ran often one or two miles in length with not a perceptible gap in its continuity. There was a simple grandeur, a display of power and beauty in this scene, that rose even to sublimity. The unbroken roar of the surf, with its regular pulsation of thunder, as each succeeding swell fell first on the outer edge of the reef, was almost deafening, yet so deep-toned as not to interfere with the slightest nearer and sharper sound. But the sound and sight were such as to impress the spectator with the consciousness of standing in the presence of an overwhelming majesty and power."

57. The Florida reefs are of this class. By examining a map

Questions.—54. Encircling-reefs? Example? Otaheite? 55. Barrier-reefs? The largest of this class? 56. Describe the appearance of this reef. 57. To what class do the Florida reefs belong? Island south of Florida? The height? Where do they begin and where extend? Their size?

of the waters south of Florida, it will be seen that they are studied with a range of islands called the Florida Keys. These keys rise but a few feet, perhaps from six to eight or ten, or at the utmost to twelve or thirteen feet above the level of the sea. They begin to the north of Cape Florida, and extend in a southwesterly direction, gradually receding from the land until opposite Cape Sable. Farther to the west they project in a more westerly course as far as the Tortugas Islands which form the most western group. The largest of these islands, such as Key West and Key Largo, are not more than ten or fifteen miles in length; others do not exceed two or three miles; and many are not more than a mile long. Their width varies from a quarter to a third or half a mile, the largest barely measuring a mile across.

58. The reef extends parallel to the main range of keys, for a few miles south or southeast of it, following the same curve, and never receding many miles from it. The distance between the reef and the main range of keys varies from six to two or three miles. Between this reef and the main range of keys, there is a broad, navigable channel, extending the whole length of the reef, varying in depth from eighteen to forty feet.

59. The great danger of this reef arises from the fact that throughout its whole range it does not reach the surface of the sea, except in a few points, where it comes almost to the level of low-water mark. It therefore presents a range of dangerous shoal grounds, upon which thousands of vessels, and millions of property, have been wrecked.

60. *Coral-fringes* are those formations which extend along the margin of a shore, and have no lagoons.

61. Captain Basil Hall, in his "Voyage to Loo-Choo," makes the following observations on coral islands: "The examination of a coral reef during the different stages of one tide is particularly interesting. When the sea has left it for some time, it becomes dry, and appears to be a compact rock exceedingly hard and ragged; but no sooner does the tide rise again, and the waves begin to wash over it, than millions of coral worms protrude themselves from holes on the surface which were before quite invisible. These animals are of a great variety of shapes and sizes, and in such prodigious numbers, that in a short time the whole surface of the rock appears to be alive and in motion.

Questions.—58. Where does the reef extend? Distance between the reef and the main range of keys? Channel? 59. Danger of this reef? Vessels and property destroyed? 60. Coral-fringes?

62. "The most common of the worms at Loo-Choo (an island in the Pacific east of China), was in the form of a star, with arms from four to six inches long, which it moved about with a rapid motion in all directions, probably in search of food. Others were so sluggish, that they were often mistaken for pieces of the rock; these were generally of a dark color, and from four to five inches long and two or three round. When the rock was broken from a spot near the level of high water, it was found to be a hard solid stone; but if any part of it were detached at a level to which the tide reached every day, it was discovered to be full of worms, all of different lengths and colors, some being as fine as thread and several feet long, generally of a very bright yellow, and sometimes of a blue color; while others resembled snails, and some were not unlike lobsters and prawns in shape, but soft, and not above two inches long.

63. "The growth of coral ceases when the worm which creates it is no longer exposed to the washing of the tide. Thus a reef rises in the form of a gigantic cauliflower, till its top has gained the level of the highest tides, above which the worm has no power to carry its operations, and the reef, consequently, no longer extends itself upward. The surrounding parts, however, advance in succession till they reach the surface, where they also must stop. Thus, as the level of the highest tide is the eventual limit to every part of the reef, a horizontal field comes to be formed coincident with that plane, and perpendicular on all sides. The reef, however, continually increases, and being prevented from going higher, must extend itself laterally in all directions; and this growth being probably as rapid at the upper edge as it is lower down, the steepness of the face of the reef is preserved; and it is this circumstance which renders this species of rock so dangerous to navigation. In the first place, they are seldom seen above the water; and in the next, their sides are so abrupt that a ship's bows may strike against the rock before any change of soundings indicates the approach of danger.

64. "For a long time it was supposed that the coral formations were raised from the floor of the fathomless ocean by the unaided efforts of these little creatures, but more accurate observations have proved that the animals cease to live at a greater depth than twenty or thirty fathoms. . . . As some of these islands are elevated 200 and 300 feet above the sea-level, it is evident that they must have been raised by submarine forces; in short, that the volcano and the earthquake must have been employed in rearing them to their present elevation. Mr. Darwin has traced those regions throughout the Pacific, in which upheaval and depression alternately prevail. Thus a band of *atolls* and encircled islands, including the Dangerous and Society archipelagoes, constitutes an area of subsidence more than 4,000 miles long and 600 broad. To the westward, the chain of *fringing-reefs*, embracing the islands of the New Hebrides, Solomon, and New Ireland, form an area of elevated coral. Farther westward, another area of subsidence is met with, including the islands of New Caledonia, and the Australian barrier."

LESSON VI.

MOUNTAINS.



Climbing the Alps.

65. MOUNTAINS are the most considerable elevations of the surface of the earth. They are of various heights, the loftiest having an elevation of more than five miles above the level of the sea. Though

generally sterile, and unsuited for the residence of man, they have their uses in the economy of nature. They accumulate the moisture of the clouds, and feed the rivers which water and fertilize the plains below. They increase the extent of the earth's surface, and impart an agreeable effect to its scenery. Their gigantic proportions, their lofty summits, their broken and irregular outlines, are eminently calculated to excite in us emotions of awe and admiration.

Questions.—65. What are mountains? What is said of their heights? Uses of mountains?

66. There are but few insulated mountains, or mountains remote from other masses, and ascending abruptly from a level country. The examples are chiefly volcanic, as Mount Egmont, in New Zealand, and the Peak of Teneriffe, on one of the Canary Islands. The usual arrangement is in groups or chains, the members of which are connected at the base. The term *system* is applied to a series of chains, groups, and parallel ranges lying in the same general direction, though detached. The highest points are usually near the middle of the range.

67. The great mountain systems of the two continents follow the prevailing direction of the land in each; those of the western world running north and south; those of the eastern, east and west. The course of secondary chains, as the Apennines in Italy, the Dovre-field in Norway, and the Ghauts in India, correspond with the greatest length of those peninsulas.

68. The highest known mountain on the globe is Mount Everest,* in Asia. It belongs to the Himalaya range, and is situated in longitude 87° east. Its summit is 29,002 feet above the level of the sea. Situated in the same range, about 100 miles to the east of Mount Everest, is Kunchinjunga, next in height (28,156 feet), and which was, till very recently, regarded as being the highest mountain on the globe. The loftiest mountain in South America is Tupungato,† one of the Chilean Andes (22,456 ft.); in North America, Mount St. Elias, one of the Rocky Mountains (17,900 ft.); in Africa, Mount Kilimandjaro (supposed 20,000 ft.); and, in Europe, Mont Blanc (15,760 ft.).


69. The mountains of the torrid zone are inhabitable by man to a very considerable height. Under the equator, the line of perpetual snow is not less than 16,000 feet above the level of the sea. As we approach the poles, this line gradually descends,

Questions.—66. Insulated mountains? Examples? What is the usual arrangement of mountains? To what is the term system applied? 67. Direction of the great mountain systems of the two continents? Course of the secondary chains? 68. The highest known mountain, its situation and height? Kunchinjunga? Name and height of the loftiest mountain in South America? In North America? In Africa? In Europe? 69. Habitation of mountains in the torrid zone? The line of perpetual snow under the equator? Toward the poles?

* The altitudes of Mount Everest and Kunchinjunga, as above stated, are according to the late report of Col. Waugh, Surveyor-General of the British East Indies. The same report also reduces the height of Dhawlagiri, formerly given at 28,073, to 26,826 ft.—[Ed.]

† Aconcagua, whose altitude was formerly given at 23,944 feet, has been ascertained to be only 22,301 feet high.—[EDITOR.]

rendering the mountains of the temperate zones uninhabitable to a very considerable elevation. On Mont Blanc, the snow-line is about 8,500 feet above the sea-level; and, at the height of 6,000 feet, the climate is of very great severity.



Mount Egmont.

70. Table of the heights above the sea of some remarkable inhabited sites.

	Feet.		Feet.
Geneva, Switzerland	1,450	Hampelbaude, highest inhab-	
Madrid, Spain	2,170	ited house of Prussia.....	4,300
Jerusalem, Mount Zion	2,200	Splugen, village, Switzerland	4,711
Priory of Chamouni, Switzer-		Mont Louis, Eastern Pyren-	
land.....	3,346	ees, highest town of France	5,171
Palace of the Escorial, Spain	3,520	Cabool, Afghanistan.....	6,380
Teheran, Persia.....	3,785	Post-house on Mont Cenis,	
Ispahan, do.	4,140	Alps.....	6,453
Great Salt Lake City, U. S. .	4,300	Hospital of St. Gothard, Alps	6,808

Questions.—70. Height of Geneva? Madrid? Jerusalem? Great Salt Lake City? Mexico? Santa Fé de Bogota? Sucre? Quito? Potosi? Shepherds' huts, Ecuador? The post-house, Rumihausi, Peru?

	Feet.		Feet.
Soglio, village in the Grisons,		Quito, capital of Ecuador...	9,540
highest village in Europe .	6,714	Ladak, city, Little Tibet....	9,995
Mexico, city	7,570	Cuzco, ancient capital of Peru	11,380
Arequipa, city, Peru	7,852	Milum, village, Himalaya...	11,405
Hospital of the Great St. Ber-		La Paz, city, Bolivia	12,226
nard, Alps	8,170	Puno, city, Peru	12,870
Santa Fé de Bogota, capital		Potosi, Bolivia, highest city	
of New Granada.....	8,650	of the globe	13,350
Sucre, capital of Bolivia....	9,250	Antisana, shepherds' huts,	
Pass of Santa Maria, Alps,		Ecuador	13,454
highest permanent habita-		Tacora, village, Peru	13,690
tion in Europe.....	9,272	Rumihauti, post-house, ditto	15,540

71. The summits of the loftiest mountains have never been reached. The difficulties encountered in ascending elevated mountains arise from the precipitous character of the surface, the vast accumulations of snow, the intense cold, and the rarity or thinness of the atmosphere. Travelers have found the rarefied state of the atmosphere on high mountains to cause bleeding from the nose and eyes, and to produce other unpleasant effects.

72. In the following list, are given some remarkable heights which have been reached :


Sites.	Names.	Dates.	Heights.
Mont Blanc, Alps	Dr. Paccard and James Balma	Aug., 1786.....	15,760
Jungfrau, do.	The brothers Meyer, of Aran	1811.....	12,872
Ortler Spitz, do.	Three peasants of the Tyrol	1804.....	12,818
Peak of Demavend.....	Mr. Taylor Thompson, 1st European.	Sept. 9, 1837..	14,695
Ararat	Professor Parrot, and 5 attendants..	Oct. 9, 1829..	17,823
Pamir, Central Asia	Lientenant John Wood	Feb. 19, 1833..	15,600
Peter Botte, Mauritius	Captain Lloyd and officers.....	Sept. 7, 1832..	2,800
Mauna Kea, Owhyhee	Mr. David Douglas.....	Jan., 1834....	13,587
Mount Egmont, New Zealand..	Dr. Dieffenbach.....	Dec., 1840....	8,839
Silla de Caracas	Humboldt and Bonpland	Jan., 1800....	8,633
Pichincha, Andes	Bouguer and Condamine	1736.....	15,924
Chimborazo, do., point reach-	M. Boussingault and Colonel Hall..	1831.....	19,699
ed, highest point of the			
globe ever attained by man }			

Questions.—71. What is said of heights attained by adventurous travelers? The difficulty of ascending elevated mountains? 72. Name the heights reached on the following mountains, and by whom: Mont Blanc, Jungfran, Ortler Spitz, Peak of Demavend, Ararat, Pamir, Peter Botte, Mauna Kea, Mount Egmont, Silla de Caracas, Pichincha, Chimborazo.

LESSON VII.

THE MOUNTAIN SYSTEMS OF THE WESTERN CONTINENT.

73. NORTH AMERICAN MOUNTAINS.—North America contains three great mountain systems,—the Rocky Mountains, the mountains of the West Coast, and the Apalachian system. It embraces, besides, the elevated regions of the Ozark Mountains, the highlands of Labrador and the Arctic coast, and the upland plains, or plateaus, of Mexico.



Rocky Mountain Scenery.

74. The *Rocky Mountains* constitute the most extensive mountain system of North America. They extend from north to south through all the wider part of the continent; or from the shores of the Arctic Ocean on the north to about the parallel of 32° on the south.

The northern portion is divided into numerous ranges, with a general elevation of from one to two thousand feet. As they advance southward, their height increases, and many of their summits rise above the snow-line. They attain the most considerable elevations between the 55th and 38th parallels. The average heights between these limits is from seven to eight thousand feet. The highest summits of the system are *Mount Brown* (15,960 ft.), and *Mount Hooker* (15,700 ft.), both near the line of the 52d parallel.

Questions.—73. What three great mountain systems does North America contain? What other elevated regions does it embrace? 74. What is said of the Rocky Mountains? Where do they extend? What is said of the northern portion? Where do they attain the most considerable elevation? What is the average height between these limits? Which are the highest summits of the system?

75. Numerous passes occur in the range of the Rocky Mountains, the principal one of which is that known as the South Pass, near the 41st parallel. It is at an altitude of more than 7,000 feet above the level of the sea, and affords a passage so easy of access, that a wagon drawn by horses may travel through it. Thousands of emigrants, with their cattle, every year traverse this pass on their way to the valleys of the Pacific.

76. The *Mountains of the West Coast* extend along the Pacific, from Cape St. Lucas to the Peninsula of Alaska. They embrace the *Sierra Nevada* of California and the *Cascade Range* of Oregon. Among the elevated peaks are *Mount Hood*, in the Cascade Range (12,000 ft.); *Mount St. Elias*, near the 60th parallel (17,900 ft.); and *Mount Fairweather*, near the 59th parallel (14,708 ft.). The Sierra Nevada rises above the snow-line, and attains a mean elevation of between seven and eight thousand feet. To the west of this range, lie the gold regions of California.

77. The *Apalachian*, or *Alleghany*, ranges constitute the third great mountain system of North America. They extend along the eastern side of the continent, and within the early settled portion of the United States. They terminate, at the south, near the 34th parallel; and, at the north, near the shores of the Gulf of St. Lawrence. This range is broken by the valley of the Hudson River and Lake Champlain. The southern portion, to which, alone, the term "Alleghany" is applied, consists of numerous parallel ridges separated by longitudinal valleys. The northeastern section embraces the *Green Mountains* of Vermont and the *White Mountains* of New Hampshire. The *Adirondack Mountains*, which extend through the northern part of New York to the west of Lake Champlain, form a part of this system. Intermediate between the Adirondack Mountains and the main range of the Alleghanies, lie the *Catskill Mountains*, which are

Questions.—75. Where is the principal pass situated? What is said of it? 76. Where do the mountains of the West Coast extend? What minor ranges do they embrace? What peaks, their height and situation? What is said of the Sierra Nevada? Where do the gold regions of California lie? 77. What is said of the Apalachian, or Alleghany, range? Where do they extend? Where do they terminate at the south? At the north? By what valley is this range broken? What is said of the southern portion? What mountains does the northeastern section embrace? What is said of the Adirondack Mountains? The Catskill Mountains?

terminated on the north by the valley of the Mohawk, and on the east by the Hudson River.



White Mountains.

78. The Apalachian range extends to a distance of 1,500 miles, with an average height of from 2,500 to 3,000 feet. Among the highest elevations, are *Black Mountain* in North Carolina, the highest of the entire system (6,760 ft.); *Mount Washington* of the White Mountains (6,285 ft.); *Mount Marcy* of the Adirondack range, the highest in New York (5,467 ft.); and *Mansfield Mountain*, the highest of the Green Mountains (4,359 ft.).

79. The *Ozark Mountains* are about 300 miles in length, and extend from the State of Missouri, through the northwestern part of Arkansas, into the Indian Territory. They vary from one to two thousand feet in height. The highlands of Labrador and the Arctic coast have a very broken and rugged surface, and an

Questions.—78. What distance does the Apalachian range extend? What is the average height? Which are among the highest summits? Give the height of each. 79. The Ozark Mountains? What is their height? Describe the highlands of Labrador and the Arctic coast.

average elevation of from one to two thousand feet. They contain a great number of lakes, and possess a climate of intense severity.

80. The principal mountains in Mexico are isolated peaks, many of which are active volcanoes. Several of them lie along the line of the 19th parallel of latitude; the more important being *Colima*, *Jorullo*, *Toluca*, *Popocatepetl*, and *Orizaba*.

81. SOUTH AMERICAN MOUNTAINS.—South America likewise contains three mountain systems; the chain of the Andes, the mountains of Guiana, and the mountains of Brazil.

82. The *Andes*, or Cordilleras de los Andes (*Chains of the Andes*), commence on the north near the Isthmus of Panama, and run in a southerly direction to the Strait of Magellan. In the south of Chile and in Patagonia, they form the coast-line; and, at the greatest distance, in about the middle of Chile, they are but 100 miles from the sea. Their general breadth rarely exceeds from 200 to 250 miles; but between the 20th and 25th parallels of latitude it is upwards of 400 miles.

83. The Andes are divided, according to the countries through which they extend, into the Columbian, Peruvian, Bolivian, Chilean, and Patagonian Andes.

84. The *Columbian Andes* begin at the commencement of the mountainous regions on the north, and extend to the 4th degree of south latitude. They have an average height of from 11,000 to 12,000 feet, and the highest peaks exceed 20,000 feet. The most elevated of them is *Chimborazo* (21,424 feet), which was long supposed to be the loftiest mountain in the New World.

85. The *Peruvian* and *Bolivian* Andes extend from the 4th to the 28th parallel of south latitude, and are remarkable for the great number of their lofty summits, several having an altitude of

Questions.—80. What is said of the principal mountains in Mexico? What volcanic peaks lie along the line of the 19th parallel? 81. How many mountain systems does South America contain, and how are they designated? 82. Describe the situation of the Andes. Where do they form the coast-line, and where are they at the greatest distance from the coast? What is their general breadth? Their greatest breadth? 83. How are the Andes divided? 84. Where are the Columbian Andes situated? Average height? Highest peaks? Chimborazo? 85. Between what parallels do the Peruvian and Bolivian Andes extend? For what are they remarkable? How high are many of the passes in this portion of the Andes?

more than 20,000 feet. Many of the passes, in this portion of the Andes, are between 15,000 and 16,000 feet in height.

86. The *Chilean Andes* are remarkable for containing the highest known summit in the Western Continent—Tupungato,* which attains an altitude of 22,456 feet above the level of the sea. The *Patagonian Andes* rise abruptly from the shores of the Pacific, which they border, to a distance of about 1,000 miles from Cape Horn to the 40th parallel of south latitude. The average height of the Patagonian Andes is from 2,000 to 3,000 feet; though, in some places, they attain an elevation of 9,000 feet.

87. The *Mountains of Guiana* extend from the River Orinoco, in a southeasterly direction, nearly to the mouth of the Amazon. The most westerly of these mountains are distinguished as the *Parime Mountains*; and the most easterly, as the *Sierra Acaray*. *Mount Maravaca*, the highest summit of the system, has an elevation of about 10,500 feet.

88. The *Mountains of Brazil* embrace a great extent of country; they lie mostly in narrow chains or ridges, the most elevated summits of which appear to be less than 6,000 feet high.

LESSON VIII.

MOUNTAIN SYSTEMS OF THE EASTERN CONTINENT.

89. EUROPEAN MOUNTAINS.—The continental part of Europe embraces two important mountain systems,—one in the south and the other in the north, the former being by far the most extensive. The Ural and Caucasus mountains, though usually classed among those of Europe, form natural boundaries between Europe and Asia, and therefore belong as much to one division as the other. The south mountain region includes the Balkan, the Alps, the

Questions.—86. For what are the Chilean Andes remarkable? Tupungato? What is said of the Patagonian Andes? Average height? 87. Where do the mountains of Guiana extend? By what name is the most western of these mountains distinguished? The eastern? 88. What is said of the mountains of Brazil? 89. How many important mountain systems does continental Europe embrace, and where are they situated? What ranges does the south mountain region include? Through what countries does the north mountain region extend? What is said of the Ural and Caucasian mountains?

* According to the observations of Lient. Gilliss, U. S. Navy, Aconcagua, formerly regarded as the loftiest peak of the Andes is but 22,301 feet high; thus making Tupungato the higher by 149 feet.—[EDITOR.]

Carpathian Mountains, the mountains of the Spanish peninsula, and the Apennines of Italy. The north mountain regions extend through Norway and Sweden, constituting what are sometimes called the Scandinavian Mountains.

90. The *Balkan Mountains* are situated south of the River Danube, and extend from the shores of the Black Sea, in a westerly direction, through the central part of Turkey in Europe. A branch leaves the main chain about the meridian of 23° east, and stretches northward to the banks of the Danube; this may be called the North Balkan Mountains. South of the Balkan, are three considerable branches,—the Little Balkan, the Despoto Dag, and the chain of Mount Pindus, the latter stretching through the whole of the Grecian peninsula. The mountains of the Balkan system have but a moderate general elevation, not exceeding, on an average, from 2,000 to 3,000 feet above the sea-level. In some instances, however, they reach an altitude of from 8,000 to 10,000 feet.

91. The *Alps* extend from about the meridian of 15° east longitude, in a semi-circular sweep of about 700 miles, to the head of the Gulf of Genoa. Their breadth varies from 100 to 130 miles. They are highest in the western part, where the crest of the range has an average elevation of between 8,000 and 9,000 feet. Mont Blanc, their loftiest summit, and the highest mountain in Europe, has an elevation of



View of the Alps.

Questions.—90. Where are the Balkan Mountains situated? What branch on the north? What branches on the south? Height of the Balkan Mountains? 91. Describe the situation of the Alps. Their breadth? Average height in the western part? What is said of Mont Blanc? Of numerous other summits? What is the height of the limit of perpetual snow? What is said of the pass of Mont Cenis? Great St. Bernard? Mont Cervin? The great road of the Simplon?

15,760 feet. Numerous summits exceed 10,000 feet in height, and rise above the limit of perpetual snow, the line of which is here between 8,000 and 9,000 feet above the level of the ocean. The most frequented pass, that of Mont Cenis (between Savoy and Piedmont), is 6,770 feet above the sea. It is much more steep and difficult on the Italian side than on that of Savoy. It consists of a plain, 6 miles long by 4 miles wide, encircled on all sides by the different eminences and ridges that form the summit of this part of the chain. The surrounding heights are from 2,500 to 4,500 feet above the plain. The pass of the Great St. Bernard



Dogs of St. Bernard.

is 8,170 feet high; it is celebrated for the passage of the French army over it in the year 1800, but more so for its hospice and sagacious dogs, employed in the rescue of travelers, benighted or endangered by the snow-storms. The pass of Mont Cervin, farther to

the eastward, is 11,100 feet, and is the highest pass in Europe, but is not practicable for carriages. The great road of the Simplon, constructed by Napoleon, attains an elevation of 6,585 feet.

92. The *Apennines* commence near the head of the Gulf of Genoa, and extend in a southeasterly direction through Italy. The average height of the crest of the Apennines varies from 4,000 to 5,000 feet, but in the central portion of the chain several summits are between 7,000 and 8,000 feet high. A volcanic region extends along the west side of the Apennines between the 40th and 43d parallels, and at its southern extremity is Mount Vesuvius, 3,932 feet in height, and the only active volcano in continental Europe.

93. The *Carpathian Mountains* are situated to the north of the river Danube. The higher portions have an elevation of between 5,000 and 6,000 feet. A number of peaks, however, exceed 8,000 feet. The Carpathians are, in general, exceedingly rugged, and the passes through them narrow and difficult. To the west of the 18th meridian are several ranges encompassing the plains of Bohemia, sometimes known as the *Ilercynian Mountains*, having an average elevation of from 2,000 to 3,000 feet. The range on the north of Bohemia is called the *Erz Gebirg*, a word signifying "ore mountains."

94. The mountains of the Spanish peninsula consist of the *Pyrenees* and the *Cantabrian Mountains* in the north; the *Castilian Mountains*, the *Mountains of Toledo*, the range of the *Sierra Morena*, which extend in nearly parallel courses through the central part; and the range of the *Sierra Nevada* in the south. The Pyrenees are about 300 miles in length, and have an average elevation of from 7,000 to 9,000 feet. Its highest summit, the Mount Maladitta, is 11,168 feet in elevation. The Cantabrian Mountains have an average elevation of from 4,000 to 6,000 feet; but some of the summits exceed 10,000 feet. The mountains of central Spain are not remarkable for great height,

Questions.—92. What is said of the Apennines? Height? Volcanic region? Mount Vesuvius? 93. The Carpathian Mountains? Height? General character of the Carpathian Mountains? Ranges to the west of the 18th meridian? 94. What are the principal mountain ranges of the Spanish peninsula? The Pyrenees? Mount Maladitta? The Cantabrian Mountains? Mountains of central Spain? Highest summits? The peak of Mulhacen?

but few rising above 5,000 feet. The highest summits of the Spanish peninsula are those of the Sierra Nevada, the general height of which varies from 6,000 to 9,000 feet. The Peak of Mulhacen, in this range, has an elevation of 11,658 feet.

95. The mountains of Norway and Sweden, sometimes called the *Scandinavian Mountains*, extend along the Atlantic coast, from the Naze, the south point of Norway, to the North Cape. Their average height is from 3,000 to 5,000 feet; but some peaks, as the Snec-hætten (*snow hat*), in the Dovre-field, are above 8,000 feet in height. The North Cape, in the island of Mageröe, which is a detached member of this mountain system, is a high mass of rock rising to 1,161 feet in elevation, and broken into pyramidal cliffs by the force of the waves.

96. The *Ural Mountains* form the eastern boundary of Europe. They extend from about the 51st parallel, a distance of more than 1,200 miles, to the vicinity of the Arctic Ocean. Their mean elevation is about 2,000 feet. The chain of *Mount Caucasus* extends between the Caspian and Black seas, through a length of more than 700 miles. The breadth of the whole mountain region exceeds 150 miles. The highest summit, called El-burz (*the mountain*), is 18,493 feet in elevation. The line of perpetual snow in the Caucasus is about 11,000 feet above the level of the sea.

97. ASIATIC MOUNTAINS.—Asia is remarkable for embracing the most extensive mountain system in the world. The ranges extend mostly in an east and west direction, from the eastern extremity of the continent to the shore of the Mediterranean. Among the principal chains, are the Aldan, or Stanovoi Mountains, the Altai, the Thian-shan, the Kuen-lun, the Himalaya, the Hindoo-Koosh, the mountains of Armenia, and the chain of Mount Taurus.

98. The *Himalaya Mountains*, which border the plateau of Tibet on the south, contain the loftiest summits on the globe.

Questions.—95. The mountains of Norway and Sweden? Average height? The North Cape? 96. The Ural Mountains? Extent? Mean elevation? Mount Caucasus? El-burz? Line of perpetual snow? 97. For what is Asia remarkable? General direction of the ranges? Principal chains? 98. Himalaya Mountains? Their length and breadth? Mean elevation? Snow-line? Passes?

(68). This range is about 1,500 miles in length, and from 200 to 250 in breadth, and has a mean elevation of from 15,000 to 18,000 feet. All the higher parts of the mountains are covered with perpetual snow. The mean height of the snow-line is about 15,000 feet on the southern and 18,000 feet on the northern side of the principal range. Some of the passes over the Himalaya are at the remarkable elevation of 18,000 feet above the level of the sea, and several exceed 15,000 feet.


99. The *Altai Mountains*, which extend in an east and west direction, between the 50th and 55th parallels, border the great central table-lands of interior Asia upon the north. The *Thian-shan* and the *Kuen-lun* ranges are intermediate to the Altai and Himalaya ranges. To the east of the Great Desert of Shamo, or Gobi, are the mountains of *In-shan*, and *Khin-ghan*. *Pe-ling* and *Nan-ling* (or northern and southern mountains) extend in an east and west direction through China, separated by the basin of the Yang-tse-kiang River.

100. The mountains of the *Hindoo-Koosh*, the summits of which are from 18,000 to 20,000 feet above the level of the sea, form a group in which several ranges unite: this region joins the elevated plateaus of Central Asia with those in the western part of the continent. The *Paropamisan* extend west from the Hindoo-Koosh along the northern borders of the plateau of Iran. The *Elbrooz Mountains* are a continuation of the same range, and extend south of the Caspian Sea, rising in *Mount Demavend* to a height of 14,695 feet. The *Soleimaun* (or *Suleimaun*) *Mountains* are on the east, and the *Zagros Mountains* on the west of the plateau of Iran.

101. The *Mountains of Armenia*, situated between the Caspian Sea and the head waters of the River Tigris, are very irregularly disposed. *Mount Ararat*, the highest of these mountains, attains an elevation of 17,323 feet above the level of the sea, and is covered with perpetual snow. The chain of *Mount Tau-*

Questions.—99. The Altai Mountains? Thian-shan and Kuen-lun ranges? What mountains to the east of the Great Desert of Shamo? The Pe-ling and Nan-ling? 100. The Hindoo-Koosh? What regions do they unite? The Paropamisan? The Elburz Mountains? The Solemaun Mountains? The Zagros? 101. The mountains of Armenia? Mount Ararat? Mount Taurus? Argæus? The mountains of Lebanon? Mount Eermon? The Sinai Mountains?

rus extends through Asia Minor, and has an average elevation of from 4,000 to 5,000 feet; its highest summit, *Mount Argæus*, is



Mount Ararat.

12,869 feet above the sea. The *Mountains of Lebanon* extend along the coast of Syria in a north and south direction. *Mount Hermon*, their loftiest summit, is 11,030 feet above the sea-level, and borders on the region of perpetual snow. The highest peak of the *Sinai Mountains*, which stand at the head of the Red Sea, is 9,300 feet above the sea.

102. Mountain ranges also extend through Arabia, Hindoostan, the Indo-Chinese peninsula, and the peninsulas of Corea and Kamtchatka.

103. AFRICAN MOUNTAINS.—A range of mountains extends along the northern shores of Africa called *Mount Atlas*. It has a mean elevation of from 3,000 to 5,000 feet; but *Mount Miltzin*, to the southeastward of the city of Marocco, is found to be 11,400 feet in altitude. To the eastward of the 4th meridian of west longitude is a series of ranges nowhere more than from 3,000 to 4,000 feet high.

104. The *Mountains of Abyssinia* constitute another mountain

Questions.—102. Other mountain ranges? 103. What mountains in the north of Africa? Mean elevation? Mount Miltzin? 104. On what do the mountains of Abyssinia rest? Height of the highest summits? The valley of the Nile? Mountains near the Red Sea?

system of Africa. They rest on an extensive plateau whose elevation is from 6,000 to 8,000 feet. The highest summits are upward of 15,000 feet above the sea, and are covered with perpetual snow. The valley of the Nile, through nearly its entire course, is bordered by high rocks or hills of an elevation rarely exceeding five to six hundred feet. Near the Red Sea, there is a succession of mountain groups, some of which reach from 6,000 to 9,000 feet in height.

105. The third mountain system of Africa extends along the western coast, between the parallels of 14° north, and 18° south latitude. Those which run in an easterly and westerly direction, north of the Gulf of Guinea, are known by the name of the *Kong Mountains*; their general height is from 3,000 to 4,000 feet. The *Peak of Cameroons*, near the coast of the Bight of Biafra, is a detached mountain mass, 13,760 feet in height. In the adjoining island of Fernando Po, *Clarence Peak* rises to 10,655 feet. The extreme unhealthfulness of the climate, combined with other causes, has prevented any thing like a full survey of even the coast regions of Africa; and a very large portion of the vast interior remains almost entirely unknown. It is probable that extensive elevations may yet be discovered in the central part.

106. A fourth series of mountain chains, known as the *Mountains of the Moon*, extends along the eastern coast of Africa, though lying generally at a considerable distance inland. But little is known respecting this range. It is supposed to form the border of a great interior table-land. *Mount Kilimandjaro*, in latitude 4° south, was discovered by a missionary in 1849. Its summit is covered with perpetual snow, whence its elevation is assumed to be not less than 20,000 feet. *Mount Kenia*, a volcano, situated a little south of the equator, is supposed to have about the same elevation.

107. In South Africa, there is a mountain chain having a general east and west direction, called the *Nieuvelde Mountains*. The altitude of the highest portions exceeds 10,000 feet. The *Table Mountain*, in the neighborhood of the Cape of Good Hope, is a flat-topped summit, 3,582 feet above the level of the sea.

Questions.—105. What is the third mountain system? The Kong Mountains? The Peak of Cameroons? Clarence Peak? 106. A fourth series of mountain chains? What is supposed respecting it? Mount Kilimandjaro? Mount Kenia? 107. What mountain chain in South Africa? Greatest elevation? The Table Mountain?

LESSON IX.

UPLAND PLAINS, OR TABLE-LANDS.

108. UPLAND plains, sometimes called table-lands, or plateaus, are extensive tracts whose general level is considerably elevated above that of the sea. They are commonly skirted by mountain ranges which, in some cases, descend abruptly into the surrounding plains. Some of these elevated plains support upon their surface large mountain ranges, which, although of inconsiderable height above the plateau, are yet of great elevation above the level of the sea. Table-lands vary in height from 2,000 to 15,000 feet.

109. The most extensive table-lands of North America are those situated in Mexico. They embrace the plateau of Anahuac, and extend from about the 42d parallel southward to the peninsula of Tehuantepec. This vast highland consists of a series of plains of different elevations. The highest part of the plain of Toluca, upon which the city of Mexico stands, is 9,000 feet above the level of the sea. Farther to the southeast, are the plateaus of Guatemala and Honduras, which exceed 6,000 feet.

110. The plateau of Chihuahua, lying to the north of the 24th parallel, varies from 4,000 to 6,000 feet in height, the southern portion being the more elevated. It has a generally level surface, and a great part of it is desert. It contains many dry salt-lakes, and most of the rivers which cross it, terminate on the table-land without finding any outlet to the coast. The plain of Anahuac is more generally fertile, though arid in many parts.

111. Along the base of the Rocky Mountains a succession of barren plains extends eastward, for a distance of 400 miles, toward the valley of the Mississippi. Through these regions the Red, Arkansas, and other rivers flow in channels considerably

Questions.—108. What are upland plains, table-lands, or plateaus? How commonly skirted? Mountain ranges supported by them? Height of table-lands? 109. Table-lands of North America? What large plateaus do they embrace, and where do they extend? Of what does this vast highland consist? Elevation of the plain of Toluca? Of the plateaus of Guatemala and Honduras? 110. Describe the plateau of Chihuahua. What is said of its lakes and rivers? The plain of Anahuac? 111. Plains east of the Rocky Mountains? Between the Rocky Mountains and the Pacific?

below the general surface. The country between the Rocky Mountains and the Pacific consists, for the most part, of high plateaus and mountain-terraces, including the Great Basin or plateau of Utah, with an elevation of from 4,000 to 5,000 feet.

112. The northern regions of North America are characterized by highlands, though of no very considerable elevations (79). The severity of the climate has prevented any thing like a full exploration, and they will long remain, as they are at present, inhabited only by a hardy race of savages.

113. South America is remarkable for containing some of the most elevated plains in the world. That which surrounds Lake Titicaca is 12,700 feet above the level of the sea, and is surrounded by the loftiest summits of the Andes. The plain of Antisana, under the equator, surrounds the cone of a mountain by the same name, which is covered with eternal snow, and seems like an islet in its midst. This plain is 13,451 feet high, and contains the hamlet of Antisana, which lies at the foot of the cone, being one of the highest spots inhabited by man.

114. The most extensive table-land of Europe is that of Spain. This peninsula consists chiefly of an elevated tract which reaches on its north side to a height of 3,000 feet, and on its south to about 2,000 feet. Madrid, the capital, has an elevation of 2,170 feet. The plateau of Bavaria, in central Europe, reaches a height of 2,000 feet; and the southwest portion of the Scandinavian peninsula constitutes a plateau of moderate elevation. There are several small plateaus, such as the plateau of the Valdai, the plateau of Finland, etc.

115. Asia contains the most widely extended system of table-lands on the globe. Between the Himalaya Mountains on the south, and the Altai Mountains on the north, extends the vast central plateau, having an elevation of from 3,000 to 12,000 feet above the sea-level. In the south, the plain of Tibet attains the

Questions.—112. Highlands in the northern part of North America? 113. For what is South America remarkable? What is said of the plain which surrounds Lake Titicaca? The plain of Antisana? Hamlet of Antisana? 114. The most extensive table-land of Europe? Its elevation on the north and south? Elevation of Madrid? The plateau of Bavaria? Other plateaus? 115. Plateaus of Asia? Describe the situation of the vast central plateau? Its elevation? The plain of Tibet? The great desert of Shamo? Plateaus of southwestern Asia? Plateau of the Deccan?

remarkable height of 12,000 feet. Farther north is the great desert of Shamo, or Gobi, which has an elevation of from 4,000 to 5,000 feet. Nearly the whole of southwestern Asia is elevated into table-lands, among which are the plateau of Iran, the plateau of Asia Minor, and the plateau of Arabia. These plateaus have an elevation of from 2,000 to 4,000 feet. The plateau of the Deccan forms the southern portion of Hindoostan, and has an elevation of about 2,000 feet.

116. The Sahara (or Great Desert) of Africa, forms a plateau of moderate elevation, probably not more in general than from 1,000 to 1,500 feet above the sea, though particular portions of it reach the height of 2,000 feet. It is supposed a vast table-land stretches from the 5th or 6th parallel of north latitude to the neighborhood of Cape Colony.

LESSON X.

LOWLAND PLAINS.

117. **LOWLAND** plains are distinguished from plateaus by being only slightly elevated above the sea-level. In some cases they are considerably below it; as, for examples, the regions around the Caspian Sea and the Sea of Aral. They embrace the most fertile regions of the globe, and being commonly traversed by navigable rivers affording facilities for inland commerce and communication, they constitute the principal abodes of man, and the seats of industry and wealth.

118. **NORTH AMERICAN PLAINS.**—The central portion of North America, extending from the Gulf of Mexico to the Arctic Ocean, forms one immense plain, estimated to possess over two and a quarter millions of square miles, or nearly one third of the area of the entire continent. A rising ground divides it into a

Questions.—116. Sahara? Table-land of South Africa? 117. How are lowland plains distinguished from plateaus? In what cases are they below the sea-level? What do they embrace? 118. What are the situation and extent of the great central plain of North America? How divided?

northern and southern slope—the former being drained by the waters which flow into Hudson's Bay and the Arctic Ocean, and the latter by streams tributary to the Gulf of Mexico.

119. This plain is bounded on the east by the Apalachian system, and on the west by the highlands which form the eastern base of the Rocky Mountains. Its western limit, south of the 55th parallel north, is nearly along the 101st meridian; above that parallel it pursues a northwest direction to the mouth of the Mackenzie's River, in latitude 135° west.

120. The only considerable elevations throughout this immense extent are the Ozark Hills in the south, and a plateau of moderate height to the north and west of Lake Superior. The eastern parts of the plain, toward the base of the Alleghany Mountains and the shores of Hudson's Bay, are generally well wooded, and diversified by hills of small elevation. The middle parts, embracing the valleys of the Mississippi and Missouri, and the intervening tracts, as far as the upper portions of the Mackenzie, are level and grassy regions, called *prairies*.

121. Prairies are of three kinds :

(1.) The *Bushy Prairies*.—These usually contain springs, and are covered with grass, shrubs, grape-vines, and varieties of flowers.



Prairie Scene.

Questions.—119. Its boundary on the east and west? Its western limit? 120. Elevations? The eastern parts? The middle parts? 121. Into how many kinds may prairies be ranged? Describe the Bushy Prairies,—the Dry, or Rolling Prairies,—the Moist, or Wet Prairies.

(2.) The *Dry or Rolling Prairies* are so called on account of their freedom from swamps or pools, and from their wavy surface. The vegetation consists, principally, of grass, weeds, and flowers, which grow with great luxuriance. Over these prairies, the American buffalo roams, in herds of from 40,000 to 50,000.


(3.) The *Moist or Wet Prairies*, the least numerous, abound in stagnant pools, formed by the floods of the rainy seasons. They are covered with a rich vegetation of tall rank grass.

122. Along the Atlantic coast, between the base of the Appalachian Mountains and the sea, stretches a plain, or a comparatively level region, narrow in its northern portion, but increasing to a width of about 250 miles toward its southern limits, as the mountains recede from the coast. Extensive swamps line the coast in several places, and the soil, near the sea-shore, is frequently sterile; but, farther inland, the country improves and contains many fertile tracts. The peninsula of Florida, which belongs to this region, is low and flat, and a large portion of it is covered with swamps.

123. SOUTH AMERICAN PLAINS.—A great central plain extends through the entire length of South America. It is divided into three principal portions—the plain of the Orinoco, the plain of the Amazon, and the plain of the Rio de la Plata,—deriving their names from the three principal rivers by which they are respectively drained. These divisions are distinguished by the names of llanos, selvas, and pampas.

124. The *Llanos*, or *Level Fields*, are those vast plains in Venezuela and New Granada which extend to the north and west from the Orinoco. They have a very level surface, and so gently do they slope toward the sea, that a slight rise in the Orinoco reverses the current of the tributary streams. At the close of the rainy season, the llanos are covered with luxuriant grass, and form rich pasture grounds; but, during the dry months which succeed, the vegetation is entirely destroyed, and the parched ground opens in deep and wide crevices, giving the whole country the aspect of desolation and sterility.

Questions.—122. Describe the plain of the Atlantic coast. The peninsula of Florida. 123. Into how many portions is the great central plain of South America divided? By what names are they distinguished? 124. Where are the llanos situated? What is said of their level surface? How covered during the rainy season? Their aspect during the dry season?



Llano of South America.

125. The *Selvas*, or *Forest Plains*, extend over the lower portion of the basin of the Amazon, and within the limits to which the annual inundations of that river and its tributaries extend. A large part of this country is covered with dense forests.

126. Mrs. Somerville thus describes the selvas of South America :

“The soil, enriched for ages by the spoils of the forest, consists of the richest mold. The heat is suffocating in the deep and dark recesses of these primeval woods, where not a breath of air penetrates, and where, after being drenched by the periodical rains, the damp is so excessive that a blue mist rises in the early morning among the huge stems of the trees, and envelops the entangled creepers stretching from bough to bough. A death-like stillness prevails from sunrise to sunset; then the thousands of animals that inhabit these forests join in one loud discordant roar, not continuous, but in bursts. The beasts seem to be periodically and unanimously roused by some unknown impulse, till the forest rings in universal uproar. Profound silence prevails at midnight, which is broken at the dawn of morning by another general roar of the wild chorus. Nightingales, too, have their fits of silence and song; after a pause they

‘ — all burst forth in choral minstrelsy,
As if some sudden gale had swept at once
A hundred airy harps.’—COLERIDGE.”

Questions.—125. Situation of the Selvas? How covered? Mrs. Somerville’s description of the selvas of South America?

127. The *Pampas*, or *Flats*, are immense level plains, variously covered with long, coarse grass, mixed with wild oats, clover, and other herbage. The country between the 32d and 39th parallels consists of swampy tracts, overgrown with canes and tall reeds, and in other districts covered with gigantic thistles, which grow to the height of eight feet, and so thick as literally to render the country impassable. During nine months of the year the thistles are here the predominant (and almost the only) feature of the vegetable kingdom, but with the heats of the summer they become burned up, and their tall leafless stems are leveled to the ground by the powerful blast of the *pampero*, or southwest wind, from the snowy ranges of the Andes, after which the earth is covered for a brief time with herbage. This is destined, with the return of spring, again to give way to the stronger vegetation, which it had succeeded, and for a time supplanted.

128. The plain which extends from the banks of the Negro (latitude 39° south) to the southern extremity of the continent, is, for the most part, barren; in some places, it is covered with sand mixed with stones and gravel. It contains no trees; but a scanty vegetation of shrubs and herbage is found in a few hollows and ravines.*

LESSON XI.

GLACIERS.


129. A GLACIER† is a field or immense mass of ice formed in deep, but elevated valleys, or on the sides of mountains. Glaciers occur very extensively among the Alps, the Pyrenees, and the mountains of Norway. They are also found on the coast of Greenland, and among the Andes of Patagonia. They occur,

Questions.—127. What are the Pampas? Describe the country between the 32d and 39th parallels. 128. Describe the plain which extends to the south of the Negro. 129. What is a glacier? Where do glaciers occur extensively? Number of the glaciers along the central part of the Alps? Their extent? Number of square miles covered by the glaciers of Switzerland?

* Hughes' Manual of Geography.

† GLACIER is from the Latin *glacies*, *ice*. The French word *glaciere*, from *glace*, signifies an *ice-house*.

however, in the greatest numbers and to the greatest extent in the mountains of Switzerland. Along the central part of the Alps, from Mont Blanc to the frontiers of Tyrol, there are estimated to be more than 400 glaciers. They vary, in length, from 3 to 21 miles; in width, from 1 to $2\frac{1}{4}$ miles; and, in thickness, from 100 to 600 feet. The glaciers of Switzerland, covering, as has been estimated, an area of more than 1,000 square miles, form the inexhaustible reservoirs of several of the principal European rivers.



View of a Glacier.

130. Glaciers are not composed of solid ice; but consist of a mixture of ice, snow, and water. They owe their origin to the accumulation of the snow which falls from the sides of the mountains and becomes only partially melted during the short summer of these elevated regions.

131. It is a remarkable fact concerning glaciers, that they have an onward flow like rivers. This movement is very slow; amounting, on an average, to not more than one foot in twenty-four hours. The current, like that of rivers, is most rapid in the middle and at the surface; becoming, on account of friction, gradually slower toward the bottom and sides. M. Agassiz, in 1841 and 1842, obtained the following results upon this point:

	Annual Motion.
Finster Aar.—Stake nearest the center of the glacier...	269 feet.
“ Stake nearest the side of the glacier	160 “
Lauter Aar.—Stake nearest the center	245 “
“ Stake nearest the side.....	125 “

132. The rate of motion depends upon the seasons; thawing

Questions.—130. Of what do glaciers consist? Their origin? 131. Remarkable fact respecting glaciers? Rate of movement? In what part most rapid? Results obtained by Agassiz? 132. Upon what does the rate of motion depend? State the movement of the Mer de Glace at different seasons.

weather, and a wet state of the ice, conducing to its advancement; while cold, whether sudden or prolonged, checks its progress. The ice near the shore of the *Mer de Glace* (Sea of Ice), near Chamouni, was found to move as follows :

From June 29 to Sept. 28	132 feet.
“ Sept. 28 to Dec. 12	70 “
“ Dec. 12 to Feb. 17	76 “
“ Feb. 17 to April 4	66 “
“ April 4 to June 8	88 “

133. Glaciers, originating in the regions of eternal frost, descend far below the line of perpetual snow. The lowest limit to which perpetual snow extends downward in the Swiss Alps is about 8,500 feet above the level of the sea. The lower glacier of the Aar descends more than 1,500 feet below the snow-line; while others descend 4,000 or 5,000 below the region of perpetual snow and ice; as, for examples, the glaciers of the Upper and Lower Grindelwald.

134. The appearance of glaciers is thus described by Lyell :

“ When they descend steep slopes and precipices, or are forced through narrow gorges, the ice is broken up, and assumes the most fantastic and picturesque forms, with lofty peaks and pinnacles, projecting above the general level. These snow-white masses are often relieved by a dark background of pines, as in the valley of Chamouni ; and are not only surrounded with abundance of the wild rhododendron in full flower, but encroach still lower into the region of cultivation, and trespass on fields where the tobacco-plant is flourishing by the side of the peasant’s hut.” •

135. Snow mountains and glaciers, though devoid of vegetation in the upper regions, and presenting a picture of desolation on a scale of magnificence which makes it awful, are yet a striking instance of the truth that nothing was made in vain.

“ Herds of chamois are at home amid the frozen heights of the Alps; the Thibetian cow can only bear the climate of the valleys in winter ; nor can man pronounce such districts barren, though cheerless in appearance, and never intended for his residence. They minister to his comfort, happiness, and even luxury, as the inexhaustible sources of those streams, which in summer, when other waters are evaporated and dried up, roll on through the plains, fountains of fertility and plenty. The Rhine, Rhone, Po, Reuss,

Questions.—133. Do glaciers descend below the limit of perpetual snow? What is the lowest limit of perpetual snow on the Alps? To what distance below this line are glaciers known to descend? 134. Appearance of glaciers as described by Lyell? 135. What remark is made of snow mountains and glaciers? How illustrated?

Ticino, Aar, Adige, Inn, and Drave, respectively flowing to the German Ocean, Mediterranean, Adriatic, and Black seas, are fed from the snows and glaciers of the Alps."—Rev. THOMAS MILNER.

LESSON XII.

SNOW MOUNTAINS AND AVALANCHES.

136. THE polar regions are covered with fields of perpetual ice and snow. In the temperate and torrid zones, everlasting frosts prevail only on the high lands. The elevation at which perpetual snow begins in these zones varies with the latitude. It is 16,000 feet from the level of the sea at the equator; 9,000 feet near latitude 45° ; 5,000 feet at latitude 60° ; 1,000 feet at latitude 70° ; and about latitude 80° the line of perpetual snow comes down to the sea-level.

137. The principal localities of permanent snow in the torrid and temperate zones, are Iceland; Norway; the Alps; and Pyrenees, in Europe; the Caucasus; Himalaya; Kuen-lun; and Altai mountains, in Asia; the range of the Greater Atlas, in Africa; and the Andes, in America. The mountains of South Australia, and Mount Egmont in New Zealand, are snow mountains. The Himalaya range derives its name, "the dwelling of snow," from so much of its surface being perpetually covered with snow.

138. The summits of these lofty mountains accumulate enormous masses of snow, which are often precipitated into the surrounding valleys, producing terrible disasters. These descending bodies increase in volume by the dislodgment of other masses, and fall with tremendous velocity and violence, uprooting trees, overwhelming houses and villages, and stopping the flow of streams and rivers.

139. Such falls are very common in Switzerland, where they

Questions.—136. Polar regions how covered? Where only do everlasting frosts prevail in the temperate and torrid zones? Elevation at which perpetual snow begins at the equator? At the 45° ? 60° ? 70° ? Snow-line at the 80° ? 137. Principal localities of permanent snow in the torrid and temperate zones? 138. Accumulation of snow masses? Where precipitated? Destructive effects? 139. Where are such falls very common? What are they called in Switzerland? In Norway? What four kinds are noticed?

are called *avalanches*,* or *lavanges*. In Norway they are called the *snee-fond*. Four kinds are noticed, drift, sliding, creeping, and ice avalanches.

140. (1.) A *drift avalanche* is the fall of the drifts and other accumulations of snow from the upper regions. During calm weather snow collects in enormous volumes on the declivities, where it remains until the wind forces it from its resting-place, and it rushes down into the lower regions. In its progress, it forces off other masses which augment its size, and, becoming thus enlarged, it descends with constantly accelerated energy, occasioning as much damage by the whirlwind rush of the air, as by the direct attack of the snow.

141. (2.) A *sliding avalanche* is a descent of snow masses which have become loosened by the heat of the earth. Avalanches of this class occur in spring, and commonly originate in the middle region of mountains. (3.) *Creeping avalanches* originate in a similar manner, but on less steep declivities. (4.) *Ice avalanches* are parts of a glacier, detached by the summer heat, or broken off by their own weight, on the extremity projecting over the edge of a precipice.

142. The following interesting description of avalanches is by the Rev. Thomas Milner :

“On descending the Sheideck into the valley of Grindelwald, canton of Berne, the extraordinary effects of an ice avalanche that fell some years ago are observable. The ground is entirely cleared; the trees have been swept away like reeds; an area of at least a mile and a half square is strewn with stones and stumps; a fine forest growing on each side of the area, which was untouched by the falling mass.

143. “A similar avalanche descended near the village of Randa, in one of the valleys of the Valais canton, in 1819. It covered with ice, rubbish, and fragments of rock an area of 2,400 feet in length, by 1,000 feet wide, to the depth of 150 feet. It fell on an uninhabited spot, but the adjoining village was destroyed by the tremendous rush of the compressed air consequent upon the descent of such an enormous mass, about 9,000 feet. Beams of houses were carried nearly a mile into the forest, and the massive stone steeple of the church was snapped asunder.

144. “In the year 1749, a creeping avalanche of snow descended in the

Questions.—140. Describe the drift avalanches. 141. The sliding avalanches,—the creeping avalanches,—the ice avalanches.

* **AVALANCHE**, from the French *aval*, to descend.

valley of Tawich, in the canton of the Grisons, and buried the whole village of Bueras, pushing it at the same time from its site. The catastrophe occurred in the night, and so stealthily, that it was unperceived by the inhabitants, who, on awaking in the morning, were surprised at the prolonged darkness. Sixty out of a hundred persons were dug out alive, obtaining a sufficient supply of air through the interstices of the snow to sustain life.

145. "In 1838 the secluded hospice of the Grimsel was the scene of a remarkable preservation. The hospice, remote from any human habitation, well known to pilgrims in the Oberland, is only tenanted by a single servant with provisions and dogs, from November to March. In the latter month, a great storm occurred, and the snow fell incessantly for four days. While occupied with his art of wood-carving, the solitary was alarmed by a mysterious sound in the evening, like the cry of a human being in distress; but no benighted wayfarer appeared on sallying forth with his dog. The sound recurred again. It was one of those signals which frequently precede a grand catastrophe in the Alps—the noise of a mass disturbed and quivering. Suddenly the impression seized him to retreat into the hospice. He went accordingly into an inner room, and began to pray, when the avalanche came thundering down, crushing every apartment but the one which was then sanctified by prayer. Its inmate with his dog succeeded in working his way through the snow, and reached Meyringen in safety, firmly regarding his preservation as an answer to his prayer; and to every pious mind it will verify the sacred declaration, 'He that dwelleth in the secret place of the Most High shall abide under the shadow of the Almighty.'"

LESSON XIII.

VOLCANOES.

146. THE term Volcano (derived from Vulcanus, the name the ancient Romans gave to their imaginary god of fire) is applied to those mountains which send forth, from their summits or sides, flame, smoke, ashes, and streams of melted matter called lava: it is also applied to mountains having eruptions of mud only, and which are hence called Mud Volcanoes.

147. Volcanoes are generally of a conical shape, with a hollow at their summit, called the crater, or cup, the sides of which are sometimes entire, like the walls of a circus, but more com-

Questions.—146. From what is the term volcano derived? To what is it applied? 147. General shape of volcanoes? What is the opening at the summit called? Its appearance? The general appearance of the bottom or floor of craters?

monly rent. The bottom or floor of craters usually presents a series of ashy cones, with cracks and fissures, through which jets of smoke, steam, and flame issue at the most tranquil intervals.



Volcano of Orizaba.

148. Volcanoes are either continuously active, or intermittent, or extinct. Of the former class is Stromboli, in the Mediterranean. It is a comparatively low mound, 2,175 feet high. Though rarely violent, it has been uninterruptedly active from the dawn of authentic history, constituting a permanent fiery beacon to sailors on the adjoining seas. Etna, Vesuvius, and Cotopaxi have varying intervals of rest, in some instances, amounting to centuries. Extinct volcanoes are those whose activity has, for ages, been suspended. A volcano of this class may be found on the isle of Palma, one of the Canaries.

149. An explosion commonly begins by a dense volume of smoke issuing from the crater, mixed with aqueous vapor and gases; then masses of rock and melted matter are thrown out with great violence; after which, lava begins to flow, and the whole terminates with a shower of ashes from the crater. The

Questions.—148. The three states of volcanoes? Stromboli? Examples of intermittent volcanoes? What are extinct volcanoes? Instance. 149. How does an explosion commonly begin? What substances follow? What finally succeeds? Which of the ejected substances is often the most destructive?

ashes are often very destructive, as will be seen from the accounts of volcanoes, given in a succeeding lesson.

150. There are supposed to be about 300 volcanoes on the earth, about two thirds of which are situated in islands, the remainder being confined to the continents. Their distribution is stated in the following table :

	On Continents.	On Islands.	Total.
Europe	1	20	24
Asia	17	29	46
Africa	2	9	11
America	86	28	114
Oceanica	—	108	108
	109	194	303

LESSON XIV.

VOLCANIC REGIONS.*

151. VOLCANIC REGIONS OF THE ANDES.—The Andes of South America embrace three extensive volcanic regions. The first is known as the Chilean range, the second as the Peruvian, and the third as the volcanic region of Quito. These regions are separated by extensive tracts, in which no volcanic action has been known to occur since the discovery of America.

152. The volcanic range of Chile embraces the most southern line of active vents. It extends from latitude $43^{\circ} 28'$ south, or from a point on a range with the island of Chiloe to Coquimbo, in latitude 30° south—a distance of nearly fourteen degrees of latitude. This region is remarkable for containing the highest known volcano in the world, that of Aconcagua (22,301 feet). To the north is a space of more than eight degrees of latitude, in which no recent volcanic eruptions have been observed.

Questions.—150. Number of volcanoes? How many of these are situated in islands? On continents? What number belongs to Europe? To Asia? To Africa? To America? To Oceanica? 151. Number of volcanic regions in the Andes? By what names known? How are these regions separated? 152. Volcanic range of Chile? Between what parallels does it extend? For what remarkable?

* The description of the volcanic regions contained in this lesson is derived principally from "Lyell's Principles of Geology."

153. The Peruvian line of volcanoes, the next in order, extends to a distance of about six degrees, from latitude 21° south to latitude 15° south. The volcano of Arequipa is situated in this district, with an elevation of more than 20,000 feet. Between the Peruvian volcanoes and those of Quito, another space intervenes, of no less than fourteen degrees of latitude, said to be free from volcanic action.

154. The volcanoes of Quito begin about 100 geographical miles south of the equator, and continue nearly 130 miles north of that line. Their most elevated summits are Cotopaxi and Antisana,—the former having an altitude of 18,875 feet, and the latter 19,370 feet. To the north of the volcanic region of Quito, there occurs another undisturbed interval of more than six degrees, after which we arrive at the volcanoes of Guatemala, in Central America, north of the Isthmus of Panama.

155. The volcanoes of South America attain, in many instances, a great height above the level of the sea, several examples of which have been previously cited. Those of Peru rise from a lofty platform to elevations varying from 17,000 to 20,000 feet. Of those which have recently been in a state of activity, the most lofty is Cotopaxi. Its eruptions have been more frequent and destructive than those of any other mountain. It is a perfect cone, usually covered with an immense bed of snow which is sometimes, however, suddenly melted by an eruption; as, for example, in January, 1803, when the snows were dissolved in one night.

156. Frequent deluges are caused in the Andes by the sudden melting of great masses of snow, and by the rending open, during earthquakes, of subterranean cavities filled with water. In these inundations, fine volcanic sand, loose stones, and other materials, which the water meets in its descent, are swept away; and a vast quantity of mud, called "moya," is thus formed and carried down to the lower lands. In 1797, valleys, a

Questions.—153. Situation and extent of the Peruvian line of volcanoes? Volcano of Arequipa? What non-volcanic region to the north? 154. Situation and extent of the volcanoes of Quito? Most elevated summits? What region extends farther north? 155. What is said of the vast elevations of the South American volcanoes? Of those of Peru? What is said of Cotopaxi? 156. Frequent deluges, how caused? Moya? Illustration?

thousand feet wide, surrounding Tunguragua, in Quito, were filled with mud from this source to a depth of six hundred feet.

157. VOLCANOES OF NORTH AMERICA.—Proceeding north from the Isthmus of Panama, we find extensive volcanoes scattered through Central America and Mexico. Coseguina, in the former country, was in eruption in 1835, and some of its ashes fell at Truxillo, on the shores of the Gulf of Mexico. The amount of ashes thrown out by this eruption was so great, that twenty-four miles to the southward they covered the ground to the depth of three yards and a half, destroying the woods and dwellings. Thousands of cattle perished, and the streams were strewn with dead fish.



Volcano of Jorullo.

158. Of the volcanoes of Mexico, Tuxtla, Orizaba, Popocatepetl, Jorullo, and Colima are situated on a line extending from west to east, near the parallel of 19° north latitude. If this line be prolonged in a westerly direction, it cuts the volcanic

Questions.—157. Volcanoes north of the Isthmus of Panama? Coseguina? Amount of ashes thrown out? 158. Volcanoes in Mexico? How situated? Volcanoes in the peninsula of California? What volcano reported to have been found farther north?

group of islands called the Isles of Revillagigedo. There are said to be three, or, according to some, five volcanoes in the peninsula of California; and a volcano, Mt. St. Helens, is reported to have been recently in eruption near the mouth of the Columbia River.

159. Of the West Indian Islands, the range, known as the Lesser Antilles, is extensively volcanic. It comprises two parallel series: in the one to the west, all the peaks are volcanic, and rise to the height of several thousand feet; in the other, they are quite low, and, for the most part, composed of calcareous rocks. In the former, or volcanic series, are Grenada, St. Vincent, St. Lucia, Martinique, Dominica, Guadaloupe, Montserrat, Nevis, and St. Eustace. In the calcareous chain are Tobago, Barbadoes, St. Bartholemew, and St. Martin. The most considerable eruptions of modern times have been those of St. Vincent.

160. The volcanic regions of the continental parts of America are confined to the western coast, where a line of volcanoes may be traced from the coast opposite the island of Chiloe to Mexico, or perhaps to the mouth of the Columbia River. There seems to be no indication of volcanoes in Buenos Ayres, Brazil, and the United States, though violent earthquakes have occurred in the latter country, as that which convulsed the valley of the Mississippi, at New Madrid, in 1812.

161. VOLCANIC REGION FROM THE ALEUTIAN ISLES TO THE MOLUCCAS AND ISLES OF SUNDA—An extensive line of volcanoes ranges through the Pacific, parallel with, and at no great distance from, the eastern Asiatic coast. It commences in the north with the Aleutian Isles, and extends, first in a westerly direction for nearly 200 geographical miles, and then southward, with few interruptions, throughout a space of between sixty and seventy degrees of latitude to the Moluccas. At this point it sends off a branch to the southeast, while the principal train continues westerly through Sumbawa and Java to Sumatra, and thence in a northwesterly direction to the Bay of Bengal.

Questions.—159. What volcanic range in the West Indian Islands? Describe the more westerly of the two parallel series. The other. What islands belong to the former series? To the other? 160. To what regions are the volcanoes of the continental part of America confined? Where may they be traced? In which countries are there no traces of volcanoes? 161. Volcanic range through the Pacific? Where does it commence? Give its general course. Its course from the Moluccas?

162. It is supposed the northern extremity of this extensive volcanic region is in the borders of Cook's Inlet, northeast of the peninsula of Alaska, where one volcano, in about the sixtieth degree of latitude, is said to be 14,000 feet high. Alaska contains cones of vast height, which have been seen in eruption, and which are covered for two thirds of their height downward with perpetual snow.

163. From Alaska the line is continued through the Aleutian, or Fox Islands, to Kamtchatka. On this peninsula are many active volcanoes, which, in some eruptions, have scattered ashes to immense distances. Of these, the largest is Kliuchevsk, latitude 56° north, which rises at once from the sea to the prodigious height of 16,512 feet.

164. The Kurile chain of islands constitutes the prolongation of this range, which is continued through Jesso, Nippon, Loo-Choo, and Formosa to the Philippine Islands and the Moluccas.

165. Java is said to contain thirty-eight considerable volcanoes, some of which are more than 10,000 feet high. They are remarkable for the quantity of sulphur and sulphurous vapors which they discharge. They rarely emit lava; but rivers of mud issue from them. There are numerous extinct craters on the island of Java, filled with water which is strongly impregnated with sulphuric acid. The streams flowing from them support no living creature.

166. The Indian and Pacific oceans contain a great number of volcanic islands, interspersed with those of coral formation. The former are lofty, and present evidence that they have been undergoing upheaval in modern times; the latter are very low, consisting of reefs of coral, usually with lagoons, or lakes, in their centers.


167. VOLCANIC REGIONS OF THE MEDITERRANEAN.—Of the

Questions.—162. Situation of the northern extremity of this volcanic region? What of the volcanoes of Alaska? 163. Course of the volcanic line from Alaska? Volcanoes of Kamtchatka? Kliuchevsk? 164. Through what chain of islands is the range prolonged? Through what other islands is the chain continued? 165. Number of volcanoes in Java? For what are they remarkable? Ejected matter? Extinct craters? 166. Extent of volcanoes in the Indian and Pacific oceans? How interspersed? Character of the volcanic islands of the coral islands? 167. Volcanic regions of the Mediterranean? Santorin? Ionian Isles? Vesuvius and Etna? Through what countries does this volcanic region extend on the east? On the west?

volcanic regions in, or bordering on, the Mediterranean Sea, are those of Greece and Italy, with the adjacent islands. In the Grecian Archipelago is the island of Santorin, a grand center of volcanic action. The Ionian Isles are continually convulsed. Vesuvius and Etna,—the former in southern Italy, and the latter in the island of Sicily,—are among the most remarkable volcanoes in the world. The volcanic region which traverses the northern shore of the Mediterranean is supposed to extend in the east through Asia Minor, and the countries bordering on the Caspian Sea to Central Asia, and on the west, through the southern part of Spain and Portugal to the Azores.

LESSON XV.

VESUVIUS, ETNA, ETC.



Crater of Vesuvius in 1829.

168. VESUVIUS.—This volcano is situated about six miles from Naples, and rises in a pyramidal form from a large plain to an elevation of 3,932 feet. It has been subject to many powerful

Questions.—168. Vesuvius, where situated? Its form and elevation? Convulsions?

convulsions, some of which have produced great devastation in the surrounding districts.

169. The following description of its crater is by an American* who visited it in 1851 :

"After passing through thick clouds of steam charged with the suffocating sulphurous acid gas which greatly annoyed our lungs, when the wind cleared our vision we found ourselves on the narrow rim of the great crater. It was so narrow that only two persons could walk upon it abreast. . . . On this narrow rim, we walked on a surface not more than six or eight feet wide, with the terrific crater, 1,000 feet deep, on one side, and the abrupt descent of 1,800 feet on the other side, into the valley of Somma. It was a spectacle truly sublime, awfully grand and appalling. The heat below sent up, in throes and spasms, dense clouds of steam and sulphurous acid gas, which, at short intervals, filled the crater, and all that appeared was a pillar of a cloud, in which we were often involved and half suffocated ; we stood with arms locked, for then it was unsafe to move until a whirlwind swept the crater clear, and we could see into its profound abyss.

170. "Nothing could be more perfectly formed than this crater. It was a magnificent hollow cone, whose nether apex opened into the great world of fire below ; still the fire we did not see, although we had the most decisive proof of its existence and continued action in the violent ejection of steam and gas, filling every few minutes this vast funnel, whose diameter across from side to side was probably 1,000 feet ; but the dense cloud of steam and noxious gas which hovered to leeward over a large portion of the circular orifice, rendered it impossible to walk around it, or even to ascertain whether a continuity of surface, free from cross fractures and chasms, would render it practicable without the most imminent danger."


171. The earliest recorded eruption of Vesuvius is that which happened in the year of our Lord 79, and by which the cities of Herculaneum and Pompeii were destroyed.

172. History informs us of that sad catastrophe, but the sites of those cities had become unknown, and it was not until the last century that they were discovered. Herculaneum, which was discovered in 1711, lies five miles from Naples, immediately adjacent to the eastern shores of the bay, and is still partly covered by the large modern village of Resina. Pompeii, discovered in 1748, is situated farther to the southeast, twelve miles distant from Naples. A great part of it has been cleared from the ashes under which it had so long lain buried, and it exhibits to view the full picture of

Questions.—169. Width of the crater's rim ? Its depth ? Clouds of steam ? 170. Form of the crater ? Existence of fire ? Diameter of the funnel ? What other facts are mentioned ? 171. Earliest recorded eruption of Vesuvius ? What cities were destroyed by it ? 172. Herculaneum, when discovered and where situated ? Pompeii, when discovered and where situated ? Remains found ?

* Professor B. Silliman.

what a Roman city was,—temples, theaters, baths, private habitations, the shops of the different trades, the implements with which they were carried on, and even the materials upon which these were employed.



Vesuvius.

173. In the vicinity of Naples there are other evidences of the volcanic character of this district. Numerous hot baths abound, supplied with steam and water from the vents in the earth. The *Solfatara* is the name of a nearly extinguished volcano, giving vent continually to aqueous vapor, together with sulphurous and muriatic acid gases, like those which escape from Vesuvius.

174. ETNA.—This celebrated volcano is situated on the eastern side of the island of Sicily. It rises near the sea in solitary grandeur, to the height of nearly eleven thousand feet. Its base is almost circular, and is about eighty-seven English miles in circumference. Its summit is about thirty miles from the town of Catania, a sea-port to the south.

175. Etna has been longest known to history of any volcano. It was known to be in action 480 years B. C. Here, according to ancient mythology, the thunderbolts of Jupiter were forged;

Questions.—173. Other evidences of the volcanic character of the district around Naples? Hot baths? The *Solfatara*? 174. Where is Etna situated? Its height? Form and circumference of its base? 175. Date of its earliest known eruption? What events did mythology connect with the mountain? Subsequent eruptions?

here, also, was raised a temple to Vulcan, where the fire never ceased to burn. From the above-mentioned date, during the whole subsequent period, it has been subject to periodical convulsions, with intervals of repose varying greatly in duration.

The recorded eruptions of Etna are ...	B. C. 480—	427,	interval	53 years.
“	“	... B. C. 427—	396,	“ 31 “
“	“	... B. C. 396—	140,	“ 256 “
“	“	between B. C. 140—	122,	four eruptions.
“	“	B. C. 122—	56,	interval 66 years.
“	“	between B. C. 56 & 38,	three eruptions.	
“	“	B. C. 38—A. D. 40,	interval 78 years.	
“	“	A. D. 40—	251,	“ 211 years.
“	“	A. D. 251—	812,	“ 561 “
“	“	A. D. 812—1169,	“ 357 “	

From this period to the present the agitations of Etna have increased in frequency and power :

Twelfth and thirteenth centuries.....	3 eruptions.
Fourteenth.....	2 “
Fifteenth.....	4 “
Sixteenth.....	3 “
Seventeenth.....	8 “
Eighteenth.....	14 “
Nineteenth to 1832.....	6 “

176. The most remarkable eruption of Etna in modern times occurred in 1669. It was preceded by an earthquake which leveled to the ground all the houses in Nicolosi, a town situated twenty miles distant. A fissure, six feet broad, and of unknown depth, opened with a loud crash, and ran to within a mile of the summit. A stream of lava flowed down the side of the mountain, and, after destroying fourteen towns and villages; overwhelmed a part of the city of Catania. This mass, at its entrance into the sea, was six hundred yards broad and forty feet deep. The solid contents of this immense stream of lava is estimated at 93,838,590 cubic feet.

177. VOLCANOES OF ICELAND.—Iceland, in the North Atlantic, seems to form a volcanic region by itself. From the beginning of the twelfth century, there is clear evidence that, during the whole period, there has never been an interval of more than forty,

Questions.—176. Eruption of 1669? How preceded? Destruction caused? Amount of lava? 177. Iceland? Frequency of eruptions? Energy of volcanic action? Ravages of earthquakes? New islands?

and very rarely one of twenty years, without either an eruption or a great earthquake. So intense is the energy of the volcanic action in this region, that some eruptions of Hecla have lasted six years without ceasing. Earthquakes have often shaken the whole island at once, causing great changes in the interior, such as the sinking down of hills, the rending of mountains, the desertion by rivers of their channels, and the appearance of new lakes. New islands have often been thrown up near the coast, some of which still exist; while others have disappeared, either by subsidence or the action of the waves.*

178. The greatest eruption on record proceeded from Skaptar Jokul, in Iceland, in 1783. The lava flowed in two nearly opposite streams, fifty miles in one direction and forty in the other. The breadth which one branch attained in the low countries was from twelve to fifteen miles, that of the other about seven. The ordinary height of both currents was one hundred feet, but in narrow defiles it sometimes amounted to six hundred. It has been calculated that the mass of lava thrown out during this eruption surpassed in magnitude the bulk of Mont Blanc.

179. The eruption of Skaptar Jokul did not entirely cease till the end of two years; and when the tract was visited eleven years afterward, columns of smoke were found still rising from parts of the lava. The destruction of life and property was immense. No less than twenty villages were destroyed, besides those inundated by water. More than nine thousand human beings—nearly one fifth the entire population—perished, together with an immense number of cattle, partly by the depredations of the lava, partly by the noxious vapors which impregnated the air, and, in part, by the famine caused by showers of ashes throughout the island, and the desertion of the coasts by the fish.

180. GEYSERS.—The term Geyser is from the Icelandic *geysa*, which signifies to rage, or burst forth impetuously. It is applied to the hot springs which occur in a remarkable group of fifty or

Questions.—178. Eruption of Skaptar Jokul? Give particulars of the flow of the lava. Breadth and depth of the lava currents? 179. Duration of the eruption? Destruction of life and property? 180. The term Geyser, how derived? To what applied? Irregular action of geysers?

* Sir Charles Lyell.

more in Iceland, about thirty-six miles from Hecla. Geysers are not constantly active; few of them play longer than five or six minutes at a time, although sometimes half an hour. The grand eruptions are often after intervals of a day or two.

181. The Great Geyser has a basin at its summit sixty feet in diameter, and six or seven deep. At the bottom of the basin there is a well or funnel, ten feet wide at the mouth, but gradually narrowing to seven or eight, with a perpendicular descent of seventy feet. The eruptions are preceded by subterraneous noises like the distant firing of cannon, and shakings of the earth. The sound then increases and becomes more violent, till at length a column of water is thrown up to the height of one or two hundred feet. After the water ceases to play, a column of steam, rushing up with amazing force and thundering sound, terminates the eruption.*

LESSON XVI.

EARTHQUAKES.

182. EARTHQUAKES appear to be due to the same cause which occasions a volcanic eruption, namely, the energy of elastic vapors struggling to find a vent from beneath the surface of the earth. They are most common in volcanic districts; but those at a greater distance from volcanoes are more violent, as if the latter afforded passage for the eruptive energy, which, at other points, cracked and upheaved the surface in effecting its disengagement.

183. The best proof that earthquakes and volcanoes have a similar origin is the constancy with which they attend each other. A few examples are selected in illustration

184. The same night Lima was destroyed by an earthquake, four new volcanic vents were found in the Andes. Soon after the earthquake at Lisbon,

Questions.—181. Give particulars of the Great Geyser. Describe the eruptions. 182. To what do earthquakes appear to be due? Where most common? Where most violent, and why? 183. Best proof that volcanoes and earthquakes have a similar origin? 184. What examples are given in illustration?

in 1755, there happened some of the most violent eruptions that ever afflicted the world. Thirty days after the destruction of the city of Caracas, the volcano of St. Vincent became active; and at the moment it broke forth, the earth was shaken over an extent of nearly 20,000 square miles.

185. Earthquakes differ greatly in intensity. The agitation is sometimes so weak as to be scarcely sensible; at other times it is so violent as to overturn cities, prostrate trees, turn the course of rivers, and change the entire aspect of a country.

186. The movements of the surface during an earthquake are various—vertical, horizontal, and undulatory, or whirling. Low rumbling noises resembling distant thunder, or sharp sounds resembling the clanking of chains and discharges of artillery, are commonly heard in great convulsions.

187. The violence of an earthquake seldom lasts more than a minute; but successive shocks are sometimes felt at very short intervals. The most destructive earthquakes are the shortest in duration, amounting to little more than the paroxysm of a few moments.

188. The great earthquake of Lisbon, November 1, 1755, was over in about six minutes; the three shocks which reduced the city of Caracas to ruins, March 26, 1812, transpired in the space of fifty seconds; and the principal convulsion which leveled the city of Conception with the ground, February 20, 1835, lasted but six seconds.

189. In some countries, earthquakes of greater or less violence occur almost daily. At Lima, on the Peruvian coast, an average of forty-five shocks may be expected in the year. At Coquimbo, on the coast of Chile, there were noticed during one year not less than sixty-one convulsions, not including the slighter ones, which were even more numerous.

190. Among the remarkable phenomena attending earthquakes may be reckoned the permanent elevation and depression of large areas of land, the opening of extensive fissures, great oceanic waves, etc.

191. The earthquake of Chile, in 1822, agitated the coast for

Questions.—185. Intensity of earthquakes? 186. Movements of the surface during an earthquake? Noises commonly heard in great convulsions? 187. Violence of an earthquake? What is said of the most destructive earthquakes? 188. Examples? 189. Frequency of earthquakes in some countries? Average annual number at Lima? Number of convulsions noticed in one year at Coquimbo? 190. Phenomena attending earthquakes? 191. Earthquake of Chile in 1822? Give particulars.

a distance of 1,000 miles. The rise upon the coast was from two to four feet:—at the distance of a mile inland it was supposed to be nearly twice as many. It has been conjectured that the area over which this permanent alteration of level extended may have been equal to 100,000 square miles.

192. Numerous instances of the depression of land have occurred. During the great earthquake at Lisbon, in 1755, the new quay subsided, and its place was occupied by water 600 feet deep. In 1819, a region of 2,000 square miles, near the mouth of the Indus, embracing the Fort of Sindree, was submerged, the Ullah Bund, a mound near by, rising as a compensating elevation.

193. Clefts or fissures are frequently formed by earthquakes, in which houses, trees, animals, and men have been engulfed in an instant; the earth sometimes closing up, and no vestige of them remaining on the surface. The great earthquake of Calabria, in 1783, furnished numerous instances of such chasms.

194. The neighboring waters of the ocean, during an earthquake, are strongly agitated. During the earthquake at Lisbon a great wave swept over the coast of Spain, and is said to have been sixty feet high at Cadiz. At Tangier, in Africa, it rose and fell eighteen times on the coast: at Funchal, in Madeira, it rose fifteen feet perpendicular above high-water mark.

195. Earthquakes have caused an immense destruction of life and property, and in some parts of the world, as in South America, the inhabitants are in constant apprehension of danger.

196. During the earthquake which visited Peru, in 1746, 3,800 of the inhabitants perished. In 1797, Peru was visited by another earthquake, on which occasion 16,000 persons perished. The earthquake at Caracas, in 1812, destroyed 10,000 inhabitants. The great earthquake at Lisbon, in 1755, destroyed 60,000 persons in the course of about six minutes. The number of persons lost during the earthquake in the two Calabrias and Sicily, in 1783, is estimated at 40,000, and about 20,000 more died by epidemics which resulted from it.


Questions.—192. Give the examples of permanent land depression. 193. What is said of clefts or fissures? 194. Example of oceanic movements caused by earthquakes? 195. Fatal effects of earthquakes? 196. Number of persons who perished during the earthquake of Peru, in 1746? In 1797? During the earthquake at Caracas, in 1812? During the earthquake at Lisbon, in 1755? During the earthquake of the two Calabrias, in 1783?

PART II.

THE WATERS.

LESSON I.

CHEMICAL COMPOSITION OF WATER.



WATER which is necessary to the support of animal and vegetable life, is very widely diffused and copiously supplied. It is found in three forms: vaporous in the atmosphere, solid in ice and snow, and liquid in rivers and seas. It belongs to this part of physical geography to treat of it in the last condition.

198. Water is composed of two gases, oxygen and hydrogen, in the proportion of eight parts of the former to one of the latter. It is one of the most marvelous facts in the natural world, that, though hydrogen is highly inflammable, and oxygen is a supporter of combustion, both, combined in water, form an element destructive to fire. By processes well known to the chemist, water may be readily resolved into its constituent elements.

199. Pure water is destitute of color, taste, and smell. It seldom occurs, however, in this state, but contains various ingredients, derived either from the atmosphere or from the earth.

Questions.—197. What is said of water? In what three forms is it found? 198. Of what is water composed? What marvelous fact is stated respecting water? 199. What is the character of pure water? Does it commonly occur in this state? What kind of water is the purest? What do spring and well water contain? To what is the brackish taste of wells in limestone countries owing? By what is the character of river-water determined?

Rain-water is the purest that can be obtained except by distillation. Spring and well water contain many earthy substances in solution. The brackish taste of wells in countries abounding with limestone is owing to the presence of that substance. River-water has its character determined by the soil and vegetation of the country through which it flows.

200. The waters of the globe are divided into the fresh and salt. The fresh waters include those of all streams and rivers, nearly all the springs, and the greater number of lakes and marshes. They are so called because they contain no amount of saline matter unfitting them for use. It is supposed that the lakes of North America contain more than half the amount of fresh water on the face of the globe.

201. Salt water, is that which fills the vast basins of the ocean, besides numerous lakes and springs: it forms by far the largest portion of the liquid element. The proportion of saline matter which the ocean contains is about $3\frac{1}{2}$ per cent. The principal salts contained in sea-water are common salt (chloride of sodium), Glauber's salt (sulphate of soda), Epsom salt (sulphate of magnesia), chloride of magnesium, sulphate and carbonate of lime,—common salt being the most considerable in amount. Supposing the sea to have a mean depth of 1,000 feet, it has been calculated that the amount of common salt it would contain would be equal, in extent, to five times the mass of the Alps, or one-third less than that of the Himalaya Mountains.

202. Oceanic waters in different places vary in the quantity of saline matter they contain. From various observations, it appears that the degree of saltiness diminishes toward the poles, and also near the shores. This is owing to the melting of snow and ice, and to the volumes of fresh water poured in by the rivers. It is also ascertained that the waters of the southern hemisphere contain more salt than those of the northern, while the Atlantic is in excess of the Pacific.

Questions.—200. How are the waters of the globe divided? What do the fresh waters include? Why are they so called? What is said of the lakes of North America? 201. What is said of salt water? What proportion of saline ingredients does it contain? What are the principal salts in sea-water? Which is the most considerable in amount? Illustrate. 202. How do oceanic waters vary? Where is the saltiness of the ocean found to diminish? Cause? Between what other regions is the saltiness unequal?

203. Salt water has an extensive distribution in lakes and springs, and these are remarkable for the great proportion of saline matter they contain. The western part of Asia and the southern part of Russia constitute the great salt-water lake region of the globe. The Caspian Sea, lakes Aral, Urumiah, Elton, and the Dead Sea occur in this district. Some of these waters are so salt as to irritate the skin. Fish can not live in them, and if a bird dips in their surface, its wings, on drying, are incrustated with salt. The waters of the Dead Sea contain about 25 per cent. of saline matter. Lake Elton, in the steppe east of the Volga, is more strongly impregnated with saline ingredients than any other known example, containing 29 per cent.

204. Water is one of the most widely diffused bodies in nature. We have seen (12) that the surface of the earth is estimated to contain 196,500,000 square miles, and that the dry land occupies only about 51,000,000—leaving 145,500,000 square miles to be occupied by the fluid element.

205. The benevolence of the Deity is manifest in the wide diffusion of this element over the globe. As a nutritive or alimentary substance, it is indispensable both to the animal and the vegetable world. It serves invaluable purposes in the arts and manufactures; in its application as a motive power; and, when occurring in large bodies, in the form of rivers, lakes, and seas, as a medium for the more rapid or more commodious transport of goods or persons from one locality to another. To the vast reservoir of the ocean we are indebted for the clouds which carry the moisture from the sea and let it down upon the parched and thirsty earth in refreshing rain; indeed, when we study the uses and properties of water, and notice how universally it is supplied to the inhabitants of the earth in the conditions best adapted to their wants and necessities, we can but be filled with gratitude to Him by whom it was so created and distributed.

Questions.—203. What is said of salt lakes and springs? Where is the great salt-water lake region? Examples. 204. Diffusion of water? Extent of the liquid element? 205. Mention some of the uses of water

Map of
THE WORLD
 Showing the principal
OCEAN CURRENTS
 & boundaries of
RIVERSYSTEMS.



LIST OF RIVERS, THE FIGURES IN THE 1ST COLUMN EXPRESS THE LENGTH OF EACH RIVER IN ENGLISH MILES & THOSE IN THE 2ND COLUMN THE AREA OF ITS BASIN IN ENGLISH SQUARE MILES.

Thames	215	6,160	Neva	1,215	310,000	Lena	2,400	960,000	MacKenzie	2,160	
Severn		8,580	Danube	1,626	310,000	Anaïr	2,300	800,000	St. Lawrence	2,140	600,000
Tweed	96	1,870	Dniestr		720	Hwang-ho	2,600	400,000	Hudson	325	
Shannon	224	6,946	Don	1,200	200,000	Yangtse	3,200	760,000	Mississippi	4,000	1,368,000
Tagus	510	34,000	Volga	2,200	530,000	Ganges	1,460	420,000	Grande del Norte		
Loire	570	48,000	Amoo or Oxus	1,300		Indus	1,700	400,000	Oregon	1,200	
Po	450		Sihon			Euphrates	1,600	250,000	Orinoco	1,200	365,000
Rhine	760	70,000	Dvina (White S.)	760		Nile (probable)	3,300	500,000	Amazon	3,900	2,400,000
Elbe	690		Obi	2,530	1,300,000	Senegal	900	80,000	St. Francisco	1,500	
Vistula	628	78,000	Yenesei	2,900	1,110,000	Quorra	2,200	580,000	La Plata	2,350	1,240,000
Dvina (Baltic)	550					Gariép	1,050	300,000	Murray (Australia)		



LESSON II.

MINERAL SPRINGS.

206. MINERAL waters may be divided into four classes: (1) acidulous, such as contain carbonic acid; (2) chalybeate, or springs holding in solution either the carbonate or the sulphate of iron; (3) sulphurous, or springs containing either sulphureted hydrogen, or sulphate of lime, etc., and which are distinguished by their repulsive smell; and (4) saline, or springs holding in solution a considerable portion of neutral salts, which render them hard, and impart to them a disagreeable taste, unfitting them for a beverage, or for culinary purposes.

207. *Acidulous* waters present a sparkling appearance which they owe to the presence of carbonic acid gas. This gas is very plentifully disengaged from springs in almost all countries, but more particularly in the vicinity of active or extinct volcanoes. Acidulated waters sparkle when poured from one vessel into another. A remarkable spring containing water of this description occurs in Asia Minor, near Kiz-hisar, which rises very cold, but bubbles up exactly like a boiling caldron. A small river in South America, a tributary of the Magdalena, which rises in a volcanic mountain, has its waters so greatly impregnated with this gas, that the Spaniards call it Vinagré (*vinegar*).

208. *Chalybeate* springs are such as contain oxide of iron; the term is, however, occasionally applied to springs containing other substances. The springs at Tonbridge Wells, and Brighton, England, belong to this class.

209. *Sulphurous* springs are so named because they contain sulphur, which usually occurs in the form of sulphureted hydrogen, or of sulphate of lime. Of the springs of this class are those of Harrowgate, and St. Bernard's Well, England. Sulphurous springs are very numerous in volcanic countries.

210. *Saline* springs contain a greater or less proportion of chlo-

Questions.—206. Mineral waters, how divided? Acidulous? Chalybeate? Sulphurous? Saline? 207. Appearance of acidulous waters? Carbonic acid gas? Spring near Kiz-hisar? A river in South America? 208. Chalybeate springs? Examples. 209. Sulphurous springs? Examples. Where numerous? 210. Saline springs? Quantity of salt they sometimes contain? Springs at Salina and Syracuse? On the Great and Little Kanawha? At Droitwich?

ride of sodium, or common salt, and are very generally diffused throughout the surface of the earth. So great is the quantity of chloride of sodium in some of these springs, that they yield one fourth of their weight in salt. The springs situated at Salina and Syracuse, in the State of New York, are noted examples of this class. The principal spring at Salina village affords an inexhaustible supply of water, yielding to every forty gallons about one bushel of pure salt. In 1850 there were manufactured at these springs over $3\frac{1}{4}$ millions of bushels of salt. Salt springs occur also on the Great and Little Kanawha rivers, in Virginia, which yield about one bushel of salt from every 60 or 70 gallons of brine. At Droitwich, England, is a celebrated brine spring which produces annually about 700,000 bushels of salt.

211. Besides the springs above described, there are others whose waters are impregnated with various mineral substances which impart to them medicinal properties, as those at Cheltenham, England, at Carlsbad, Germany, and at other places.

212. The mineral springs of the United States are numerous and valuable : they are extensively distributed, but those of New York and Virginia are the most celebrated. Among those in the State of New York are, the chalybeate springs of Saratoga, the sulphur springs of Sharon, Avon, and Clifton, and the petrifying springs of Madison and Saratoga counties. Saratoga is remarkable for the number and variety of its springs, the waters of which are celebrated for their medicinal properties.

213. Among the most celebrated of the springs at Saratoga, are *Congress Spring*, *High Rock Spring*, *Hamilton Spring*, *Putnam's Spring*, *Iodine Spring*, *Pavilion Spring*, and *Empire Spring*, not any two of which are alike in the composition of their waters. Congress Spring is the general favorite of visitors; it is highly acidulous. Hamilton, Putnam, and Pavilion springs are chalybeate. Iodine Spring contains but a small proportion of iron, and may be drank by a certain class of invalids, with whom iron proves a decided injury.

214. Virginia abounds with mineral springs, but the best known are the White and Blue Sulphur Springs of Greenbrier County, the Salt and Red Sulphur, and the Sweet in Monroe

Questions.—211. Other kinds of mineral springs? 212. Mineral springs of the United States? What noted springs in the State of New York? For what is Saratoga remarkable? 213. Which are the most celebrated springs at Saratoga? 214. Principal springs in Virginia?

County, Hot and Warm in Bath, Berkley in Morgan, Fauquier White Sulphur in Fauquier, Shannondale in Frederick, Alum in Rockbridge, Jordon's White Sulphur in Frederick, Red in Alleghany, Grayson in Carroll, Botetourt in Roanoke, Holston in Scott, Augusta Springs and Daggus Springs in Botetourt.

LESSON III.

RIVERS.

215. RIVERS commonly take their rise in springs, lakes, or the thawed ice and snow of elevated mountains. The smaller streams which unite to form them, are variously called rills, rivulets, and brooks. Though rivers frequently rise in lakes, or spring from small elevations, the great storehouses from which the mightiest streams are fed are the ice-clad mountains of tablelands.



Lodore Waterfall.


216. The *basin* of a river comprehends the entire country drained by it and its tributaries. The elevated land separating one basin from another is called the *water-parting* or *watershed*, of which the ridge of a house-roof affords an illustration. This is sometimes a lofty range of mountains, as the Alps, streams from which flow into opposite and distant seas. But commonly a water-parting has no great elevation, a slight rise of the surface being sufficient to separate streams whose mouths are thou-

Questions.—215. Where do rivers commonly take their rise? What are the great storehouses from which they are fed? 216. What is the basin of a river? The water-parting or watershed? What elevated water-parting is mentioned? Have water-partings commonly a great elevation? What rare example is mentioned of two river basins being connected by a navigable natural channel?

sands of miles apart. South America presents the rare example of two river-basins connected by a navigable natural channel. This is caused by the river Orinoco branching off in its upper course and proceeding by different channels to the sea.

217. South America is remarkable for containing the largest river-basin in the world, that of the Amazon, measuring 2,275,000 square miles. Next to it, in point of extent, is the basin of the Mississippi and Missouri, in North America, measuring 1,333,000 square miles. The greatest river-basin in Asia is that of the Obi, 1,250,000 square miles; the greatest in Africa is that of the Nile, supposed to contain 1,240,000 square miles; and the greatest in Europe is that of the Volga, 528,000 square miles.

218. The *course* of rivers is commonly winding. In some cases it is so tortuous that its actual length is three times that of a straight line drawn from its source to its mouth, as the Forth in Scotland; in others, as the Hudson,—it is mainly straight. The Mississippi River is remarkable for its windings, or *bends*, as they are locally called.



Windings of the Mississippi.

219 In 1848, the Raccourci Cut-off, an artificial channel, was made in this stream a little below the confluence of the Red River. The distance, about 30 miles, in the old channel a common steamboat would be three hours in going round, and now one can run through the cut-off in ten minutes up, and in two or three minutes down. The passage was at first a narrow one, but it has become so widened

and deepened by the force of the current that the largest trees

Questions.—217. For what is South America remarkable? Extent of the basin of the Amazon? Of the Mississippi and Missouri? The greatest river-basin in Asia, and its extent? In Africa, and its supposed extent? In Europe, and its extent? 218. What is said of the course of rivers? The Forth in Scotland? The Hudson? The Mississippi? 219. Raccourci Cut-off?

of the forest will go down root foremost, and the tops of them will disappear.

220. The actual meanderings of the Missouri and the Mississippi, or the difference between the direct distance from the source of the former to the mouth of the latter and that by their channels, is estimated at 2,148 geographical miles. The meanderings of the other principal streams, including that of their tributaries, are given approximately in the following table :*

Rivers.	Meandering.
Rhine.....	240 geographical miles.
Elbe	340 “ “
Rhone	352 “ “
Dnieper	582 “ “
Don	552 “ “
Danube	616 “ “
Ganges	856 “ “
Indus	864 “ “
Euphrates.....	892 “ “
La Plata	892 “ “
Nile	920 “ “
Orinoco	984 “ “
Lena	1,004 “ “
Obi.....	1,044 “ “
Mackenzie.....	1,156 “ “
Hoang-Ho.....	1,160 “ “
Volga	1,440 “ “
Amazon.....	1,562 “ “
Yenesei	1,572 “ “

221. The windings of rivers greatly augment their utility by affording facilities for a more extended intercommunication, and by diminishing that velocity of current which would otherwise be such, in many streams, as to prevent their being bridged or navigated with safety. This arrangement affords a striking evidence of the wisdom and goodness of the Creator.

Questions.—220. Meanderings of the Mississippi? Other rivers? 221. How do the windings of rivers augment their utility? How must we regard this arrangement?

* For the length of the principal rivers of the world, including their meanders, see Appendix, page 221.

LESSON IV.

RIVERS—(continued).



Falls of the Minnehaha.

222. THE *fall* of rivers is the difference of level between their source and mouth: it varies from a few feet to many thousands. That of the Volga, in Europe, amounts to only 633 feet in a course of 2,200 miles, about three and one eighth inches to a mile; on the other hand, the Ganges, in Asia, falls 13,672 feet in a course of 1,680 miles, or more than eight feet to a mile. It is in the upper courses of rivers, in mountainous or hilly regions, that the chief portion of fall is accomplished, while

the lower courses have a placid flow, suitable for navigation.


223. A *rapid* is a rush or fall of water where the bed of a river has a moderate inclination: a *cataract* is where it has a steeper descent, or a vertical depression. Falls formed by rivulets or mountain torrents receive the name of *cascades*.

224. Cataracts are among the most sublime objects of nature, the effect they produce in the mind of the beholder depending more on the volume of water than the distance of the descent. Though they are to be found in all countries, those of North America are by far the most extensive and picturesque.

225. The Falls of Niagara, in the river of the same name which connects Lake Erie with Lake Ontario, constitute one of the grandest natural spectacles on the globe. The river, which is about


Questions.—222. What is the fall of rivers, and how does it vary? What is that of the Volga? The Ganges? Where is the chief portion of fall accomplished? 223. What is a rapid? A cataract? Cascade? 224. Where are the greatest cataracts? 225. What is said of the falls of Niagara? Describe it.

three quarters of a mile wide, after forming a succession of rapids, falls suddenly to a depth of 153 feet. The cataract is divided by Goat Island into two parts. The largest of these, on the Canadian side, called, from its shape, the Horse-Shoe Fall, is 1,800 feet, more than one third of a mile, broad, and 153 feet in height. The fall, on the American side, is 600 feet in breadth and 164 feet in height. A cloud of mist points out the locality of the cataract, and, under favorable circumstances, its roar may be heard, it is said, at a distance of 40 miles.



Falls of the Missouri.

226. The Falls of St. Anthony, in the Mississippi, about 400 miles from its source, and just above the mouth of the St. Peters, stand nearly at the head of the navigation of that stream. They have a descent of from 17 to 20 feet, and are thus described by a recent traveler: "Above the falls, the river is about six hundred yards in width. In its descent, it is divided by Cataract Island, a high rocky mass covered with trees and shrubbery. All around this island, above and below, are strewn huge masses of limestone rocks, heaped in Titanic confusion, and attesting the mightiness of the water with which they seem to be contending."



Falls of Montmorenci.

227. Among the other noted falls in America are those of the Missouri, 500 miles from its source, a succession of rapids and cataracts, 26, 47, and 87 ft. in perpendicular height; the rapids of St. Lawrence, above Montreal, extending about 9 miles; the Great and Little Falls of the Potomac, in Maryland; the Falls of Montmorenci, near Quebec, which descend 240 feet in an unbroken sheet; and the Cataract of Tequendama, in the environs of Santa Fé de Bogota, a magnificent fall of 574 ft.

228. The Great Falls of the Missouri are the grandest in all North America, those of Niagara excepted; and although the latter exceed the former with respect to volume of water, depth of descent, and awful grandeur, yet the former are far more diversified and beautiful. These falls are within sixty geographical miles of the easternmost range of the Rocky Mountains. They were discovered by Captain Lewis while engaged in exploring the Missouri. Hearing a sound like that of a fall of water, he proceeded in the direction of it. As he advanced, a spray arose above the plain like a column of smoke, and vanished in an instant. Toward this point he directed his steps; and having traveled seven miles after first hearing the sound, he reached the falls about mid-day. The hills as he approached were difficult of access, and 200 feet high. Down these he hurried with impatience, and seating himself on some rocks under the center of the falls, enjoyed the sublime spectacle of this

Questions.—227. Other noted falls in America? 228. The Great Falls of the Missouri? Give an account of its discovery.

stupendous cataract which, since the creation, has been lavishing its magnificence on the desert, unknown to civilization.

229. The principal waterfalls of the Eastern Continent are Terni, Italy, a fall of the Velino, of 300 feet, usually regarded as the finest European cataract; Staubach, near Lauterbrunnen, in Switzerland, a perpendicular descent of 800 feet; Rhinefall, near Schaffhausen, a fall of the river Rhine in three distinct branches over a precipice upwards of 80 feet high; Reichenbach, canton of Bern, a series of six falls, amounting to 1,000 feet; Ache, a small river of Ba-



Reichenbach.

varia, descending in five falls 2,000 feet; Evanson, a torrent of Mount Rosa, 1,100 feet; Cauvery, southern India, two grand falls near Seringapatam, 810 feet; Girsupah, near a town of that name in the western Ghauts, a single fall of a considerable stream, 872 feet.


LESSON V.

RIVERS—(continued).

230. THE *termination* of rivers is commonly by a single mouth, as in the instances of the St. Lawrence and the Hudson; but many streams, flowing through alluvial regions, carry along sedimentary accumulations which they deposit at their mouths, producing formations of land, and dividing the main stream into

Questions.—229. Give the particulars of the following falls and rapids: Terni, Staubach, Rhinefall, Reichenbach, Ache, Evanson, Cauvery, Girsupah. 230. Termination of rivers? Sedimentary accumulations? Deltas?

branches. Such formations are called *deltas*, from their correspondence to the shape of the Greek letter Δ (delta).




Delta of the Mississippi.

231. The delta of the Mississippi consists of a long, narrow tongue of land protruding for 50 miles into the Gulf of Mexico, at the end of which are numerous channels of discharge. This extensive formation has been produced by the deposit of the sedimentary matter brought down by that mighty stream. The rate of permanent advance of the new

land has been very slow, not exceeding, it is supposed, one mile in a century.*

232. It has been calculated that the mean annual amount of solid matter which the water of the Mississippi contains is about $\frac{1}{245}$ of its weight, and that it is equal to about $\frac{1}{3000}$ of its volume. It has also been estimated that the quantity of solid matter annually brought down by the river is 3,702,758,400 cubic feet, an amount which would cover over eleven miles square one foot deep.



Delta of the Ganges.

233. The waters of the Ganges contain a very large quantity of sedimentary matter, particularly during the season of the rains, which lasts about four months. The average quantity of solid matter suspended in the water during such times was by weight $\frac{1}{428}$ th part; and the solid matter discharged is $\frac{1}{856}$ th part

in bulk, or 577 cubic feet per second. The total annual amount

Questions.—231. Delta of the Mississippi? The rate of its formation? 232. Proportion of the sedimentary matter? Amount annually brought down? 233. Sedimentary matter in the Ganges? Total annual amount? The Hoang-Ho?

* Sir Charles Lyell.

of mud discharged is estimated at 6,368,077,440 cubic feet, a mass equal in weight and bulk, it has been calculated, to eighty-two of the great pyramids of Egypt. The Hoang-Ho, which traverses the great alluvial plain of China, is supposed to bring down in one hour 2,000,000 cubic feet of earth, which so thickens and colors the ocean by its discharges as to originate the name of the Yellow Sea.

234. Rivers are grouped into two grand classes, the oceanic and the continental. *Oceanic* rivers are those which flow direct into the ocean, or into waters communicating with it. They form four distinct systems, belonging respectively to the Arctic, Atlantic, Pacific, and Indian oceans.

I. SYSTEM OF THE ARCTIC OCEAN.

Rivers.	Course.	Termination.	Length in English Miles.
Lena	Eastern Siberia	Arctic Ocean.....	2,400
Olenek.....	Northern Siberia.....	Ditto.....	1,150
Yenesei	Central Siberia	Ditto.....	2,900
Obi.....	Western Siberia.....	Gulf of Obi.....	2,530
Petchora	Northern Russia	Arctic Ocean.....	695
Dwina	Ditto	White Sea	760
Mackenzie.....	British America	Arctic Ocean.....	2,160

II. SYSTEM OF THE ATLANTIC OCEAN.

Neva	Northern Russia	Gulf of Finland...	45
Vistula	Poland, Prussia.....	Baltic Sea	630
Elbe.....	Germany	German Ocean ...	690
Rhine.....	Switzerland and Germany.....	Ditto.....	760
Loire	France	Bay of Biscay....	570
Rhone	Switzerland, France	Mediterranean ...	490
Danube	Austrian Empire, Turkey	Black Sea	1,630
Dnieper	Southern Russia	Ditto.....	1,200
Don	Ditto	Ditto.....	1,100
Nile (Blue N.)	Abyssinia, Nubia, Egypt.....	Mediterranean ...	2,600
Senegal	Western Africa	Atlantic Ocean ...	900
Niger.....	Ditto	Gulf of Guinea ...	2,300
Gariép.....	Southern Africa	Atlantic Ocean ...	1,050
Saskatchewan	British America	Hudson's Bay	1,920
St. Lawrence	Ditto	Atlantic Ocean ...	2,050
Mississippi-Missouri ..	Central North America ...	Gulf of Mexico....	4,100
Rio-del-Norte.....	Mexico	Ditto.....	1,400

Questions.—234. Rivers, how grouped? Oceanic rivers? Systems? Name the principal rivers belonging to the system of the Arctic Ocean. Atlantic Ocean. Pacific Ocean. Indian Ocean.

Rivers.	Course.	Termination.	Length in English Miles.
Magdalena	New Granada	Caribbean Sea	860
Orinoco	Venezuela	Atlantic Ocean	1,200
Amazon	Brazil	Ditto	3,900
Araguay	Ditto	Ditto	1,300
St. Francisco	Ditto	Ditto	1,500
Plata	Ditto	Ditto	2,350

III. SYSTEM OF THE PACIFIC OCEAN.

Amour	Eastern Asia	Sea of Okhotsk	2,300
Hoang-Ho	China	Yellow Sea	2,600
Yang-tse-Kiang	Ditto	Ditto	3,200
Si-Kiang	Ditto	China Sea	1,110
Meinam	Siam	Gulf of Siam	900
Cambodia	Tibet, Cochin China	China Sea	2,000
Columbia	Oregon	Pacific Ocean	750
Colorado	Utah, New Mexico	Gulf of California	900

IV. SYSTEM OF THE INDIAN OCEAN.

Euphrates	Western Asia	Persian Gulf	1,600
Tigris	Ditto	Ditto	980
Indus	Northern India	Arabian Sea	1,700
Ganges	Ditto	Bay of Bengal	1,460
Brahmapootra	Tibet, Assam	Ditto	2,000
Irawaddy	Tibet, Birman Empire	Ditto	1,200
Murray	South Australia	Encounter Bay	1,280

235. *Continental* rivers are those which are confined exclusively to the continents, and discharge themselves into completely insulated lakes, or are lost in sands, deserts, or swamps. The principal continental rivers are stated in the following table :

Rivers.	Course.	Termination.
Volga	European Russia	Caspian.
Kour	Georgia	Ditto.
Terek	Circassia	Ditto.
Ural	European and Asiatic Russia	Ditto.
Amoo, or Jihon (ancient Oxus)	Turkestan	Lake Aral.
Sir, or Sihoon	Ditto	Ditto.
Helmund	Afghanistan	Lake Zurrah.
Yarkand	Central Asia	Lake Iopnor.
	Many streams in Central Asia terminate in insulated lakes, or are lost in desert sands..	

Question.—235. Continental rivers? Name the principal continental rivers, the countries through which they flow, and their places of termination.

Rivers.	Course.	Termination.
Jordan.....	Palestine	Dead Sea.
	Streams north of the African Sahara, lost in sands.....	
Rio Grande.....	Mexico	Lake Parras.
Desaguadero.....	Bolivia	Lakes and Swamps.
Humboldt's.....	Utah Territory.....	Lake.
Bear.....	Ditto.....	Great Salt Lake.
	Many other streams in Utah Territory are lost in sands, marshes, or lakes.	

236. The magnitude of rivers depends upon the area of their basins, the rain-producing character of the climate, and the arrangement of the surrounding mountains, with reference to the prevailing winds. Lieut. Maury thus accounts for the vast rivers of the South American continent: "The northeast and southeast trade-winds, as they come across the Atlantic, filled with moisture, go full charged into the interior, dropping it in showers as they go, until they reach the snow-capped summits of the Andes, where the last drop, which that very low temperature can wring from them, is deposited to melt and feed the sources of the Amazon and the La Plata, with their tributaries."

237. The proportional quantity of water discharged by some of the principal rivers has been estimated as follows:

Thames	1	Don.....	38	Obi	179
Rhine.....	13	Volga.....	80	Nile	250
Loire	10	Euphrates.....	60	St. Lawrence	112
Po.....	6	Indus	133	Mississippi	338
Elbe	8	Ganges.....	148	Plata.....	490
Vistula	12	Yang-tse-Kiang...	258	Amazon	1,280
Danube	65	Amour.....	166		
Dnieper	36	Lena.....	125		

238. Many rivers are subject to periodical inundations. It is to the annual overflowings of the Nile that Egypt owes her fertility. The rise commences about the 21st of June, attains its greatest height near the middle of September, and gradually diminishes to the time of the winter solstice. Both the Mississippi and the Missouri have annual floods during the spring months.

Questions.—236. Upon what does the magnitude of rivers depend? The large rivers of South America? 237. State the proportional quantity of water discharged by some of the principal rivers. 238. Inundations of rivers? Overflowings of the Nile? Of other rivers?

Among the other streams subject to overflow are the Orinoco, Amazon, Euphrates, Tigris, etc.

239. The following beautiful extract relates to the historic associations of rivers: "The rivers of the old world, while subordinate to those of the new in point of magnitude, have an historic and sacred interest in many instances wholly wanting to the latter. The Danube recalls the struggle of the ancient civilization with overwhelming barbaric invasions; the Tiber revives the story of Roman greatness; the Nile associates itself with the colossal power of the Pharaohs; the Tigris and Euphrates are connected with the mighty dynasties of Assyria and Babylon, the captivity of God's chosen people, and that momentous hour when the hand of retributive justice unfolded the doom of monarch and of nation at a profane festivity of the royal house; while the Jordan is imperishably linked with far more stupendous transactions: the miracle which divided its waters at the ingress of Israel into the land of promise; and that voice from heaven which proclaimed the character of the Messiah at his baptism in the stream, placing his right to the universal homage of man, supported by the design of his mission, on the firm ground of his Divine nature: 'This is my beloved Son, in whom I am well pleased.'"^{*}

LESSON VI.

THE RIVER SYSTEMS OF THE WESTERN CONTINENT.

240. In no other portion of the world are rivers found upon so magnificent a scale as on the continent of North and South America. The magnitude of these streams is owing to a variety of causes, some of which, as the situation and direction of the great mountain ranges, the extent of the river-basins, etc., have already been described: others, from their intimate connection with the phenomena of wind, rain, etc., will be explained in the chapters devoted to those subjects.

241. NORTH AMERICAN RIVERS.—The continent of North America may, with reference to its drainage, be divided into four grand divisions: (1) The Atlantic slope, or that part which is drained by the rivers tributary to the Atlantic Ocean; (2) the

Questions.—239. What is said of the rivers of the old world? Illustrate. 240. Magnitude of the American rivers? To what owing? 241. How may the continent of North America be divided with reference to its drainage? First division? Second? Third? Fourth?

^{*} Rev. Thomas Milner.

Valley of the Mississippi, lying between the Rocky and Alleghany Mountains; (3) the region to the west of the Rocky Mountains, the streams of which are tributary to the Pacific Ocean; (4) the northern slope drained by streams tributary to Hudson's Bay and the Arctic Ocean.

242. The *Mississippi* is the largest of the North American rivers. It waters the southern half of the great plain, and brings to the sea the drainage of upward of a million of square miles. It rises in the small lake of Itasca, at an elevation of only 1,490 feet above the level of the sea, and flows in a southerly direction to its termination in the Gulf of Mexico, after a course of 2,500 miles. The Mississippi is navigable for 2,200 miles to the Falls of St. Anthony which occur at a distance of about 400 miles below its source.

243. The *Missouri* has its origin in the Rocky Mountains, and runs for 3,100 miles in a southeasterly direction before it joins the Mississippi, making a total distance, from its source to its entrance into the Gulf of Mexico, of more than 4,450 miles. It is navigable from the point where it unites with the Mississippi up to the base of the Rocky Mountains, where the Great Falls occur (in latitude $46^{\circ} 50'$).

244. During the period of the annual floods, large tracts of the adjoining country are overflowed, and immense damage done to property. Artificial embankments, called *levees*, are constructed along the lower course of the Mississippi to prevent inundation; but, in seasons of high floods, they are often broken through by the force of the waters, forming what are known as *crevasses*. About one fifth of the whole surface of the State of Louisiana is periodically overflowed.

245. The *Ohio* is, next to the Missouri, the most important of the tributaries of the Mississippi: it is formed by the junction of the Monongahela and the Alleghany rivers, which unite their waters at Pittsburg, where the river becomes navigable. The Ohio, about 950 miles in length, and from four hundred yards to upward of three quarters of a mile in breadth, flows

Questions.—242. The Mississippi? Its source, direction, and termination? How far navigable? 243. The Missouri? How far navigable? 244. Floods? Artificial embankments? 245. The Ohio? Its length, etc.? Falls?

through one of the most fertile portions of the Mississippi Valley. It has no fall, except a rocky rapid of $22\frac{1}{2}$ feet descent at Louisville, around which a canal has been constructed sufficiently capacious to admit steamboats, though not of the largest class.

246. Among the other principal streams in the Valley of the Mississippi are the following: the St. Peters, Iowa, Des Moines, St. Croix, Wisconsin, and Illinois rivers, tributaries to the Mississippi above, and the Ohio, Arkansas, and Red rivers below, the junction of the Missouri; the Yellow-stone, Platte, Kansas, and Osage rivers, tributaries to the Missouri; and the Scioto, Miami, Wabash, Kanawha, Licking, Kentucky, Green, Cumberland and Tennessee rivers, tributaries to the Ohio.

247. The *St. Lawrence* is the second great river of the North American continent, and by far the largest of the streams draining the Atlantic slope. Its channel from Lake Ontario to the sea is about 700 miles long, but (including the great chain of lakes from which it derives its waters) the whole length, from the mouth of the St. Lawrence to the western extremity of Lake Superior, is 2,050 miles. Above Montreal, rapids occur which interrupt its navigation. During four months of the year the navigation is completely stopped by the ice.

248. Of the other streams draining the Atlantic slope, the principal are the Connecticut (410 miles), the Hudson (310 miles), the Delaware (309 miles), the Susquehanna (450 miles), the Potomac (380 miles), the James (375 miles), the Roanoke (275 miles), the Pedee (375 miles), the Santee (360 miles), the Savannah (330 miles), and the Altamaha (320 miles),—all of which flow into the Atlantic Ocean. The Appalachicola (470 miles) and the Mobile, further to the westward, flow into the Gulf of Mexico. Most of these rivers are navigable for a considerable distance inland, and the Hudson (at the mouth of which stands the city of New York) can be ascended by the largest merchant ships 120 miles, and by steamers nearly 160 miles.

Questions.—246. Tributaries to the Mississippi above the junction of the Missouri? Below the junction of the Missouri? Tributaries to the Missouri? To the Ohio? 247. The St. Lawrence? Its length from Lake Ontario? Its whole length including the lakes? Rapids? Ice? 248. Other streams draining the Atlantic slope? Their navigability? The Hudson, how far navigable for the largest ships? For steamers?

249. The principal rivers draining the region to the west of the Rocky Mountains—forming the third division—are the Fraser (500 miles), Oregon, or Columbia (1,300 miles), Sacramento (450 miles), and the Colorado (1,350 miles). Columbia, the most considerable of these, receives several important tributaries, the largest of which is the Lewis. The river Sacramento waters the northern half of the valley lying between the Sierra Nevada and the coast range of California, and forms at its mouth the harbor of San Francisco: immediately above this outlet it is joined by the San Joaquin, which drains the southern half of the valley, and carries off the waters of Lake Tule. The streams tributary to the Sacramento and San Joaquin, which flow from the east, drain the gold regions of California.

250. Of the streams draining the northern slope of North America two divisions may be made,—one embracing the Nelson, Churchill, and other rivers flowing into Hudson Bay; and the other, the Mackenzie, Coppermine, and other streams flowing into the Arctic Ocean. The most considerable of these streams is the Mackenzie which issues from the western extremity of the Great Slave Lake. During the summer, it pours a vast flood of waters into the sea; but is obstructed by ice during nine months of the year.

251. The Rio del Norte is a considerable stream of 2,000 miles in length, which rises in the southern part of the Rocky Mountains and runs in a southeasterly direction into the Gulf of Mexico. To the south of this stream are few rivers of any considerable length. The San Juan, in Central America, possesses considerable interest from its having hitherto afforded the most ready means of communication between the opposite shores of the Atlantic and Pacific oceans. It has its origin in the lake of Nicaragua, on the southern portion of the plateau of Guatemala, and, after a course of 120 miles, empties itself into the Caribbean Sea.

Questions.—249. The principal rivers draining the third division? The Columbia? Sacramento? San Joaquin? Gold regions, how drained? 250. What two divisions of the streams draining the northern slope? The Mackenzie? 251. The Rio del Norte? San Juan?

LESSON VII.

THE RIVER SYSTEMS OF THE WESTERN CONTINENT.

252. SOUTH AMERICAN RIVERS.—The three principal rivers of South America are the Orinoco, the Amazon, and the La Plata, which drain, respectively, the northern, middle, and southern portions of the great plain.

253. The *Orinoco*, nearly 1,200 miles long, rises in the mountains of Guiana. About 130 miles below its source, it sends off to the southward, a branch called the Casiquiare (200 miles in length), which joins the River Negro, a tributary of the Amazon, and thus effects a natural communication, navigable for boats, between the basins of these two great rivers.

254. The principal tributaries of the Orinoco, on its left bank, are the Guaviare, Meta, and Apure, rising in the Andes; on the right bank, the Ventuari, Caura, and Caroni, having their sources in the Pacaraima Mountains. Below the village of Angostura, 280 miles from the mouth of the Orinoco, no impediments to its navigation occur: above this, its course is occasionally interrupted by rapids; but, in general, it presents a deep and navigable channel nearly to its source.

255. The *Amazon*, called the Marañon in the upper portion of its course, rises in the small lake of Chincacocha, upon the table-land of Pasco, amid the highest parts of the Peruvian Andes. Thence it flows in a northerly course until it leaves the mountains, and afterward crosses the great plain in an easterly direction to the Atlantic Ocean. The whole length of the Amazon is little short of 3,900 miles.

256. The tributaries of the Amazon are numerous and on a grand scale, some of them being equal to the largest streams of the Old World. The principal are the Napo, Putumayo or Ica, Japura, and Negro, on the left bank:—the Huallaga, Ucayale, Javary, Jutay, Jurua, Teffe, Purus, Madeira, Tapajos, Xingu,

Questions.—252. The three principal rivers of South America? 253. The Orinoco? Casiquiare? 254. The principal tributaries of the Orinoco? Its navigability? 255. The Amazon? Its course? Length? 256. What is said of the tributaries of the Amazon? The principal tributaries on the left bank? Upon the right bank? The Madeira?

and Tocantins, upon the right. The Madeira has a course of more than 2,000 miles before it joins the Amazon.

257. At the distance of 700 miles below its source the Amazon has a width of 800 yards, and during the last 450 miles of its course, it is nowhere less than four miles in width, and at its mouth the channel is fifty miles across. A recent exploration of this river* has proved that it is navigable for vessels of the largest class from its mouth to the very foot of the Andes, a distance of about 3,500 miles. So great is the amount of water which it brings down that its freshness is perceptible at a distance of more than 500 miles from the coast.

258. The *Rio de la Plata* is a broad fresh-water estuary which receives the waters of the Parana and Uruguay. The Parana has its rise in the mountains of Brazil, and, reckoning from its most distant source to the mouth of the Rio de la Plata, is 2,350 miles in length. About 760 miles above the sea it receives the Paraguay, which has a course of about 1,500 miles. The Uruguay (1,000 miles long) flows nearly parallel to the lower course of the Parana. Both the Parana and Paraguay are navigable for large vessels to a distance of nearly 1,000 miles.

259. Among the other principal rivers of South America are the Magdalena (860 miles), which flows into the Caribbean Sea, and the Atrato (300 miles), into the Gulf of Darien. The Essequibo, Demerara, Berbice, Surinam, and Maroni, flow into the Atlantic to the eastward of the mouth of the Orinoco. To the east and south of the Amazon are the Maranhao, Paranahyba, St. Francisco (1,500 miles), and many others belonging to the Atlantic coast. The Colorado (600 miles) and the Negro (800 miles) flow into the Atlantic southwest of the Rio de la Plata.

260. The rivers on the western coast of South America are very short: among the longest are the Biobio, in Chili, about 150 miles, and a few streams of nearly equal length to the northward of the Gulf of Guayaquil.

Questions.—257. Width of the Amazon? How far navigable? Illustrate the great extent of water it brings down. 258. The Rio de la Plata? The Parana? Paraguay? Uruguay? How far are the Parana and Paraguay navigable? 259. Other principal rivers of South America? Rivers flowing into the Atlantic to the east of the mouth of the Orinoco? To the east and south of the Amazon? To the south of the Rio de la Plata? 260. The rivers of the western coast? Biobio?

* By Lieut. Herndon.

LESSON VIII.

RIVER SYSTEMS OF THE EASTERN CONTINENT.

261. EUROPEAN RIVERS.—Europe is divided into two principal river systems,—one embracing those streams which have a southerly direction, and flow into the Mediterranean, Caspian, and Black seas; the other comprising those which have a northerly course, and terminate in the North, Baltic, and White seas, and the Arctic Ocean.

262. In the west, these two systems are, for the most part, divided by the Alps and German mountains; but, in the eastern part of Europe, the division of waters is effected by a ridge of the great plain slightly raised above the general level. This watershed begins on the northern declivity of the Carpathian Mountains, near the 23d meridian, in a low range of hills running between the sources of the Dnieper and the tributaries of the Vistula, and thence proceeds in a tortuous course along the plain to the Valdai table-land, which is its highest point, 1,200 feet above the sea. It then declines northward toward the Onega, about the 60th parallel, and lastly turns in a very serpentine line to the Ural Mountains, near the 62d degree of north latitude.

263. The *Volga*, which is the largest river of Europe, rises in the plateau of Valdai, at the height of 1,100 feet above the sea. Its entire course is 2,200 miles in length, and the area of its basin about 520,000 square miles, or nearly one seventh of the whole surface of the continent. The *Volga* is navigable through nearly its whole length, and has considerable depth. During the greater part of winter, it is frozen over; but, at other times, is the highway of a most extensive traffic.

264. The *Danube*, 1,630 miles, is the second of the rivers of Europe, both in length of course and in the area of its basin which is 310,000 square miles in extent. It rises in the Black Forest, to the north of Switzerland, at a height of 2,200 feet

Questions.—261. Into what two river systems is Europe divided? 262. Division of the two systems in the western part? In the eastern part? Describe the course of the watershed through eastern Europe. 263. Give particulars of the *Volga*. How far navigable? 264. Give particulars of the *Danube*. Its source, direction, and termination?

above the level of the sea, and flows in an easterly direction across the plateau of Bavaria, through Austria, the plain of Hungary, and between Bulgaria and Wallachia, to its entrance into the Black Sea.

265. The Danube is navigable from its mouth up to Ulm (10° east longitude), or throughout nearly its entire course; the only interruption being between the towns of Moldova and Gladova, where it passes, for a space of 60 miles, through a succession of rapids and shallows. The principal tributaries are the Inn, the Drave, the Save, and the Morava, on the south; and the March, the Theiss, the Aluta, and the Pruth, on the north. All of these are rivers of considerable magnitude.

266. The more important of the other streams which flow into the Black Sea, are the Dniester which is 500 miles long; the Dnieper which is 1,200 miles in length; and the Don, 1,000 miles. The Dnieper is navigable from Smolensk to the sea, except for a distance of about 150 miles below Kiev, within which distance its navigation is considerably impeded by rocks and cataracts.

267. The *Rhine* rises in the Alps, at an elevation of 6,580 feet, and flows in the upper portion of its course through Lake Constance. It has a length of 760 miles, and its basin is 70,000 square miles in area: at Basle, where it is 765 feet above the level of the sea, its breadth is 800 feet, at Mentz about 1,700, and at Cologne 1,400. It is navigable for boats as high up as the Falls of Schaffhausen, a short distance below Lake Constance; and, for vessels of some magnitude, as high as Strasburg. The current is generally rapid, flowing at the rate of four or five miles an hour. Its principal affluents are the Neckar and Main on the right bank, and the Aar and Moselle on the left.

268. Of the other considerable rivers flowing into the Atlantic Ocean are—the Elbe (690 miles) and the Weser (380 miles) to the north, and the Meuse (550 miles), Seine (430 miles), Loire (570 miles), and Garonne (350 miles), to the south. Spain is

Questions.—265. Navigation of the Danube? Tributaries? 266. Other streams which flow into the Black Sea? The Dnieper? 267. The Rhine? Its length, extent of its basin, etc.? Its principal affluents? 268. Other considerable rivers flowing into the Atlantic Ocean? Rivers of Spain?

watered by numerous rivers, as the Minho (200 miles), the Douro (460 miles), the Tagus (510 miles), and the Guadiana (450 miles); they are all navigable in the lower parts of their courses. The Guadalquiver (290 miles) is navigable for large vessels up to Seville.

269. The rivers which flow into the Mediterranean have generally short courses, owing to the nearness of the mountains on the north. The Ebro (420 miles) flows from the eastern side of the Spanish table-land. The Rhone (490 miles) rises in the highest region of the Alps, and passing in its course through Lake Geneva, below which it is navigable, falls into the Gulf of Lyons. The Arno (150 miles) and the Tiber (210 miles), both water the western side of the Italian peninsula; the Po (450 miles) and the Adige (250 miles) flow through the plain of Lombardy, and enter the Adriatic Sea near its northern extremity.

270. The principal rivers flowing into the Baltic Sea are the Duna (550 miles), the Niemen (400 miles), the Vistula (628 miles), and the Oder (550 miles). The Duna, the Vistula, and the Oder are navigable for the greater part of their courses. The Neva, which flows into the head of the Gulf of Finland, though only 46 miles in length, is of considerable importance. It has a vast volume of water, being the outlet of the great lakes of Ladoga and Onega. Its mean breadth is 1,500 feet, and its depth 50 feet. It is frozen over for five months of the year.

271. The White Sea and Arctic Ocean receive several important streams, among which are the Dwina (760 miles), the Mezen (480 miles), and the Petchora (900 miles).

LESSON IX.

RIVER SYSTEMS OF THE EASTERN CONTINENT—(*continued*).

272. ASIATIC RIVERS.—The rivers of Asia may, like those of Europe, be divided into two principal classes, separated by

Questions.—269. What is said of the rivers flowing into the Mediterranean? The Ebro? Rhone? Other streams? 270. The principal rivers flowing into the Baltic Sea? Which are navigable? The Neva? 271. Streams flowing into the White Sea and Arctic Ocean? 272. How may the rivers of Asia be divided? The northern division? The other class?

the mountains and table-lands which extend east and west through the interior. The northern division embraces the rivers which flow into the Arctic Ocean, and those, in the west, which terminate in inland seas or lakes unconnected with the ocean. The other and more numerous class includes the streams which have their origin in the mountains of the interior, and flow either southerly into the Indian Ocean, or eastwardly into the Pacific.

273. The *Obi*, which flows into the Arctic Ocean, is 2,530 miles in length; its river-basin is 1,250,000 square miles in extent, being probably the largest basin of any river in the Eastern hemisphere. The other principal rivers in the north of Asia are the *Yenesei* (2,900 miles) and the *Lena* (2,400 miles). The *Obi*, *Yenesei*, and *Lena* all rise in the mountains of the Altai system, and flow through the Siberian plain. Owing to the severity of the climate their waters are frozen during a great part of the year, and they are hence of little use for the purposes of navigation.

274. The *Ganges* (1,460 miles) and the *Indus* (1,700 miles), two of the most important rivers of Asia, both water the northern portion of Hindoostan. The *Ganges*, whose basin extends from east to west to the south of the Himalaya Mountains, flows in an easterly direction into the head of the Bay of Bengal. At its mouth it divides into numerous arms, which inclose a *delta* of immense extent (page 72): its most western arm, called the Hoogly, upon which Calcutta is built, is the only one that is usually navigated. The *Ganges* is remarkable for the great extent of its fall: it is ascended by steamers as high as Allahabad, more than 800 miles from its mouth.

275. The *Indus* rises on the plateau of Tibet, to the northward of the Himalaya Mountains, at an elevation of more than 15,000 feet, and flows into the Arabian Sea. About 470 miles above its mouth, the *Indus* receives, on its left bank, the river *Chenaub* which collects the waters of the five streams of the Jeloam, the *Chenaub*, the *Ravee*, the *Bayas*, and the *Sutlej*. The district watered by these five rivers is called the *Punjaub*.* All the

Questions.—273. The *Obi*? Other considerable rivers of northern Asia? What further is said of the *Obi*, *Yenesei*, and *Lena*? 274. The *Ganges* and *Indus*? Give particulars of the *Ganges*. 275. The *Indus*. Its tributaries. How far navigable?

* Properly, *Penj-ab*, or five rivers.

chief tributaries of the rivers, as well as the main stream, are navigable through nearly their entire length. Steamboats of considerable size can ascend to a distance of more than 500 miles, and smaller vessels, 1,000 miles.

276. The other principal rivers belonging to the basin of the Indian Ocean are the Saleun and the Irawady, each 1,200 miles long, and both flowing into the Gulf of Martaban; the Brahmapootra, the Godavery, the Krishna, and the Cauvery, into the Bay of Bengal; the Nerbudda, into the Gulf of Cambay; and the united Euphrates (1,700 miles) and Tigris (1,150 miles) into the Persian Gulf.

277. The seas to the east of Asia receive several large rivers, among which are the Amour (2,300 miles), which flows into the Gulf of Tartary; the Hoang-Ho (2,600 miles), and the Yang-tse Kiang (3,200 miles), both flowing into the Yellow Sea; and the Cambodia (or *May Kiang*) (1,300 miles) into the Gulf of Siam.

278. The drainage of a large part of the Asiatic continent—probably not less than four and a half millions of square miles—is unconnected with any of the surrounding oceans, but is received into inland seas or lakes, of which the Caspian and Aral possess the most extensive basins. The principal continental rivers of Asia are the Kour (520 miles), the Amoo, or Jihon (1,300 miles), and the Sihoon (1,150 miles), flowing into the Sea of Aral. The Tarim, or Erghue (900 miles), flows into the Lake of Lop, in the center of the continent. The Helmund (600 miles), which rises in the plateau of Afghanistan, falls into Lake Zurrah; the Jordan, in Palestine, into the Dead Sea.

279. AFRICAN RIVERS.—The *Nile* is the most considerable river of Africa: it carries off the waters from the northern and western sides of the plateau and mountains of Abyssinia, and discharges itself into the Mediterranean. The Nile is formed by the junction (in latitude $15^{\circ} 40'$ north) of two streams,—the Bahr-el-Azrek (Blue River), and the Bahr-el-Abiad (or White River): the latter is generally admitted to constitute the main

Questions.—276. Name the principal rivers belonging to the basin of the Indian Ocean. 277. Those flowing into the eastern seas. 278. Extent of the surface drained into the inland seas? Principal continental rivers of Asia? Into what seas or lakes do they respectively flow? 279. What is said of the Nile? How formed? Source of the Nile? How far has its course been traced?

channel of the river. The source of the Nile—calling the head waters of the Bahr-el-Abiad its real source—has not yet been visited by Europeans, but its course has been traced upward to within four degrees of north latitude, and there is reason to believe that it rises south of the equator

280. Though the Nile has so great a length of course—probably not much short of 3,500 miles—its basin is of very limited extent. For a distance of 1,400 miles above its mouth it receives no tributary. Through the middle and lower portion of its course, the Nile flows in a narrow valley inclosed on each side by steep rocks: the width of this valley varies from one to two miles, in Nubia and Upper Egypt, to as many as ten or twelve miles lower down the stream.

281. The *Niger* or Quorra is the largest of the African rivers which flow into the Atlantic Ocean. It rises in the mountains of Soudan, where the main tributary is known as the Joliba; pursues a northeasterly course to the neighborhood of Timbuctoo; thence a southeasterly course, passing through a wide opening of the Kong Mountains, and enters the eastern extremity of the Gulf of Guinea by several mouths. The length of the Niger is perhaps about 2,500 miles. Above the place of its passage through the Kong Mountains, it receives the waters of the Chadda, a broad and deep tributary. The Niger has been ascended by a steamboat to more than two hundred miles above the junction of the Chadda, but the extreme unhealthiness of the climate in the district through which its lower course lies, has contributed to the failure of many attempts made to explore this part of Africa, and to establish commercial relations with the inhabitants.

282. Besides the Niger, the principal rivers upon the west coasts of Africa are the Senegal, the Gambia, the Rio Grande, the Rokelle, the Volta, the Zaire or Congo, the Coanza, and the Gariep or Orange. Both the Senegal (900 miles) and the Gambia (650 miles) are navigable rivers: they flow in a westerly direction, and draw their waters from the same mountain ranges in

Questions.—280. Length? Basin? Width of the valley in different parts? 281. The Niger? Its source, direction, and termination? Length? How far ascended by a steamboat? The climate of the district in which its lower course lies? 282. Other principal rivers upon the west coasts of Africa? The Senegal and the Gambia? The Gariep? The principal river upon the eastern side? Other rivers?

which are the sources of the Niger. The Gariep, or Orange River, in the southern part of Africa, has a length of upward of 1,000 miles. The principal river upon the eastern side of Africa is the Zambesi, which brings down a great volume of water, and is said to be navigable for boats through a distance of more than 900 miles. The Lufji, Juba, and many other rivers of the eastern coast, have not been explored, and are but little known.

LESSON X.

LAKES.

283. FRESH-WATER lakes occur in the greatest numbers, and upon the largest scale, in the northern régions of the globe. Nearly all the lakes of any considerable extent in North America are situated north of the 40th parallel, while in Europe and Asia, the regions peculiarly characterized by fresh-water collections are, for the most part, north of the 50th parallel. Salt-water lakes have a more southerly distribution, and are very abundant in eastern Europe, and central and southern Asia.

284. Lakes may be divided into four classes, according to certain physical peculiarities. The *first* class includes those which have no outlet, and do not receive any running water. Lake Albano, near Rome, is an example. Many of these lakes are situated in elevated districts, and are generally small: it has been supposed that they are the craters of extinct volcanoes, and are supplied by springs.

285. The *second* class comprises those which receive water, but have no apparent outlets. The Caspian Sea and Lake Aral belong to this division. The Caspian is about 600 miles long: its extreme breadth is 300 miles, though its average breadth is not more than 100 miles. This most remarkable lake receives the waters of the Volga, a river which has a course of 2,200 miles,

Questions.—283. Where are fresh-water lakes most abundant? In North America? In Europe and Asia? Salt-water lakes? 284. Into how many classes may lakes be divided? First class? Example. Situation of these lakes, etc.? 285. Second class? Examples. The Caspian? What waters are tributary to it?

and brings down more than 518,000,000 cubic feet of water every hour. The Ural, and many other streams of considerable magnitude, are also received by the Caspian; but its level is not changed, though it has no perceptible outlet by which to discharge the water it receives.

286. Lake Aral presents the same phenomena, and, though not to be compared in extent to the Caspian, receives two large rivers, the Sihoon and Amoo, or Jihon. The difficulty in explaining the nature of these lakes is to account for the constancy of their level, which might be expected to rise considerably, as they are daily receiving so large a body of water. The opinion was once entertained that they are connected by some internal channel with the sea, and it was supported by the fact that the water both of the Caspian and Lake Aral is salt, and contains marine productions; but it has been ascertained that the Caspian is not less than 84 feet below the level of the Black Sea, thus completely disproving the hypothesis that they have a connection. It is thought that the phenomena referred to may be accounted for by evaporation and filtration. Besides the Caspian Sea and Lake Aral, there are numerous other bodies of water of this class, the receptacles of the continental rivers. (See table of Continental Rivers page 74.)

287. A *third* class comprehends all those lakes which receive no streams, but give birth to some. Many of these lakes occupy very elevated situations, and are the sources of some of the largest rivers. They are no doubt supplied by springs, the waters of which rise in their reservoirs until its level is sufficiently high to admit a discharge. The lake in Monte Rotondo, in Corsica, is one of this class, and is situated 9,000 feet above the level of the sea.

288. The *fourth* class includes all those lakes which both receive and discharge water, being by far the most numerous division. They commonly receive the waters of many rivers, and have but one outlet. The origin of such lakes is easily

Questions.—286. Lake Aral? Opinion formerly entertained? How supported? How is this hypothesis disproved? How may the constant level be accounted for? What other lakes belong to this class? 287. Third class? What is said of many of the lakes of this class? How supplied? Monte Rotondo? 288. Fourth class? How is the origin of such lakes explained?

explained. Should a hollow present itself in the course of a river, it is evident that it must be filled to the level of some part of its banks before the river can proceed, and this would produce a lake. But it may happen that there is a general declivity from various parts of a district toward some central valley, and then the waters of a number of rivers may be brought into it, while at the same time the continuation gives but one course by which the waters can be discharged. A description of some of the largest lakes of this class will be given in the next lesson.

289. Most lakes occur at varying elevations above the level of the sea, while some are much below it. The highest known lake in the world is Sir-i-kol, in Asia. It is the source of the Amoo River, and is 15,600 feet above the level of the ocean. Lake Titicaca, in Bolivia, has an elevation of 12,785 feet; Tzana, or Dembea, in Abyssinia, 6,076 feet; Lake Baikal, in Asia, 1,793 feet; Constance, 1,299 feet; Geneva, 1,229 feet; Great Salt Lake, in Utah Territory, 4,200 feet; Superior, 623 feet; Huron and Michigan, 591 feet; Erie, 565 feet; Ontario, 234 feet. The Caspian Sea, Lake of Tiberias, and the Dead Sea, are each below the sea-level,—the first 84 feet, the second 600 feet, and the third 1,316 feet.*

LESSON XI.

LAKES—(*continued*).

290. NORTH AMERICAN LAKES.—The largest lakes in North America are Superior, Huron, Michigan, Erie, and Ontario, which are connected with the sea by the channel of the river St. Lawrence; Winnipeg, which is drained by the river Nelson into the Hudson Bay; and the Athabasca, Great Slave, and Great Bear, which empty their waters into streams tributary to the Arctic Ocean.

Questions.—289. Varying elevations and depressions of lakes? Highest known lake, its elevation, etc.? Give the elevations of the other lakes mentioned. State the depressions of the Caspian, Lake of Tiberias, and the Dead Sea. 290. Which are the largest lakes in North America, and how drained?

* According to the measurement made by Lieutenant Lynch, in 1848, the exact depression of the Dead Sea below the Mediterranean was found to be 1,316·7 feet.

291. *Lake Superior* is the largest fresh-water formation on the globe, computed to have an area of 40,000 square miles; length 420 miles; extreme breadth, 165; height above the level of the Atlantic, 623 feet; greatest depth 1,200 feet. There is reason to believe, from the appearance of the shores, that the waters of this, as well as the other Canadian lakes, formerly occupied a much higher level than they reach at present. The amount of water carried off by its outlet, the river of St. Mary, is much less than that received by its tributaries, from which circumstance it is inferred that the evaporation from its surface must be very great.

292. *Lake Huron*, remarkable for its brilliant transparency, has an area of 25,000 square miles. It is about 240 miles in length, from 180 to 220 in breadth, and is 591 feet above the level of the sea. The outline of this lake is very irregular, and its shores are described as consisting of clay cliffs, rolled stones, abrupt rocks, and wooded steepes. The greatest depth of Lake Huron is found to be nowhere more than 450 feet. *Lake Michigan*, which lies wholly within the United States, is connected with Lake Huron by means of the navigable channel Mackinaw. It is about 300 miles long, and has an area of about 25,000 square miles.

293. *Lake Erie* has an area of about 11,000 square miles: its surface is 565 feet above the sea. This lake is said to be the only one in the whole Canadian chain in which there is any perceptible current, a circumstance which is supposed to be attributable to its comparative shallowness, its average depth being not more than 60 or 80 feet. The current of Lake Erie, which runs always in one direction, combined with the great prevalence of westerly winds, and the occurrence of sunken reefs and rocky banks, form serious obstacles to the safe and easy navigation of this lake. The shallowness of the water of Lake Erie likewise causes it to be more readily and more permanently affected by frost, so that its navigation is usually obstructed by ice for some weeks every winter, while that of the other lakes continues open and unimpeded.

Questions.—291. Give particulars of Lake Superior. Change of level? 292. Give particulars of Lake Huron. Lake Michigan. 293. Lake Erie. What is said of its current? Its navigability?

294. *Lake Ontario* has a computed area of 10,000 square miles, 234 feet above the sea-level, and 331 feet below the level of Lake Erie. Its depth is said to be very great, and it is navigable throughout its whole extent for the largest ships. Its outlet is a spacious channel studded with islands, collectively denominated the Thousand Isles, but no less than 1,692 have been actually counted.

295. *Lake Champlain* (about 500 square miles) belongs to the same basin as the great lakes above described, and is connected with the St. Lawrence by the river Richelieu. *Lake George*,



Lake George.

noted for its picturesque scenery, and for the transparency of its waters, is situated west of the southern extremity of Lake Champlain, with which it is connected by a short stream. It is about 30 miles long, and from 1 to 2 miles broad.

296. The *Great Salt Lake* (about 2,600 square miles), situated in the great basin between the Rocky Mountains and the

Questions.—294. Give particulars of Lake Ontario. The Thousand Isles. 295. Lake Champlain. Lake George. 296. Great Salt Lake. What are its waters?

Sierra Nevada (111), is about 70 miles in length, from 30 to 35 miles in breadth, and is nearly 4,200 feet above the level of the sea. Its waters are saturated with common salt; and during periods of drought, considerable quantities of this substance are precipitated to the bottom, and there crystalized. No living creature is found to exist in this lake. It receives the waters of the Bear, Weber, and other rivers; but, as is common with the lakes in this region, it has no connection with the ocean.

297. Upon the Mexican plateau is the large lake of *Chapala* (about 650 square miles), which is discharged into the Pacific by the river Santiago. *Lake Nicaragua* (about 3,500 square miles), in Central America, lies at an elevation of about 128 feet above the sea. The distance between its western shore and the coast of the Pacific is only eleven miles; it is drained by the San Juan, which flows into the Caribbean Sea.

298. SOUTH AMERICAN LAKES.—South America has few lakes of any great extent. The largest is *Lake Titicaca* (about 3,800 square miles), situated on a plateau of that name, at an elevation of 12,785 feet, and surrounded by some of the highest summits of the Andes. The water of Lake Titicaca is fresh; a river called the Desaguadero, which leaves its southern extremity, flows into the smaller lake (or marsh) of Aullagas, or Uros, which lies at 490 feet lower level, and the water of which is salt.

299. *Lake Maracaybo* (5,000 square miles), near the coast of the Caribbean Sea, is connected by a narrow strait with the Gulf of Maracaybo, and has brackish water. The *Lake dos Patos* and *Lake Mirim* are on the southeast coast of Brazil.

LESSON XII.

LAKES—(continued).

300. EUROPEAN LAKES.—There are two principal lake-regions in Europe, one lying around the Baltic, and situated within

Questions.—297. Give particulars of Lake Chapala. Lake Nicaragua. 298. What is said of South America? Lake Titicaca? 299. Lake Maracaybo? Other lakes? 300. How many lake-regions are there in Europe, and where are they respectively situated? How are the lakes of each division characterized?

its basin ; and the other embracing the Alpine system of mountains. The lakes situated in the former of these regions possess, in general, greater magnitude, while the latter are distinguished by their great elevation above the sea, and by the grandeur of the scenery among which they lie.

301. The following Tables give the dimensions of the principal European lakes, together with their elevation and greatest depth, where these particulars have been ascertained.

LAKES SITUATED ABOUT THE BALTIC.

	Area in Sq. Miles.	Height.	Depth.
IN RUSSIA—Ladoga.....	6,330		
Onega.....	3,280		
Ilmen.....	390		
Peipous, or Tchoudskoé.....	1,250		
Pskov.....	280		
Bieloe.....	420		
Saima.....	2,000		
Enara*.....	1,200		
IN SWEDEN—Wener.....	2,136	144	288
Wetter.....	840	288	432
Maëlar.....	760	0	

LAKES BELONGING TO THE ALPINE SYSTEM.

	Area in Sq. Miles.	Height.	Depth.
IN SWITZERLAND—Geneva.....	240	1,230	1,012
Neufchatel.....	115	1,437	426
Luzerne.....	99	1,430	600
Zurich.....	76	1,332	600
Constance, or Boden See.....	228	1,299	964
IN HUNGARY—Neusiedler See.....	150	350	13
Balaton, or Platten See.....	250	918	36
IN ITALY—Lago Maggiore.....	152	678	2,622
Como.....	66	684	600
Garda.....	183	320	

302. Lakes are very numerous in Scotland, especially in the middle and northern parts. They are mostly long and narrow

Questions.—301. What is the area of Lake Ladoga? Of Onega? Of other lakes in Russia? Give particulars of Lake Wener. Of other lakes in Sweden. Of Geneva. Of other lakes in Switzerland. Of Lago Maggiore. Of other lakes in Italy. 302. What is said of the lakes in Scotland? Loch Lomond?

* The waters of Lake Enara, however, communicate with the Arctic Ocean, not with the Baltic.

bodies of water, occupying the deep hollows within the elevated mountain-valleys. The largest lake in Scotland, and also in Great Britain, is *Loch Lomond*. Its area is 40 square miles; its extreme length, 24 miles; and its greatest width, 7 miles.

303. Of the lakes in Ireland, the largest is *Lough Neagh*. It is situated in the northern part of the island, and has an area of 150 square miles. The three *Lakes of Killarney*, in the south, are noted for their beautiful scenery.

304. ASIATIC LAKES.—The largest fresh-water lake in Asia is Lake Baikal, situated among the northern offsets of the Altai mountain-system. It has an area of about 15,000 square miles, and lies at an elevation of 1,793 feet above the level of the sea. Its water is fresh, and abounds in fish. It is annually frozen over for a period of five or six months, and may be traversed on sledges.

305. Among the smaller lakes of Asia are Balkashi, Oubsa, Zaisang, Issyk, Bosteng, Lop, Koko-nor, Bouka-nor, and Tengrinor—all on or adjacent to the high plateaus in the interior of the continent;—Tong-ting and Poyang, in China;—Zurrah and Bakhtegan (both salt), on the plateaus of Afghanistan and Persia;—Urumiyah, Van, and Goukcha (the two former of which are salt), on the Armenian table-land;—the salt lake of Kochhissar, in Asia Minor;—with Lake Tiberias and the Dead Sea in Palestine.

306. AFRICAN LAKES.—The largest body of inland water known in Africa is *Lake Tsad*, which lies in the central part of the continent and is several thousand square miles in area. Its waters are very shallow, though fresh and clear. It is not known to have an outlet, but it probably has a channel of discharge like all fresh-water lakes.

307. Of the other African lakes are *Lake Dibbie*, through which the Quorra passes, and *Lake Tzana*, or *Dembea*, in Abyssinia. A large lake, called *Ngami* (or “the Great Water”), has recently been discovered in the southern part of Africa, near the 20th parallel, lying at an elevation 2,800 feet above the sea.

Questions.—303. Lakes in Ireland? 304. Give particulars of Lake Baikal. 305. What other Asiatic lakes are mentioned? 306. Give particulars of Lake Tsad. 307. Of other African lakes.

LESSON XIII.


THE OCEAN.

308. THE vast body of water which surrounds the land and penetrates its coast, is comprehended under the general name of the ocean. For convenience it is divided into five portions, named, respectively, the Arctic, Atlantic, Indian, Pacific, and Antarctic oceans. These, with their branches, are as follows :

I.		Branches.
ARCTIC OCEAN ----	{ Extends from the northern shores of America, Europe, Asia, and the arctic circle around the north pole	{ Baffin's Bay. White Sea. Gulf of Kara. Gulf of Obi.
II.		
ATLANTIC OCEAN .	{ Bounded on the west by America ; east by Europe and Africa ; north by the arctic, and south by the antarctic circle —divided by the equator into the North and South Atlantic	{ Baltic with its gulfs. North Sea. Mediterranean. Black Sea. Hudson's Bay. Gulf of Mexico. Caribbean Sea.
III.		
PACIFIC OCEAN....	{ Inclosed between America on the east ; Asia, the Sunda Isles, and Australia on the west ; and the arctic circle on the north ; the antarctic on the south —divided by the equator into the North and South Pacific	{ Sea of China. Yellow Sea. Sea of Japan. Sea of Okhotsk. Sea of Kamtchatka. Behrings Strait. Gulf of California. Bay of Panama.
IV.		
INDIAN OCEAN ----	{ Bounded by Africa on the west ; the Sunda Isles and Australia on the east ; southern Asia on the north ; and the antarctic circle on the south	{ Red Sea. Arabian Sea. Persian Gulf. Bengal Sea.
V.		
ANTARCTIC OCEAN.	{ Extends from the antarctic circle around the south pole . }	

Questions.—308. Under what general name is the vast body of water which surrounds the land comprehended ? How is it divided ? Describe the situation, and mention the principal branches of the Arctic Ocean, Atlantic, Pacific, Indian, Antarctic.

309. The Arctic Ocean has been but partially explored. Various efforts have been made to reach its higher latitudes; but, up to this time, they have proved unsuccessful, in consequence of the impenetrable fields of ice which are met with, and the impossibility of remaining in those regions, with safety, for a great length of time. During the winter months the waters of the Arctic Ocean are covered with ice, which in summer is broken up, and drifted into lower latitudes where it is dissolved.




Scene in the Arctic Ocean.

310. The floating masses of ice in the Arctic waters are of two kinds; sheet-ice and icebergs, which have quite an independent origin. *Sheet-ice* is that which is formed by the freezing of the ocean's surface, and is generally level like that of lakes; it rises from 2 to 8 feet out of the water. Vast fields, 20 or 30 miles in diameter, have been found in the Arctic Ocean. Sometimes they extend 100 miles, so closely packed together that no opening is left between them. Smaller sheets are called *floes*. Fields and floes, when much broken up, and the fragments crowded together, form what is called *pack-ice* which, when much elongated, is called a *stream*. When the parts of a pack are loose and open, so that a vessel may sail between them, it is called *drift-ice*.

Questions.—309. What is said of the Arctic Ocean? Why have the efforts made to reach its higher latitudes been unsuccessful? 310. Of what two kinds are the floating masses of ice? Describe the sheet-ice. Its extent. Floes. Pack-ice. Streams. Drift-ice.

311. In 1850, Lieut. De Haven, commanding the Grinnell Expedition in search of Sir John Franklin, proceeded into the Arctic Ocean a considerable distance north of Wellington Channel. Here, in the early part of October, while drifting about among large masses of floating ice, his vessels (two in number) were frozen in so firmly that it was impossible, with all the means at command, to disengage them from the ice. In this state they were drifted back through Wellington Channel and Lancaster Sound into Baffin's Bay, thence southeasterly through this bay to about latitude 66° north, where after having been confined in the ice nearly eight months, and having drifted not less probably than 1,500 miles, they were liberated from their icy fetters.



Icebergs.

312. *Icebergs* are fresh-water formations; and, towering like cliffs to a considerable height, they present a very different aspect from ice-fields. They are produced on the shores of arctic lands by the freezing of melted snow, like the glaciers of Switzerland. The frozen masses projecting into the sea, yield to its undermining and wrenching power, by which immense blocks are broken off, constituting icebergs. These huge masses are drifted southward 2,000 miles from the places of their origin to

Questions.—311. What part of the Arctic Ocean was reached by Lieut. De Haven? What subsequently happened to his vessels? How long were they confined and how far did they drift? 312. What are icebergs? How produced? How far south do they sometimes drift?

melt in the Atlantic, where they cool the water and air to a great distance around. Icebergs vary from a few yards to miles in circumference, and are often 1,000 feet high.

313. It is supposed that the point of the greatest cold is in the vicinity of Melville Island, and that to the north and west of it, there is, in summer, a comparatively open sea, or "Polynja." The latter opinion is supported by the fact that beasts and fowls are known to migrate over the ice from the mouth of Mackenzie River and its neighboring shores, to the north. In further confirmation of this conjecture, Lieut. De Haven reported that as he entered Wellington Channel the signs of animal life became more abundant; and Captain Penny, commander of an English expedition, who penetrated on sledges farther toward the north than it was possible for De Haven to do, reported that he actually arrived on the borders of this open sea.

314. The Atlantic, being the principal highway of the world's commerce, is better known than any other of the great divisions of the ocean. It covers an area of about 31,000,000 square miles—nearly one sixth of the surface of the globe. It is upward of 9,000 miles long; and has an average width, between the continents, of something more than 3,000 miles. It is narrowest between Greenland and Norway; its width, there, not exceeding 900 miles. Its greatest width, which is not less than 5,000 miles, occurs between the eastern coast of Mexico and the western coast of northern Africa.

315. The North Atlantic, generally very deep, is noted for extensive shoals in the North Sea and southeast of Newfoundland; also, for the immense portion of its surface occupied with seaweed, closely matted together, and forming what is sometimes known as the "Grassy Sea." A region of this weed extends along the meridian of 40° west, between the parallels of 20° and 45° north, bearing the name of "Banks of Fucus." Thence it occurs in varying quantities to the Bahamas, covering an area of more than 1,000,000 geographical miles, or an extent equal to about one third the territory of the United States.

Questions.—313. Supposed point of the greatest cold? Open sea or "Polynja"? Confirmation of this conjecture? 314. The Atlantic Ocean? Its extent? 315. The North Atlantic? For what noted? Where are the Banks of Fucus situated? Where else does it occur? Extent of the sea so occupied?

316. The Pacific Ocean extends upward of 9,000 miles from north to south, and 12,000 miles from east to west. Its area is estimated to be equal to nearly three times that of the Atlantic. It was called Pacific, by the early navigators, on account of its peaceful aspect, as compared with the stormy seas about Cape Horn. It is remarkable for the number of its islands and submarine coral formations, the last of which render navigation difficult and dangerous.

317. The Indian Ocean extends upward of 6,000 miles, from the tropic of Cancer, at the head of the Arabian Sea, to the Antarctic Circle. It has its greatest breadth, amounting to 5,000 miles, between the southern point of Africa and Van Diemen's Land. It is remarkable for its hurricanes and monsoons, which will be treated of in another division.

318. The Antarctic Ocean presents features similar to those of the Arctic; the ice, however, extends farther from the south pole than from the north. Its waters are almost always agitated; there is a perpetual swell, and terrific storms are common. Pack-ice occurs to an immense extent. Sir James Ross passed through a belt of it more than 800 miles broad.

319. The discoveries, in 1840, of Commodore Wilkes, commander of the United States Exploring Expedition, established the fact that there is a vast antarctic continent near the south pole. Victoria Land, the most southern land known, was discovered, in the same year, by Sir James Ross who penetrated to latitude $78^{\circ} 4'$ south, the point nearest the south pole as yet ever reached

LESSON XIV.

THE OCEAN—(*continued*).

320. THE *temperature* of the ocean, though varying in different latitudes, is more uniform than that of the land. Thus, in equatorial regions, the difference in the temperature of the air

Questions.—316. What is said of the Pacific Ocean? Why so called? For what remarkable? 317. The Indian Ocean? For what remarkable? 318. Antarctic Ocean? State of its waters? Pack-ice? 319. The discoveries of Commodore Wilkes? Of Sir James Ross? 320. What is said of the temperature of the ocean? Illustrate.

near the surface of the sea, by day and night, does not appear to exceed three or four degrees. In temperate climates the diurnal range of temperature is rather greater; but it is by no means equal to that on land.


321. From numerous observations of the temperature of the ocean the following facts have been deduced: 1. The temperature of the surface of the ocean is generally lower at mid-day than that of the atmosphere in the shade. 2. It is always higher at midnight. 3. Morning and evening the two temperatures usually correspond. 4. The mean temperature of the surface of the ocean far from land is greater than that of the atmosphere with which it is in contact. 5. The water is colder where it is shallow than where it is of great depth. 6. The seasonal changes of the temperature of the air do not affect the ocean beyond the depth of 300 feet. 7. The greatest heat of the surface, $88^{\circ} 5'$ of Fahrenheit, is found in the Gulf of Mexico, and in one of the havens of New Guinea.

322. The *color* of the ocean is generally of a deep bluish green, but it varies with every gleam of sunshine or passing cloud, from the deepest indigo to green, and even to a slaty gray. It is different in different localities, depending upon local causes. It is white in the Gulf of Guinea and black around the Maldives. Between China and Japan it is yellowish, and west of the Canaries and Azores it is green. In some parts, as off California, it has a vermilion hue; in others, as the eastern division of the Mediterranean Sea, a purple tint prevails.

323. These various shades are, in most instances, caused by myriads of marine animalcules which pervade the deep; and the magnificent appearance, known as the phosphorescence of the ocean, is owing to the phosphorescent brilliancy of these microscopic tribes. The bed of the ocean, in shallow places, often imparts a tinge to the superincumbent waters, while the gray or turbid appearance, near the mouths of large rivers, arises from the sediment washed in from the land.

Questions.—321. What is said of the temperature of the surface of the ocean at mid-day? At midnight? Morning and evening? Of the mean temperature of the ocean far from land? Of shallow water? Depths affected by seasonal changes? Where is the greatest heat of the surface found? 322. Color of the ocean? Mention its hues in different localities. 323. How are these shades generally caused? What other causes affect its color?

324. The *depth* of the ocean was, until recently, a subject of speculation only. The experiments made during the past few



The Ocean.

years have added more to our knowledge of the depth of the ocean and the shape of the oceanic basins, particularly that of the Atlantic, than was ever before known.

325. Like the dry land, the bottom of the sea is diversified with slopes, plains, table-lands, eminences abruptly projecting to within a few feet of the surface, or just peering above the waves,

and with enormous depressions. It has been generally supposed that the depth of the sea is about equal to the height of the land, the lowest valleys of the ocean's bed corresponding with the summits of the loftiest mountains.

326. The recent experiments caused to be made by Lieut. Maury, of the National Observatory, seem likely to confirm this conjecture. Before he undertook the subject, there had been no well-directed efforts made to ascertain the depths of the deep sea. Navigators had, indeed, tied weights to lines, and thrown those weights overboard with the view of ascertaining the depth; but the lines were often unwieldy, and there was no certain means of knowing whether the plummet had reached the bottom, or, if it had reached the bottom, when.

327. Recent investigation has led to the supposition that there is in the ocean, as in the air, a system of circulation, which, by currents and counter currents, upper and under currents, keeps the waters of the sea perpetually in motion. For it has been found that, generally speaking, when a sounding has been made

Questions.—324. What is said of the depth of the ocean? Recent experiments? 325. How is the bottom of the sea diversified? What was generally supposed respecting the depth of the sea? 326. What is said of former efforts to ascertain the depth of the sea? 327. To what supposition has recent investigation led? What circumstances favored this supposition?

in the deep sea, though the vessel from which it is made be perfectly at rest, and though it be known that the plummet has reached the bottom, yet the line will continue to run out, and unless it be suffered to run out, or the plummet be detached from it, a strain so great is brought upon it that it invariably breaks. It is the undertow, or a system of currents and counter currents below, which, it is supposed, produces this strain.

328. Most of the vessels of the navy are now furnished with twine made especially for deep-sea soundings; and the results already obtained have enabled the officers at the National Observatory to construct a map of the basin of the North Atlantic Ocean, which shows the depressions of the solid parts of the earth's crust below the sea-level, and which gives us, perhaps, as good an idea of the profile there as geographers have of the contrasts afforded by the elevations of the land in the interior of Australia.

329. The deepest soundings ever reported were made in the North and in the South Atlantic Ocean. Lieut. J. C. Walsh, commander U. S. schooner Taney, being furnished with a large quantity of iron wire made expressly for the purpose, obtained, on the 15th November, 1849, lat. $31^{\circ} 59' N.$, long. $58^{\circ} 43' W.$, a cast of the plummet, when after 34,200 feet had run out, the wire parted without reaching bottom, as it was thought. On the 12th of Feb., 1853, Lieut. Berryman, of the Dolphin, in lat. $32^{\circ} 55' N.$, long. $47^{\circ} 58' W.$, obtained a cast of the lead, using the small twine as a sounding line. At this trial 39,600 feet ran out, when the line parted, and it was consequently thought that the plummet had not reached the bottom. On the 5th of April, 1852, lat. $36^{\circ} S.$, long. $44^{\circ} 11' W.$, Lieut. Parker, of the U. S. frigate Congress, using a 32 lb. cannon ball for his plummet, and sounding twine like that of Berryman's, made an experiment at deep-sea soundings, when 49,800 feet of line ran out before it parted. The time occupied for this sounding was eight hours and a quarter.

330. The next great sounding was made by Capt. Denham, of

Questions.—328. With what are most of the vessels of the navy provided? Results obtained? 329. When have the deepest soundings been made? Give particulars of the sounding made by Lieut. J. C. Walsh. By Lieut. Berryman. By Lieut. Parker. 330. By Capt. Denham. What is thought of these soundings by the light of subsequent experiments

H. M. ship *Herald*, 30th October, 1852, lat. $36^{\circ} 49' S$, long. $37^{\circ} 06' W$., with 46,236 feet. He had been furnished with sounding twine from the U. S. frigate *Congress*, and instead of a 32 lb. shot, his sinker was a 9 lb. lead. By the light which subsequent experience has thrown upon the subject of deep-sea soundings, all four of these immense depths have had their accuracy questioned, and it is believed with reason.

331. An instrument has been invented by Passed Midshipman J. M. Brooke, of the U. S. Navy, which enables the officers who now attempt deep-sea soundings to detach the plummet from the line the moment it strikes the bottom, and then to haul up, attached to the line, specimens of the bottom. In this way specimens have been obtained from the depth of 12,000 feet, (about $2\frac{1}{4}$ miles). These specimens have been examined with a microscope by Prof. Bailey at West Point, and found to consist entirely of minute sea-shells, not a particle of sand or gravel, or any foreign matter being among them. From this it is inferred that the water at the bottom of the sea is comparatively at rest.

332. The deepest part of the North Atlantic Ocean is probably a little to the south of the Grand Banks of Newfoundland. There is a place there somewhat in the shape of a boot, which none of the officers of the navy have so far been able to fathom. The deepest soundings that have been satisfactorily made show that, in all other parts, the North Atlantic Ocean is not more than 25,000 feet in depth. The soundings which have been made by the navy have established the fact that there is a plateau, or shelf, at the bottom of the ocean between Newfoundland and Ireland, quite shallow enough for the wires of a submarine telegraph, and quite deep enough to keep them beyond the reach of icebergs.

Questions.—331. How have specimens of the bottom of the ocean been obtained? Of what have these specimens been found to consist? 332. Where is the deepest part of the North Atlantic supposed to be? What do the soundings show with respect to the depth of the North Atlantic in all other parts? What other important fact has been established by these soundings?

LESSON XV.


THE OCEAN—(*continued*).

333. THE ocean is subject to three different kinds of motion: it is agitated by the action of the wind, producing waves; by tides, which result from the attraction of the moon and sun; and by currents, produced under various circumstances, and resulting from a variety of causes.

334. *Waves* are produced by the action of the winds on the surface of the water, and vary in size from mere ripples to enormous billows. Their height in open seas depends upon the force and duration of the wind, and the angle at which it bears down upon the waters; but in lakes and bays it is affected by the shallowness of the waters and the character of the shores; on which account the shallow waters of Lake Erie are more readily disturbed by winds than the deeper lakes, Ontario and Huron.

335. Waves are not, as appearances would indicate, an onward flow of water. This is proved from the fact that a floating body merely rises and falls with very little or no progression. Waves agitate the water but a little way below the surface, and it is supposed that the effect of the strongest gales does not extend below the depth of 200 feet.

336. The crest of a wave (*b, b*) is the ridge or highest part, and in strong winds is usually covered with foam; the trough (*c*) is the depression between two waves, and is as much below, as the crest is above, the general level of the ocean. In estimating the elevation of a wave, the perpendicular height from the trough to the crest is taken.



337. Waves are sometimes said to run mountains high, but this is a popular exaggeration. The highest rise noticed in the Mediterranean is 16 feet, and 20 feet off Australia. During a


Questions.—333. What are the three different kinds of motion to which the ocean is subject? 334. How are waves produced, and how do they vary? Upon what does their height depend? How is the height affected in lakes and bays? 335. How is it proved that waves are not an onward flow of water? 336. What is the crest of a wave? The trough? 337. Give instances to show the height of waves.

storm in the Bay of Biscay, the highest waves measured scarcely 36 feet from the base to the summit. In the South Atlantic the result of several experiments gave only an entire height of 22 feet, and a velocity for the undulations of 89 miles per hour, the interval between each wave amounting to 1,910 feet. Off the Cape of Good Hope, notoriously the cape of storms, according to its former name, 40 feet is considered the extreme height of waves, or 20 feet above and below the general level of the ocean.*

338. The sea does not regain its placidity immediately after the subsidence of the winds which set it in motion, but continues to heave with mighty undulations for a considerable time afterward. This movement is called the "swell." It frequently occurs, that while the swell is advancing in one direction, the wind rises from an opposite quarter, producing a series of compound waves, and giving to the deep a very complex aspect.

339. *Tides* are those regular alternate risings and fallings of the waters of the ocean and of bays, rivers, etc., which communicate freely with it. They arise from the attractive influence of the sun and moon, the latter being the more powerful agent. The sea rises, or flows, as it is called, by degrees, about six hours; it remains stationary about a quarter of an hour; it then retires, or ebbs, during another six hours, to flow again after a brief repose. Thus high and low water occur twice every lunar day, or the period elapsing between the successive returns of the moon to the meridian of a place, which is 24 hours 50½ minutes.

340. The theory of the tides may be explained as follows:



Let *E* represent the earth entirely surrounded with water, and *m* the moon. As the mutual attraction between bodies, whether solid or fluid, is greater in propor

Questions.—338 What is the movement of the sea called which continues after the subsidence of the wind? How are compound waves produced? 339. What are tides? From what do they arise? Describe the successive movements of the sea. 340. How may the theory of the tides be explained?

tion as the distance between them is less, it follows that the points of shortest distance will be those of greatest attraction; and, hence, the waters at *a* will be more powerfully attracted than those at *e* and *f*, and the result will be a bulging out at *a*.

341 But while high water is thus produced at *a*, it also occurs, at the same time, in the opposite hemisphere, at *d*. Different causes have been assigned for this phenomenon; but it is probably likewise owing to the attractive influence of the moon. The earth's center, *E*, will be more powerfully drawn toward the moon than the waters at *d*, and recede from them, producing the same effect as though they receded or rose up from the center of the earth. As the waters can not rise in one place without falling in another, they are depressed at *e* and *f*, when elevated at *a* and *d*.

342. If the earth remained stationary upon its axis, there would be two elevations and depressions of the waters in each place in a month, or the time the moon is making her circuit round the earth. But by the diurnal rotation, the moon passes every day the meridian of every part of the globe, producing daily two seasons of high and low water.


343. The time of high tide does not coincide with the time when the moon is on the meridian of the place, a period of several hours ordinarily intervening between the time of the moon's transit and that of high water. The explanation of this is, that the water, having received motion, continues to rise after the moon has passed from its meridian, the impulse continuing for some time after the moon's transit.

344. Besides the attraction of the moon, the influence of the sun is concerned in elevating the waters of the ocean. The solar attraction is not as strong as the lunar, because, though a much larger body, the sun is at a far greater distance from the earth. The tidal influence of the sun has been calculated to be about one third that of the moon.

345. Sometimes the sun and moon act in conjunction, as at

Questions.—341. Explain how high water will be produced in the hemisphere opposite the moon. 342. What would happen if the earth remained stationary? What occurs by the diurnal rotation? 343. What is said of the time of high water? How explained? 344. What is said of the influence of the sun on the tides? 345. When do the spring-tides occur? The neap-tides?

the seasons of new and full moon, *a* and *d*, and then the tides rise the highest, and are called *spring-tides*; but when the moon is in quadrature, as at *b* and *c*, it acts in opposition to the sun, and then occur the lowest, or *neap-tides*.



346. Though high tides occur in open seas soon after the moon has passed the meridian, yet in other places shoals and channels, peninsulas and capes, and the diversified form of

shores, so retard the progress of the undulation, that high water happens at all distances of the moon from the meridian, and consequently at all hours of the day. Differences of local situation cause great differences as to the height to which the tide rises. In the central parts of the ocean the height is comparatively small, seldom exceeding three feet, but in rushing up contracted channels the tide-water frequently causes a difference of twenty, thirty, and sixty feet between high and low water mark.

347. The cradle of tides is supposed to be that part of the Pacific Ocean to the southeast of Australia. Proceeding from this quarter, a wave advances into the Indian Ocean, reaching the island of Sumatra, the southern point of Hindoostan, the island of Madagascar, and the Cape of Good Hope about the same time. (See map No. 1.)

348. Entering the Atlantic, the wave proceeds northerly and westerly, bringing high water successively to all parts on the western shores of Africa, and eastern shores of America. It moves with much greater rapidity through the central parts of the ocean than along the coast—in consequence of which it reaches the islands of Cuba and Newfoundland, and Cape Blanco in Africa, simultaneously. The Atlantic coast of the United

Questions.—346. What serve to retard the progress of the undulation? What is said of the differences of local situation in affecting tides? Illustrate. 347. What is supposed to be the cradle of the tides? Describe the movements of a wave proceeding from this quarter. 348. Its progress after entering the Atlantic Ocean? What three points are reached simultaneously?

States receives the wave from the east, while the western coast of Europe receives it from the west; its direction, in the latter case, being nearly the reverse of what it was before doubling the Cape of Good Hope.

349. Along the shores of South America, from Rio Janeiro to the Falkland Islands, a wave advances from east to west, bringing high tide later on going southward, as if the wave came from the north. On the western coast of South America, the tide between the Gulf of Panama and the Strait of Magellan travels from north to south. And, on the same side of North America, it travels from the Gulf of Panama, northward, to Queen Charlotte's Sound.

350. The height to which tides rise, varies greatly in different places. At St. Helena, the rise does not exceed three feet; at St. Malo's, on the north coast of France, the spring tides rise 50 feet; at Chepstow, on the British Channel, 60 feet; and, in the Bay of Fundy, between Nova Scotia and New Brunswick, it is known to rise 70 feet. On some occasions, the rapidity of the waters is so great as to overtake animals feeding on the shores.

TIDE TABLE FOR THE COAST OF THE UNITED STATES.*

LOCALITY.	Interval between time of moon's transit and time of high water.		Rise and Fall.			Mean Duration.		
	Mean.	Dif. betw. greatest and least	Mean.	Spring.	Neap.	Flood.	Ebb.	Stand.
	H. M.	H. M.	Feet.	Feet.	Feet.	H. M.	H. M.	H. M.
Portland	11 25	0 44	8 8	10 0	7 6	6 14	6 12	0 20
Boston	11 22	0 44	10 1	13 1	7 4	6 16	6 18	0 9
New Bedford Harbor..	7 57	0 41	3 8	4 6	2 8	6 50	5 33	0 42
Newport	7 45	0 24	3 9	4 6	3 1	6 21	6 3	0 23
New Haven	11 16	1 8	5 8	6 6	5 1	6 24	6 5	
New York	8 13	0 46	4 3	5 4	3 4	6 0	6 25	0 23
Old Point Comfort.....	8 17	0 50	2 5			6 1	6 25	
Baltimore	13 33	0 43	1 3	1 5	0 9	5 54	6 33	
Smithville	7 19	0 47	4 5	5 5	3 8	6 1	6 26	0 26
Savannah	8 13	0 51	6 5	7 6	5 5	5 4	7 22	0 14
Key West	9 22	1 12	1 4	2 3	0 7	6 59	5 25	0 12

Questions.—349. What is the direction of the wave south of Rio Janeiro? Describe its movements on the western coast of South America. On the western coast of North America. 350. Mention the height to which tides rise at different places.

* The author is indebted for the above table to the kindness of A. D. Bache, Superintendent of the United States Coast Survey.

LESSON XVI.

THE OCEAN—(*continued*).

351. CURRENTS constitute the third oceanic movement. They consist of vast oceanic streams which keep up a perpetual circulation of the waters, transferring them from one hemisphere to another,—from the Pacific to the Atlantic, and to the Pacific again,—and from the polar seas to the warm regions of the torrid zone.

352. Currents are due to a variety of causes ; as the influence of tides and winds,—the evaporating power of the sun,—the expansion and contraction of water by heat and cold,—and the revolution of the earth upon its axis.

353. The effect of the rise and fall of tides in producing an alternate flowing of currents in opposite directions, is perceived in channels between islands, or between islands and the mainland. Thus, in the channel which connects Long Island Sound with the Harbor of New York, known as the East River, strong currents alternately prevail in opposite directions, as the tide ebbs or flows.

354. Evaporation by solar heat is another cause of oceanic currents. Large quantities of water raised from one tract of the ocean are transported to some other, where the vapor is condensed and falls in the form of rain ; this, in flowing back to restore equilibrium, causes sensible currents. A perpetual stream flows into the Mediterranean from the Black Sea through the Bosphorus and the Hellespont, and another from the Atlantic through the Strait of Gibraltar. No counter, lateral, or submarine currents have been discovered sufficient to dispose of the quantity of water flowing inward ; hence the inference that the inward current goes to supply the waste caused by an enormous evaporation.

355. The expansion and contraction of water by heat and cold are, perhaps, the principal causes to which currents are due.

Questions.—351. Of what do currents consist ? 352. To what are they due ? 353. Where is the effect of the rise and fall of tides in producing currents perceived ? Example. 354. How does evaporation by solar heat operate to produce currents ? Mention what is said of the Mediterranean Sea. 355. What are perhaps the principal causes to which currents are due ? Explain how they affect the currents.

Warm water is specifically lighter than cold, and when certain portions become heated, they rise by reason of their buoyancy above the general surface, and are replaced by surrounding colder and heavier fluid flowing in beside or beneath them.

356. The revolution of the earth about its axis is still another powerful cause in producing currents, particularly those of the equatorial regions, which have commonly a westerly direction. The winds of tropical climates, which blow continuously, or during long periods in one direction, also lend their influence in affecting this class of oceanic movements.

357. Oceanic currents are classed as constant, periodical, variable, counter, and drift currents. *Constant* currents are produced by the rotation of the earth, differences of temperature in the waters of the ocean, and other causes not yet fully understood. *Periodical* currents are principally due to the action of tides, though they are doubtless affected somewhat by the land and sea breezes and monsoons. *Variable* currents are occasioned by tides, winds, and the melting of ice in the polar regions. *Counter* currents are the streams that flow alongside or beneath, and in opposite directions to, other currents. *Drift* currents are the effect of permanent and prevailing winds upon the surface of the sea, and a variety of other causes.

358. ARCTIC CURRENT.—The north polar or Arctic Current, after passing round the North Cape of Europe, crosses the upper part of the Atlantic, running to the southwest till it reaches the east coast of Greenland. It then traverses the narrow sea between that country and Iceland, turns round Cape Farewell, the southern extremity of Greenland, and proceeds northward into Davis' Strait. It follows the eastern side of the strait as far to the north as Holsteinborg, in latitude 67° , where it abruptly turns to the west, and strikes the opposite shore of Cape Walsingham. From thence its course is southward to Labrador and the north bank of Newfoundland, where it meets the Gulf Stream.

359. The breadth of the Arctic Current is, in some places, from

Questions.—356. What other causes are instrumental in producing currents? 357. How may currents be classed? What are constant currents? Periodical currents? Variable currents? Counter currents? Drift currents? 358. What is the course of the north polar or Arctic Current previous to its reaching Cape Farewell? After it turns round Cape Farewell? 359. What is the breadth of this current? Its velocity?

250 to 300 miles. Its velocity varies, in different parts of its course, from eight or nine to fifteen or sixteen miles per day. The icy masses it bears along are supposed to be about two months in making the before-mentioned circuit from Cape Farewell to the coast of Labrador.

360. This current is distinguished for the great amount of drift-wood which it floats along and casts upon the shores of Spitzbergen, Iceland, and other lands lying in its way. The masses of floating wood thrown upon the island of Jan Mayen often equal, it is said, the whole of the island in extent. It is supposed that this timber comes from the forests of Siberia, and is carried into the Arctic Ocean by the streams of Northern Asia.

361. Recent observations in high northern latitudes show that the Arctic Current presents one of the most formidable difficulties in exploring the polar regions. Parry, who attempted to reach the north pole by means of boat-sledges and reindeer, traveled over the surface of the deep to nearly latitude 83° , which seemed to be the utmost limit of animal life. Here he found that when, according to his reckoning, he had traveled ten or eleven miles toward the north, he had actually gone four miles to the south, owing to the current. The success of the expedition was thus rendered hopeless. The two vessels of the Grinnell Expedition which were sent out, under the command of Lieut. De Haven, to search for Sir John Franklin, after having penetrated far into Wellington Channel, were inclosed firmly in the ice, and drifted backward through Baffin's Bay, a distance of not less than fifteen hundred miles, thus baffling one of the noblest and most humane enterprises ever undertaken.

362. EQUATORIAL CURRENT.—The most extensive movement of the ocean is that which proceeds from east to west, on each side of the equator, and is therefore called the Equatorial Current. This great oceanic current originates in the immense expanse of the Antarctic Ocean. It first moves in a northeasterly direction

Questions.—360. For what is it distinguished? 361. What do recent observations in high northern latitudes show? Describe the attempt of Parry to reach the north pole. The drift of the two vessels of the Grinnell Expedition. 362. Which is the most extensive movement of the ocean, and what is it called? Where does it originate? Describe its course.

until it reaches the western shores of South America; a small branch rounds Cape Horn, but the great stream flows along the American coast until it arrives off the shores of Peru; it then turns toward the west, and in a belt 3,500 miles broad, moves westwardly through the Pacific.

363. On reaching the Indian Archipelago and Australia, it is divided into numerous smaller streams, and hence the variable currents prevailing in the Indian Ocean, which render navigation so dangerous. A large volume of water forces its way through the islands, and joins the great equatorial current which moves on toward the eastern coast of Africa. The greater portion of the stream flows round north of the island of Madagascar, and sweeps through the channel of Mozambique, after which, being joined by other currents from the east, it doubles Cape Horn and enters the bed of the Atlantic. *Good Hope*

364. Proceeding northward along the western shores of Africa, it mingles with the Great Atlantic equatorial current which flows out of the Gulf of Guinea. The Equatorial Current, on reaching Cape St. Roque, the most eastern point of South America, is separated into two branches. One proceeds southward along the coast of South America, and before reaching the mouth of the La Plata, it is turned toward the east, and under the name of the South Connecting Current, makes the circuit of the South Atlantic Ocean, entering the Indian Ocean 200 miles to the south of the Cape of Good Hope.

365. The other and principal branch, known by the name of the Guinea Current, is a direct continuation of the equatorial. It runs from off Cape St. Roque, across the mouth of the Amazon, and after skirting the low coast of Guiana, and passing through the Caribbean Sea, it enters the Gulf of Mexico, between the island of Cuba and the peninsula of Yucatan.

366. MEXICAN GULF STREAM.—This is the most powerful current known, and the most important in consequence of the extent

Questions.—363. What happens on its reaching the Indian Archipelago and Australia? Describe its subsequent course until it reaches Cape Horn. 364. Its course through the Atlantic. Where is it divided? What is the course of the southern branch? 365. What is the name of the other branch, and where does it run? 366. What is said of the Mexican Gulf Stream? Where does it originate? Its velocity through the straits of Florida? Its subsequent course? Its course after striking the banks of Newfoundland?

to which it affects the navigation of the Atlantic. It originates in the Gulf of Mexico, the waters of which are characterized by a remarkably high temperature.* It pours forth at the rate of five miles an hour through the straits of Florida, and flows in a northeasterly direction along the whole coast of the United States, expanding in volume and diminishing in rapidity. On striking the banks of Newfoundland, it sets to the east, and traverses the basin of the Atlantic to the Azores, where it turns south and enters the Equatorial Current on the coast of Africa, and is conducted again to the west, to re-enter into itself in the Gulf of Mexico. Thus the waters of the Atlantic Ocean between the parallels of 11° and 43° constitute a whirlpool of prodigious extent, by which a single particle of water describes a circuit of over 11,000 miles in the space of two years and ten months.

367. The color of the Gulf Stream, as it issues from the straits of Florida, is a dark indigo-blue; the line of junction between it and the green waters of the Atlantic, is plainly seen for hundreds of miles. This line is finally lost to the eye as the stream goes north, though it is preserved to the thermometer for several thousand miles. From observations made with the deep-sea thermometer, it has been ascertained that "the stream, as far as the banks of Newfoundland, flows through a *bed* of cold water, which cold water performs to the warm the office of *banks* to a river."†

Questions.—367. What is the color of the Gulf Stream? What fact has been ascertained respecting it?

* Different opinions have been formed respecting the cause of the Gulf Stream. It is supposed by some, that the waters of the Mexican Gulf have a higher level than those of the Atlantic in consequence of the trade winds and the influx of the Equatorial Current; and that the current is merely the *running off* of the water, in order to restore an equilibrium. Accordingly, the stream has been likened to "an immense river descending from a higher level into a plain." But Lieut. Maury has very satisfactorily disproved this theory, and shown that, "instead of *descending*, its bed (the bed of the stream) represents the surface of an inclined plane from the north, up which the lower depths of the stream *must* ascend." In the absence of any better theory respecting the cause of this remarkable current, it is safe to assume that it is influenced much by the excessive temperature imparted to the waters of the Gulf of Mexico. The course of the Gulf Stream has been assigned to the difference in density between the waters of the Caribbean Sea and the Gulf of Mexico, and those of the Baltic and the North seas. The waters of the former contain a larger proportion of salt, and are consequently heavier than common sea water; while those of the latter, being only slightly impregnated with saline matter, are much lighter than common sea water. This difference in density destroys the equilibrium and produces a current; "for wherever equilibrium be destroyed, it is restored by motion, and motion among fluid particles gives rise to currents, which, in turn, constitute circulation."

† Lieut. M. F. Maury.

368. Coming from the heated caldron of the Gulf of Mexico, the waters of the Gulf Stream have a high temperature, which is gradually lost as they reach higher latitudes, "The maximum temperature of the Gulf Stream is 86° , or about 9° above the ocean temperature due the latitude. Increasing its latitude 10° , it loses 2° of temperature. And, after having run 3,000 miles toward the north, it still preserves, even in winter, the heat of summer. With this temperature it crosses the 40th degree of north latitude, and there, overflowing its *liquid banks*, it spreads itself out for thousands of square leagues over the cold waters around, and covers the ocean with a mantle of warmth that serves so much to mitigate in Europe the rigors of winter. Moving now more slowly, but dispensing its genial influences more freely, it finally meets the British Islands. By these it is divided, one part going into the polar basin of Spitzbergen, the other entering the Bay of Biscay, but each with a warmth considerably above ocean temperature. Such an immense volume of heated water can not fail to carry with it beyond the seas a mild and moist atmosphere. And this it is which so much softens climate there."*

Questions.—368. What is said of its temperature? What is its maximum or greatest temperature, and how many degrees is it above that due the latitude? Describe how the Gulf Stream serves to moderate the climate of Europe.


* Lieut. M. F. Maury

PART III.

THE ATMOSPHERE.

LESSON I.

COMPOSITION OF AIR.



ATMOSPHERE is the name of that thin, transparent, and highly elastic fluid which envelops the earth, and accompanies it in its diurnal and annual revolutions. It is lighter than either land or water, and rises above them; but is kept, by the force of gravity, close to the surface of the earth, where it is indispensable to all animated nature. It is a

medium through which sound, light, and odor are transmitted; it is the vehicle in which moisture is raised and by which it is diffused; it is also one of the agents by which that diversity of color, so pleasing to the eye in natural objects, is produced.

370. Atmosphere is unlike the great divisions of land and water in not being perceptible to the touch unless in agitation. Its existence as a material substance is evident the moment it is set in motion. It not only carries away in its progress the lighter substances with which it comes in contact, but, when greatly agitated, uproots trees, crumbles rocks, and overturns buildings. Its motion is applied as a mechanical force, and as such is of vast use to man in wafting his vessels over the ocean.

371. The atmosphere is composed principally of two different

Questions.—369. Of what is atmosphere the name? What is said of its lightness? What else is remarked of it? 370. How is atmosphere unlike the great divisions of land and water? Its effects when in motion? Its motion how applied? 371. Of what is the atmosphere principally composed, and in what proportions? What other substances does it contain? State the composition of 1000 parts of the atmosphere.

gases, termed oxygen and nitrogen, the relative proportions being 21 parts of the former to 79 of the latter. It contains a small but variable proportion of aqueous vapor, and a still smaller proportion of carbonic acid gas. The proportions of oxygen and nitrogen are definite, but the amount of aqueous vapor fluctuates. Under ordinary circumstances, the composition of 1000 parts of the atmosphere may be stated as follows :

Oxygen	210.0
Nitrogen	775.0
Aqueous vapor	14.2
Carbonic acid	0.8
	1000.0

372. The same proportions of oxygen and nitrogen are found in the atmosphere of all countries, and at all elevations, over land and over sea, on the summit of the highest mountains and at their base, at the equator and in high northern and southern latitudes. The quantity of carbonic acid gas is, however, greater near the level of the sea in summer than in winter ; greater during the night than the day ; and rather more abundant on the summit of high mountains than on plains.


373. Oxygen gas is a supporter of combustion, and is required for the support of animal life ; while nitrogen, in its unmixed state, is destructive to both. Without oxygen, fires would cease to burn, and all animals would immediately expire. By the process of breathing, it is taken into the lungs and goes to purify the blood. When the blood is brought into the lungs it is of a dark purple color ; but it then throws off the hydrogen and carbon, and receives oxygen, which gives it a bright red color.

Questions.--372. What is said of the invariable proportions of oxygen and nitrogen in common air ? In what localities, and at what times, is the quantity of carbonic acid greater ? 373. What is said of oxygen gas ? Of nitrogen gas ? What would happen without oxygen ? What is the color of the blood when brought into the lungs ? What change then takes place ?

LESSON II.

PROPERTIES OF THE ATMOSPHERE.

374. THE general properties of the atmosphere are transparency, fluidity, weight, and elasticity. *Transparency* in the at-



mosphere is that state or property by which it suffers the free passage of light, so that objects may be distinctly seen through it. The various degrees of clearness observable in the atmosphere are determined by the quantity of aqueous vapor and other foreign substances which

float in it. Distant objects sometimes appear much nearer than at others, a phenomenon occasioned by the difference in the purity of the atmosphere, or its freedom from extraneous particles of matter.

375. By the *fluidity* of the atmosphere is meant that property which renders it impressible to the slightest force, and by which the particles easily move among themselves, or change their relative positions. Fluidity is a property common to liquid and aeriform substances. The atmosphere, like other fluids, presses in all directions, upward as well as downward, and is capable of supporting light bodies.

376. The air is ponderable, or has *weight*. The pressure or weight exerted upon every square inch of the earth's surface is equal to about 15 pounds. In consequence of its fluidity, it

Questions.—374. What are the general properties of the atmosphere? What is transparency? To what are the various degrees of clearness owing? Why do distant objects appear sometimes twice as near as at others? 375. What is meant by the fluidity of the atmosphere? How does the atmosphere press? 376. What is the pressure or weight on every square inch of the earth's surface? What pressure does the human body of the ordinary size sustain? Why do we not feel the pressure?

presses equally in every direction, and the human body, of the ordinary size (supposed to measure 15 square feet), sustains the enormous pressure of 31,360 pounds or 14 tons. We do not feel the pressure, owing to its acting uniformly on all sides, and because the air within our bodies perfectly counterpoises the external pressure.

377. The weight of a column of the entire atmosphere is equal to that of a column of water of the same base about 34 feet high, or a similar column of mercury 30 inches high. The pressure diminishes as we ascend, according to a scale, which is nearly certain. From numerous observations it has been ascertained that

at the height of	3½	miles above the level of the sea, the air is	2	times lighter than at the earth's surface.
	7		4	
	10½		8	
	14		16	
	17½		32	
	21		64	
	24½		128	
	28		256	

378. The pressure of the atmosphere is indicated by the barometer (the measure of weight), an instrument consisting of a column of mercury poised or pressed up into a vacuum by the weight of the atmosphere. The mercury rises or falls according to the pressure of the atmosphere, its range, at the level of the sea, being from about 28 to 31 inches.

379. The barometer is used for determining the height of mountains. At the level of the sea, the pressure is greatest in consequence of the weight of all the superincumbent atmosphere, and hence at that point the highest column of mercury will be sustained; but as we ascend, this superincumbent pressure is diminished, and consequently the mercury falls. Thus, Humboldt, at the foot of Mount Chimborazo, found the barometer to stand exactly at 30 inches; but, on ascending the mountain to the elevation of 19,000 feet, it was very little higher than 14 inches.

Questions.—377. To what is the weight of a column of atmosphere equal? 378. By what instrument is the pressure of the atmosphere indicated? What is the range of the mercurial column at the level of the sea? 379. For what is the barometer used? Where will the highest column of mercury be sustained, and why? Why does it fall as we ascend? What did Humboldt discover? Lieut. Herndon? What have experiments proved?

In the pass of Antarangra (one of the highest passes of the Andes), Lieut. Herndon found the barometer to stand at 16.73 inches, indicating an elevation of 16,044 feet. Experiments have proved that the mercury will fall about $\frac{1}{10}$ of an inch for every 100 feet of perpendicular height, or one inch for every 1,000 feet.

380. The density or pressure of the atmosphere is, by another method, made subservient to the measurement of heights; namely, by observing the boiling point of water, which decreases in a ratio nearly equivalent to the decrease of atmospheric pressure. At the level of the sea, water boils, or passes into the state of steam, at 212° Fahrenheit, but at the Hospice of the Great St. Bernard, it boils at the lower temperature of 203°, and on the top of Mont Blanc, at 186°. In the pass of Antarangra, Lieut. Herndon found water to boil at 182° 5'. From these and other observations, it may be inferred that a difference of one degree in the boiling point of water, as indicated by the common thermometer, answers very nearly to 550 feet of elevation.

381. The *elasticity* of the atmosphere is the property it possesses of occupying less space under the influence of certain forces, and returning to its original volume when the influence is withdrawn. Hence its density is not uniform, but, as before explained, diminishes from below upward. The height of the atmosphere is not known, but it is supposed to extend to about fifty miles. By far the greater portion of it is within fifteen or twenty miles of the earth's surface; and at a much less distance it becomes so rarefied as to be incapable of supporting life.

382. Travelers on high mountains have experienced sensible, and sometimes painful, proofs of the rarefied state of the air. In very elevated regions the thinness of the air diminishes the intensity of sound, renders breathing difficult, and produces a loss of physical strength. The blood burst from the ears and lips of Hum-

Questions.—380. By what other method may the density of the atmosphere be made subservient to the measurement of heights? At what degree of Fahrenheit does water boil at the level of the sea? At the Hospice of the Great St. Bernard? On the top of Mont Blanc? In the pass of Antarangra? What elevation is found to answer the difference of one degree in the boiling point? 381. What is the elasticity of the atmosphere? How does its density diminish? What is the supposed height of the atmosphere? 382. What have travelers on high mountains experienced? What effects are produced by the thinness of the air?

boldt in attempting to reach a high elevation in the Andes. He experienced the same difficulty in kindling and maintaining a fire at great heights, which Marco Polo felt on the mountains of Central Asia. In the high regions of the Andes a malady prevails, called *veta*, which is thus spoken of by Lieut. Herndon: "Veta is the sickness caused by the rarity of the atmosphere at these great elevations. The Indians call it veta, or vein, because they believe it is caused by veins of metal diffusing around a poisonous infection. The affection displays itself in a violent headache, with the veins of the head swollen and turgid, a difficulty of respiration and cold extremities."

LESSON III.

WINDS.

383. THE atmosphere remains at rest as long as its density is unchanged; but, as soon as the equilibrium is broken by any cause whatever, a motion occurs, which is called *wind*. If, in one part of the atmosphere, the air becomes dense, it passes away to those parts where the density is less, in the same manner as air, compressed in a pair of bellows, escapes by the orifice. We may compare this displacement of air to that of water in rivers; it is a flowing of the aerial ocean from one region toward another.

384. The currents of the atmosphere perform many invaluable services to man. They renew the air of cities; and they mitigate the climates of the north by bringing to them the heat of the south. They transport the clouds from the sea to the interior of continents, thus aiding to fertilize regions which would otherwise become arid and uninhabitable. They waft the sails of the navigator around the globe, bring distant nations into familiarity, and are thus greatly instrumental in the diffusion of civilization and Christianity throughout the world.

Questions.—383. How long does the atmosphere remain at rest? What occurs when this equilibrium is broken? If in one part of the atmosphere the air becomes dense, what follows? To what may this displacement of the air be compared? 384. Describe the uses of the atmospheric currents.

385. To indicate the direction of the wind the horizon is divided into eight equal parts, and the wind is designated by giving it the name of the points of the horizon whence it blows. The eight kinds of winds are *north*, *north-east*, *east*, *south-east*, *south*, *south-west*, *west*, and *north-west*. It is customary to write merely the initial of these words, that is: N., N. E., E., S. E., S., S. W., W., N. W.

386. The general direction of the wind near the surface of the earth is indicated by vanes. They are commonly placed on elevated buildings, such as steeples, towers, etc., so that small variations, resulting from accidents of the ground, may not have any action on them. Clouds indicate the direction of the upper aerial currents; and show that it differs very often from the direction of the wind on the surface of the earth.

387. That the direction of the wind in the upper regions is often the reverse of what it is in the lower, has been conclusively proved. During an eruption of the volcano of St. Vincent in 1812, the ashes were conveyed in great quantities to the island of Barbadoes, situated to the east. These islands lie in the range of the trade-winds, which blow from the east toward the west; but the ashes, having been launched into the air as high as the region of the upper current, were transported by it in the direction from west to east. At the summit of the Peak of Teneriffe almost all travelers have found west winds, while east winds prevail at the level of the sea. On the 25th of February, 1835, the ashes emitted from the volcano of Coseguina, in the state of Guatemala, obscured the light of the sun for five days; they rose into a high region of the atmosphere, and fell a short time afterward in the streets of Kingston, in Jamaica, which is situated to the N. E. of Guatemala, the winds near the surface all the while blowing toward the S. W.

Questions.—385. Into how many parts is the horizon divided to indicate the direction of the wind? How is the wind designated? What are the eight kinds of winds? Their initials? 386. How is the general direction of the winds near the surface of the earth indicated? Where are they commonly placed, and why? What do clouds indicate? 387. What is said of the reverse direction of upper and under currents? Of the eruption of the volcano of St. Vincent? What have travelers found at the summit of the Peak of Teneriffe? What further illustration of this fact was afforded by the transportation of ashes emitted from the volcano of Coseguina?



The light waved lines which cross the Map from East to West are **isotherms** (or lines of equal mean temperature) and the figures attached to each mark the degree of mean annual heat which it represents and which is the same in all places through which it passes.



Map of

THE WORLD

Illustrating

THE PRINCIPAL FEATURES OF

METEOROLOGY.

In the Smaller Map, the shading is darker in proportion as the quantity of Rain, which falls annually is greater.



388. Daily experience teaches us the unequal force of the wind, exhibiting every conceivable variety, from the almost insensible breeze, to the hurricane which prostrates the monarch of the forest. The following facts respecting the velocity and force of winds have been ascertained:

Velocity of the wind in miles per hour.	Perpendicular force on one square foot in pounds avoirdupois.	Characteristics.
1	·005	Hardly perceptible. —
2	·020	Just perceptible.
5	·123	Gentle, pleasant wind. —
10	·492	Brisk gale. —
20	1·968	Very brisk.
30	4·429	High wind.
40	7·873	Very high wind.
50	12·300	A storm. —
60	17·715	A violent storm.
80	31·490	A hurricane.
100	49·200	A violent hurricane. —

389. Winds may be divided into three classes,—Variable, Permanent, and Periodical.

390. VARIABLE WINDS.—Variable winds, as their name indicates, are very irregular as to time, direction, and force, and seldom continue to blow for many days. They prevail in the Temperate and Frigid zones, those of the Torrid zone being, for the most part, either permanent or periodical.

391. We are not fully acquainted with the causes which produce these partial and ever-fluctuating aërial currents, but there is no doubt that they are mainly due to the unequal states of the temperature of land and sea. Although these winds alternately come from every point of the compass, changing frequently from one point to the opposite in a very short space of time, it has been observed that different seasons are characterized by winds from different directions. Franklin long ago observed in North America, that in summer the winds come from the south and in winter from the north.

Questions.—388. What is said of the unequal force of the wind? Describe the force, and mention the characteristic, of wind having a velocity of 1 mile per hour. 2 miles per hour. 5 miles per hour. 10 miles per hour. 20 miles per hour. 30 miles per hour. 40 miles per hour. 50 miles per hour. 60 miles per hour. 80 miles per hour. 100 miles per hour. 389. Into what three classes may winds be divided? 390. What are variable winds? Where do they prevail? 391. To what are they no doubt mainly due? What has been observed respecting them? What did Franklin observe?

392. From numerous observations made in different parts of Europe, the following laws have been established. In *winter* the direction of the wind is principally from the north, its force being greatest in January. In *spring*, east winds are common, prevailing, at certain places, in March; at others, in April. In *summer*, especially in July, the winds blow chiefly from the west. In *autumn*, particularly in October, the south winds prevail.

393. Designating the total number of winds that blow in a given time by 1000, the following Table shows their relative frequency in the countries named:

Countries.	N.	N. E.	E.	S. E.	S.	S. W.	W.	N. W.
North America..	96....	116....	49....	108....	123....	197....	101....	210
England.....	82....	111....	99....	81....	111....	225....	171....	120
France.....	126....	140....	84....	76....	117....	192....	155....	110
Germany.....	84....	98....	119....	87....	97....	185....	198....	131
Denmark.....	65....	98....	100....	129....	92....	198....	161....	156
Sweden.....	102....	104....	80....	110....	128....	210....	159....	106
Prussia.....	99....	191....	81....	130....	98....	143....	166....	192

394. There is a certain class of variable winds known to possess peculiar properties, such as the hot winds felt on the northern coast of Africa, in Persia, India, and China; the cold winds of Siberia; the pestilential simoom or samiel of Africa, Arabia, and Mesopotamia, *etc.* Winds partake of the property of the regions from which they come; thus, in Europe the west winds which blow from the Atlantic are more moist than the east, which sweep over the continent. On the Atlantic coast of the United States, the winds which come from the northeast are remarkable for their chilliness, and for the disagreeable storms which accompany them. Variable winds may be subdivided into cold and hot winds.

395. The *cold* winds of the north temperate zone are those which blow from the north and northeast. In Europe the northeast winds are cold, deriving their character from the very low temperature which prevails in northern Europe and Asia. In

Questions.—392. What is the general direction of the winds of Europe in winter? In spring? In summer? In autumn? 394. What is said of the properties of certain winds? Of the west winds in Europe? Of the northeast winds on the Atlantic coast of the United States? How may variable winds be subdivided? 395. What is said of the cold winds of the north temperate zone? Of the northeast winds in Europe? Of the north winds in the south of Europe?

the south of Europe the north winds are of great violence and severity, owing to the contrast between the snow-covered Alps and the elevated temperature of the Mediterranean.

396. The *bora*, a northeast wind, so called in Istria and Dalmatia, is sometimes so furious as to overturn horses at plow. The *mistral* and the *vent de bise* are winds which prevail in the southeast of France. The *mistral* blows from the northwest, descending from the mountains of Central France, and sweeping over the ancient provinces of Provence and Languedoc, where it is supposed to contribute greatly to the salubrity of the air, by dispelling the exhalations from the marshes and stagnant waters common in that region of extensive levels. It is very fearful in the Gulf of Lyons; hence the name of that gulf, not derived, as commonly imagined, from the city of Lyons, but from the lion-like violence of its tempests. The *vent de bise* (black wind) is a cold, piercing current from the Alps and the mountains of Auvergne, which chiefly follows the course of the Rhone, in the valley through which it runs, rendering the climate in winter very severe. In Spain, a north wind, called the *gallego*, is of a very formidable character.

397. *Hot* winds are very frequent in countries contiguous to the tropical regions. Large deserts and plains, covered with little vegetation, engender very warm winds; these winds, which are of a noxious character, prevail in the vast deserts of Asia and Africa, where they show themselves in all their force. Nubia, Arabia, Persia, and other parts of Asia, are visited by a burning wind peculiar to the desert. In Arabia it is called *samoum*, from the Arabic *samma*, which signifies hot and poisonous. It is also named *samiel*, from *samm*, poison. In Egypt it is called *chamsin* (fifty) because it blows for fifty days, from the end of April until June, at the commencement of the inundation of the Nile. In the western part of the Sahara it is named *harmattan*.


398. The Samoum, or Simoom, as more commonly called, is announced by the troubled appearance of the horizon; afterward, the sky becomes obscured, and the sun loses its brilliancy,—paler than the moon, its light no longer projects a shadow; the green of the trees appears of a dirty blue; the birds are restless; and the affrighted animals wander in all directions. The rapid evaporation, occurring at the surface of the human body, dries the skin,

Questions.—396. What is said of the *bora*? The *mistral*? The *vent de bise*? 397. Where are hot winds very frequent? By what name is the burning wind called in Arabia? By what other name is it known? What is it called in Egypt, and why? In the western part of Sahara? 398. How is the simoom announced? How does it affect the human body?

inflames the throat, accelerates respiration, and causes a violent thirst.

399. This hot wind is deleterious in its mildest forms, occasionally destructive, and many a pilgrim to the shrine of the prophet at Mecca, and merchant to the marts of Bagdad, have perished by its noxious, suffocating influence. Bruce suffered from it when ascending the Nile, he and his company becoming so enervated as to be incapable of pitching their tents, oppressed as well by an intolerable headache. "The poisonous simoom," he remarks, when at Chendi, "blew as if it came from an oven; our eyes were dim, our lips cracked, our knees tottering, our throats perfectly dry; and no relief was found from drinking an immoderate quantity of water.

400. "In June, 1813," says Buckhardt, "in going from Siout to Esné, I was surprised by the simoom in the plain which separates Furschiout from Berdys. When the wind arose I was alone, mounted on my dromedary, and at a distance from every tree and habitation. I endeavored to protect my face by wrapping it in a handkerchief. Meanwhile, the dromedary, into whose eyes the wind drove the sand, became restless, commenced galloping,



Storm in the Desert.

and caused me to lose the stirrups. I remained lying on the earth without moving from the spot, for I could not see to a distance of ten metres, and I wrapped myself up in my clothes until the wind had abated. I then went in search after my dromedary, which I found at a very great distance, lying down near a bush which protected his head against the sand raised by the wind."

Questions.—399. What further is remarked respecting this hot wind? How did Bruce suffer from it? What does he say of it? 400. Mention some of the particulars related by Buckhardt.

401. Volney gives the following complete account of the simoom and its effects: "Travelers," he states, "have mentioned these winds under the name of poisonous winds; or, more correctly, hot winds of the desert. Such, in fact, is their quality; and their heat is sometimes so excessive that it is difficult to form an idea of their violence without having experienced it; but it may be compared to the heat of a large oven at the moment of drawing out the bread. When these winds begin to blow, the atmosphere assumes an alarming aspect. The sky, at other times so clear in this climate, becomes dark and heavy; the sun loses its splendor, and appears of a violet color. The air is not cloudy, but gray and thick; and is, in fact, filled with an extremely subtile dust that penetrates everywhere.

402. "This wind, always light and rapid, is not at first extremely hot, but it increases in heat in proportion as it continues. All animated bodies soon discover it by the change it produces in them. The lungs, which a too rarefied air no longer expands, are contracted and become painful. Respiration is short and difficult, the skin parched and dry, and the body consumed by an internal heat. In vain is recourse had to large drafts of water; nothing can restore perspiration. In vain is coolness sought for; all bodies in which it is usual to find it deceive the hand that touches them. Marble, iron, water, notwithstanding the sun no longer appears, are hot. The streets are deserted, and the dead silence of night reigns everywhere. The inhabitants of towns and villages shut themselves up in their houses—and those of the deserts in their tents, or in pits they dig in the earth—where they wait the termination of this destructive heat.

403. "It usually lasts three days, but if it exceeds that time it becomes insupportable. Woe to the traveler whom this wind surprises remote from shelter! he must suffer all its dreadful consequences, which sometimes are mortal. The danger is most imminent when it blows in squalls, for then the rapidity of the wind increases the heat to such a degree as to cause sudden death. This death is a real suffocation; the lungs, being empty, are convulsed; the circulation disordered, and the whole mass of blood, driven by the heat toward the head and breast; whence that hemorrhage at the nose and mouth which happens after death.

404. "This wind is especially fatal to persons of a plethoric habit, and those in whom fatigue has destroyed the tone of the muscles and vessels. The corpse remains a long time warm, swells, turns blue, and is easily separated; all of which are signs of that putrid fermentation which takes place when the humors become stagnant. These accidents are to be avoided by stopping the nose and mouth with handkerchiefs; an efficacious method is also that practiced by the camels which bury their noses in the sand, and keep them there till the squall is over.

Questions.—401. What does Volney say respecting these winds? To what does he compare their heat? What is the aspect of the atmosphere during the continuance of the simoom? 402. What changes does it produce on all animate bodies? 403. How long does it usually last? When is the danger most imminent? 404. To whom is the wind especially fatal?

405. "Another quality of this wind is its extreme aridity, which is such, that water sprinkled upon the floor evaporates in a few minutes. By this extreme dryness it withers and strips all the plants, and by exhaling too suddenly the emanations from animal bodies, crisps the skin, closes the pores, and causes that feverish heat which is the invariable effect of suppressed perspiration."

406. The *Harmattan* blows from the northeast, over Senegambia and Guinea, to that part of the coast of Africa lying between Cape Verde, in 15° north latitude, to Cape Lopez in 1° south latitude, a coast line of upward of two thousand miles. It occurs during December, January, and February, generally three or four times during that season. It comes on at any hour of the day, at any time of the tide, or at any period of the moon, continuing sometimes only a day or two, at other times five or six days, and it has been known to last upward of a fortnight.

407. Extreme dryness is the property of this wind;—all vegetation droops and withers, and should the harmattan blow for several days, the leaves of the lemon, orange, and lime-trees become so parched that they may be readily rubbed into dust. Even household furniture cracks, and in many instances flies to pieces. Though this wind is so pernicious in its effects upon vegetable life, yet it is conducive to the health of the human species, by removing dampness from the atmosphere, and counteracting its effects after a long rainy season.

408. The *Sirocco* is a hot southeast wind, prevailing in the Mediterranean, in Italy and Sicily, but felt most violently in the country around Naples, and at Palermo. It sometimes commences about the time of the summer solstice, but blows occasionally with great force in the month of July. Though usually attributed to the Sahara, it is supposed by some to arise on the arid rocks of Sicily; and hence is far more violent on the north than on the south coast of the island, about Palermo, and also in the neighborhood of Naples.

409. It is thus described by a traveler during his stay at Palermo :

"On Sunday, July 8th, we had the long-expected sirocco wind, which, although our expectations had been raised pretty high, yet I own greatly

Questions.—405. What other quality does this wind possess? Give particulars. 406. Describe the Harmattan. When does it occur? What is said of its irregularity, etc.? 407. What is the property of this wind? What are its effects on bodies? On the human species? 408. What is the Sirocco? When does it blow? Its supposed origin?

exceeded them. Friday and Saturday were uncommonly cool, the mercury never being higher than $72\frac{1}{2}^{\circ}$: and although the Sirocco is said to have set in early on Sunday morning, the air in our apartments, which are very large, with high ceilings, was not in the least affected by it at eight o'clock, when I rose. I opened the door without having any suspicion of such a change; and indeed I never was more astonished in my life. The first blast of it on my face felt like the burning steam from the mouth of an oven. I drew back my head and shut the door, calling out to Fullarten that the whole atmosphere was in a flame. However, we ventured to open another door that leads to a cool platform, where we usually walk; this was not exposed to the wind; and here I found the heat much more supportable than I could have expected from the first specimen I had of it at the other door. It felt somewhat like the subterraneous sweating-stoves at Naples, but still much hotter. In a few minutes we found every fiber greatly relaxed, and the pores opened to such a degree, that we expected soon to be thrown into a profuse sweat.

410. "I went to examine the thermometer, and found the air in the room as yet so little affected that it stood only at 78° . The preceding night it was at $72\frac{1}{2}^{\circ}$. I took it out to the open air, when it immediately rose to 110° , and soon after to 112° ; and I am confident that in our old lodgings, or anywhere within the city, it must have risen several degrees higher. The air was thick and heavy, but the barometer was little affected: it had fallen only about a line. The sun did not once appear the whole day, otherwise I am persuaded the heat must have been insupportable; on that side of our platform which is exposed to the wind, it was with difficulty we could bear it for a few minutes. Here I exposed a little pomatum, which was melted down as if I had laid it before the fire. I attempted to take a walk in the street, to see if any creature was stirring, but I found it too much for me, and was glad to get up stairs again. This extraordinary heat continued till three o'clock in the afternoon, when the wind changed at once, almost to the opposite point of the compass. All nature languishes under the influence of this wind; vegetation droops and withers; the Italians suffering from it not less than strangers. When any feeble literary production appears, the strongest phrase of disapprobation they can bestow is, "It was written in the time of the sirocco."


411. The deserts of Asia and Africa are the regions in which the hot or burning winds prevail; but in Spain, the *Salano*, a wind which is supposed to arise on the plains of Andalusia, throws the majority of individuals into a condition of peculiar languor. In India, which is covered with a rich vegetation, and in Chile, in Louisiana, and in the great level plains (*Llanos*) of the Orinoco, there are certain local winds of a very elevated temperature.

Questions.—411. What is said of the deserts of Asia and Africa? Of the *Salano*? Where do other very warm winds prevail?

LESSON IV.

PERMANENT WINDS.

412. THE *Trade-winds* are those permanent breezes which prevail within the tropics, and which maintain nearly the same direction and rate throughout the year. Their direction is from the northeast in the northern hemisphere, and from the southeast south of the line; but it is more decidedly from the east as the equator is approached. They extend generally from about 28° to 30° on each side of the equator, but their limits vary considerably as the sun is north or south of the equator; their external and internal boundaries are also very different in the Atlantic and Indian oceans. It is only over the wide ocean that the trade-winds can blow uninterruptedly. Between them is a zone



A Calm at Sea.

styled the Region of Calms, in which thick, foggy air prevails, with frequent, sudden, and copious rains, attended with thunder and lightning.

413. The trade-winds may be thus explained. The regions bordering on the equator are the hottest on the earth. In consequence of rarefaction, the air there ascends and flows over the colder masses on either side toward the poles, from which a

Questions.—412. What are the trade-winds? What is their direction? Their limits? What region lies between them? 413. How may the trade-winds be explained?

colder atmosphere moves to supply its place. Thus, are created, in each hemisphere, two atmospheric currents, an upper and a lower one, each flowing in an opposite direction. If the earth did not rotate on its axis, the trade-wind, or lower current in the northern hemisphere, would be from north to south; and, in the southern hemisphere, from south to north. The earth, however, revolves from west to east, and the atmosphere surrounding it partakes of this rotary motion; hence, these winds become north-east and southeast.

414. The following is Lieutenant Maury's theory concerning the trade-winds and the laws by which they are governed:

"From the parallel of about 30° north and south, nearly to the equator, we have two zones of perpetual winds, viz.: the zone of northeast trades on this side, and of southeast on that. They blow perpetually, and are as steady and as constant as the currents of the Mississippi River—always moving in the same direction. As these two currents of air are constantly flowing from the poles toward the equator, we are safe in assuming that the air which they keep in motion must return by some channel to the place near the poles, whence it came in order to supply the trades. If this were not so, these winds would soon exhaust the polar regions of atmosphere, and pile it up about the equator, and then cease to blow for the want of air to make more wind of.

415. "This return current, therefore, must be in the upper regions of the atmosphere, at least until it passes over those parallels between which the trade-winds are always blowing on the surface. The return current must also move in the direction opposite the direction of that wind which it is intended to supply. These direct and counter-currents are also made to move in a sort of spiral curve, turning to the west as they go from the poles to the equator, and in the opposite direction as they move from the equator toward the poles.

416. "This turning is caused by the rotation of the earth on its axis. The earth, we know, moves from west to east. Now if we imagine a particle of atmosphere at the north pole, where it is at rest, to be put in motion in a straight line toward the equator, we can easily see how this particle of air, coming from the pole, where it did not partake of the diurnal motion of the earth, would, in consequence of its *vis inertiae*, find, as it travels south, the earth slipping under it, as it were, and thus it would appear to be coming from the northeast and going toward the southwest: in other words, it would be a northeast wind.

Questions.—414. Where have we two zones of perpetual winds? What are we safe in assuming? Why? 415. Where must this return current be? Which way do the direct and counter-currents turn? 416. How is this turning caused? Explain.




Diagram of the Trade-winds.

417. "On the other hand, we can perceive how a like particle of atmosphere that starts from the equator, to take the place of the other at the pole, would, as it travels north, in consequence of its *vis inertia*, be going toward the east faster than the earth. It would, therefore, appear to be blowing from the southwest, and going toward the northeast, and exactly in the opposite direction to the other. Writing south for north, the same takes place between the south pole and the equator. Now this is the process which is actually going on in Nature; and if we take the motions of these two particles as the type of the motion of all, we shall have an illustration of the great currents in the air, the equator being near one of the nodes,* and there being two systems of currents—an upper and an under—between it and each pole.

418. "Let us return now to our northern particle, and follow it in a round—

Questions.—417. Explain the direction of the return current. 418. Describe the course of a particle of atmosphere proceeding from the polar regions toward the equator. What does it meet near the parallel of 30°?

* **NODES**: the point where the ascending and descending currents cross each other.

from the north pole to the equator and back again, supposing it, for the present, to turn back toward the pole after reaching the equator. Setting off from the polar regions, this particle of air, for some reason, which does not appear to have been satisfactorily explained by philosophers, travels in the upper regions of the atmosphere, until it gets near the parallel of 30° . Here it meets, also in the clouds, the hypothetical particle that is going from the equator to take its place toward the pole.

419. "About this parallel of 30° , then, these two particles meet, press against each other with the whole amount of their motive power, produce a calm and an accumulation of atmosphere sufficient to balance the pressure from the two winds north and south. From under this bank of calms, two surface currents of wind are ejected: one toward the equator, as the north-east trades—the other toward the pole, as the southwest passage winds—supposing that we are now considering what takes place in the northern hemisphere only.

420. "These winds come out at the lower surface of the calm region, and consequently the place of the air borne away in this manner must be supplied, we may infer, by downward currents from the superincumbent air of the calm region. Like the case of a vessel of water which has two streams from opposite directions running in at the top and two of equal capacity discharging in opposite directions at the bottom—the motion of the water in the vessel would be downward: so is the motion of air in this calm zone. The barometer, in this calm region, is said by Humboldt and others to stand higher than it does either to the north or to the south of it; and this is another proof as to the banking up here of the atmosphere and pressure from its downward motion.

421. "Following our imaginary particle of air from the north across this calm belt we now feel it moving on the surface of the earth as the north-east trade-wind, and as such it continues till it arrives near the equator, where it meets a like hypothetical particle, which has blown as the south-east trade-wind. Here, at this equatorial place of meeting, there is another conflict of winds, and another calm region, for a northeast and southeast wind can not blow at the same time in the same place. The two particles have been put in motion by the same power; they meet with equal force, and, therefore, at their place of meeting, are stopped in their course. Here, therefore, there is also a calm belt.

422. "Warmed by the heat of the sun, and pressed on each side by the whole force of the northeast and southeast trades, these two hypothetical particles, taken as the type of the whole, ascend. This operation is the re-

Questions.—419. What results follow? What surface currents are here ejected? 420. From what part of the calm region do these winds come, and what consequently may be inferred? Illustrate the downward motion of the air in this calm zone. What is another proof of the banking up here of the atmosphere and pressure from its downward motion? 421. When does the particle of air move after leaving the calm belt? What occurs at the equatorial place of meeting? 422. Why does it here ascend? Describe its track in its return to the pole.

verse of that which took place at the other meeting near the parallel of 30°. This imaginary particle now returns to the upper regions of the atmosphere again, and travels there until it meets, near the calm belt of Cancer, its fellow-particle from the north, where it descends as before, and continues to flow toward the pole as a surface wind from southwest. Entering the polar regions obliquely, it is pressed upon by similar currents coming from every meridian; here our imaginary particle approaches the higher parallels more and more obliquely, until it, with all the rest, is whirled about the pole in a continued circular gale: finally reaching the vortex, it is carried upward to the regions of atmosphere above, whence it commences again its circuit to the south as an upper current.

423. "Now the course we have imagined an atom of air to take is this: an ascent at P, at the north pole; an efflux thence as an upper current, until it meets G (also an upper current), over the calms of Cancer. Here there is supposed to be a descent, as shown by the arrows along the wavy lines which envelop the circle. This upper current from the pole now becomes the northeast trade wind B, on the surface; it rises up at the equator, and returns thence—we will suppose for the present only—back toward the north pole, as G, until it reaches the calms of Cancer, where it descends and is felt on the surface as H, the southwest passage wind; and so the circuit is completed for the northern hemisphere."

424. Nothing excited the wonder of the early navigators as much as the east wind which blows regularly within the tropics. The companions of Columbus were terrified when they found themselves driven on by continuous east winds, which seemed to forewarn them that they would never return to their country. Fortunately for the fame of the great navigator, and for the world, he firmly held on his course, and made the discovery of a new continent.

425. The trade-winds serve important uses to navigators, in facilitating the passage of ships round the world. In passing from the Canaries to Cumana, on the north coast of South America, it is scarcely ever necessary to touch the sails of a ship; and with equal facility a passage is made across the Pacific, from Acapulco, on the west coast of Mexico, to the Philippine Islands. The customary route of vessels on their outward voyage from New York to Canton is by the way of Cape Horn, and thence westwardly through the Pacific: the return voyage is by the way of the Cape of Good Hope. If a channel were cut through the Isthmus of Panama, the voyage to China would be more speedy, agreeable, and safe than the usual route by Cape Horn.

426. All mariners and passengers have spoken with delight of the region of the trade-winds. It is noted for the favoring gales, the transparent atmosphere, the splendid sunsets, and the brilliancy of the unclouded heavens,

Questions.—423. Illustrate the course an atom of atmosphere is imagined to take. 424. Wonder of the early navigators? The companions of Columbus? 425. Uses of the trade-winds? Illustrate. Route of an outward and return voyage from New York to Canton? 426. For what is the region of the trade-winds noted?

day and night. Columbus, in recording his first voyage into their territory, compares the air, soft and refreshing without being cool, to that of the pure and balmy April mornings he had experienced in Andalusia. Humboldt, in describing the tropical regions, remarks upon the mildness of the climate and the beauty of the southern sky. He observed stars seen from infancy progressively sinking and finally disappearing below the horizon, an unknown firmament unfolding its aspect, and scattered nebulae rivaling in splendor the milky way. The Spaniards gave to the zone in which the trade-winds are constant the title *el Golpo de las Damas*, the Sea of the Ladies, on account of the ease with which it may be navigated, the uniform temperature prevalent night and day, and its pacific aspect.

LESSON V.

PERIODICAL WINDS.

427. PERIODICAL winds are those which regularly prevail at a certain time of the year or of the day. The monsoons of the Indian Ocean, the Etesian winds of the Mediterranean, and the land and sea breezes, are of this class.

428. *Monsoons*, from the Malay word *moussin*, signifying "a season," are regular periodical winds which sweep over the Indian Ocean and the whole of Hindoostan, changing their direction after an interval of about six months, as the sun moves into the northern or southern hemispheres; hence the term *season winds*, or monsoons. These winds are a modification of the trade-winds, occasioned by the position of the sun in different seasons, the openings in the chain of islands separating the Indian Ocean from the Pacific, the interposition of the Asiatic continent, and the rarefied atmosphere of Africa and Australia.

429. From 3° south of the equator to the northern shores of the Indian Ocean, including the Arabian Sea, the Bay of Bengal, and the Chinese Sea, a *southwest* wind prevails from April to October, and then a *northeast* wind sets in, and prevails through the next half year, from October to April. While the wind north

Questions.—427. What are periodical winds? Name those which belong to this class.
428. What are monsoons? From what is the term derived? What is said of these winds?
429. What are the limits of the region having a southwest wind from April to October? What wind prevails in this region from October to April? Describe the winds which prevail at different seasons between 3° and 10° south of the line.

of the equator is southwest, a southeast wind prevails between 3° and 10° south of the line; and when the wind north of the equator is northeast, that south of it is northwest.

430. The western boundary of the region of the monsoons is the African shore; its eastern limit is supposed to be about the meridian of 130° east longitude; its northern confine is near the parallel of 27° north latitude; its southern extremity has been already stated. The monsoons are much stronger than the trade-winds, and may be called gales; they sometimes blow with such violence that ships are obliged to reef their sails. They are not confined to the ocean, but extend over the whole of Hindoostan to the Himalaya Mountains.

431. Mr. Caunter, a resident at Madras, gives the following interesting account of a storm which occurred there during the shifting of these winds:

“On the 15th of October, the flag-staff was struck, as a signal for all vessels to leave the roads, lest they should be overtaken by the monsoon. On that very morning some premonitory symptoms of the approaching war of elements had appeared. As the house we occupied overlooked the beach, we could behold the setting in of the monsoon in all its grand and terrific sublimity. The wind, with a force which nothing could resist, bent the tufted heads of the tall, slim, cocoa-nut trees almost to the earth, flinging the light sand into the air in eddying vortices, until the rain had either so increased its gravity or beaten it into a mass, as to prevent the wind from raising it.

432. “The pale lightning streamed from the clouds in broad sheets of flame, which appeared to encircle the heavens as if every element had been converted into fire, and the world was on the eve of a general conflagration; whilst the peal, which instantly followed, was like the explosion of a gun-powder magazine. The heavens seemed to be one vast reservoir of flame, which was propelled from its voluminous bed by some invisible but omnipotent agency, and threatened to fling its fiery ruin upon every thing around. In some parts, however, of the pitchy vapor, by which the skies were by this time completely overspread, the lightning was seen only occasionally to glimmer in faint streaks of light, as if struggling, but unable, to escape from its prison,—igniting, but too weak to burst, the impervious bosoms of those capacious magazines in which it was at once engendered and pent up.

433. “So heavy and continuous was the rain, that scarcely any thing save those vivid bursts of light, which nothing could arrest or resist, was perceptible through it. The thunder was so painfully loud, that it frequently caused the ear to throb; it seemed as if mines were momentarily springing

Questions.—430. What is the western boundary of the region of monsoons? Its eastern limit? Its northern? Its southern? Intensity of the monsoons?

in the heavens, and I could almost fancy that one of the sublimest fictions of heathen fable was realized at this moment before me, and that I was hearing an assault of the Titans. The surf was raised by the wind and scattered in thin billows of foam over the esplanade, which was completely powdered with the white, feathery spray. It extended several hundred yards from the beach; fish, upward of three inches long, were found upon the flat roofs of houses in the town during the prevalence of the monsoon, either blown from the sea by the violence of the gales, or taken up in the water-spouts, which are very prevalent in this tempestuous season.

434. "When these burst, whatever they contain is frequently borne by the sweeping blast to a considerable distance over-land, and deposited in the most uncongenial situations: so that now, during the violence of these tropical storms, fish are found alive on the tops of houses; nor is this any longer a matter of surprise to the established resident in India, who sees every year a repetition of this singular phenomenon. During the extreme violence of the storm, the heat was occasionally almost beyond endurance, particularly after the first day or two, when the wind would at intervals entirely subside, so that not a breath of air could be felt, and the punka afforded but a partial relief to that distressing sensation which is caused by the oppressive stillness of the air so well known in India."

435. The monsoons are of great assistance to commerce; by them a ship is frequently wafted to a distant port, and aided in returning by a monsoon blowing in an opposite direction to that which carried her out.

436. The *Etesian** winds are periodical winds which blow from the northeast for about six weeks throughout the Mediterranean, particularly the Levant, where they commence toward the middle of July, about nine in the morning, and continue only throughout the day. The immense desert of Sahara, south of the Mediterranean, deprived of water, and composed of sand and flints, becomes very highly heated under the influence of an almost vertical sun, and currents are created from the colder atmosphere of the north. Hence the passage from Europe to Africa is much quicker in summer than in autumn. Periodical currents, called *nortes*, or north-winds, blow in the Gulf of Mexico from September till March. They also occur on the Brazil coast, blowing from the N. E. in spring, and from the S. E. in autumn.

437. *Land and sea breezes* are supposed to be caused by the

Questions.—435. Uses of monsoons? 436. What are the Etesian winds? Explain how they are caused. When and where do the *nortes* blow? 437. How are land and sea breezes supposed to be caused? Describe them.

* "Ετος, a year, a season.

unequal heating of the land and sea. On the coasts and islands within the tropics, a breeze from the sea daily occurs about nine o'clock in the morning, at first blowing gently toward the shore, but gradually increasing in force till the middle of the day, when it becomes a brisk gale; after two or three o'clock it begins to subside, and is succeeded at evening by a breeze from the land, which blows freshly from off the coast during the night, and dies away in the morning when the sea-breeze commences.

438. These breezes are particularly strong along the coast of Malabar, where it is said that their influence is felt 60 miles from land. They are also very perceptible in the Mediterranean and in the East and West India Islands. The regular inland breezes experienced in the morning and evening, in some situations, are produced by changes in the density of the atmosphere, affected by the radiating properties of neighboring snow-clad mountains, marshes, or sandy deserts.

439. The *Zone of Calms*, see Map III., has a general width of about 6°. Varying with the seasons, however, it, at times, assumes a width of from 9° to 10°. It is frequently interrupted by violent storms. "When a vessel, on its voyage to the south, approaches the equator, in the midst of the Atlantic Ocean, anxious fear seizes the crew. Sooner or later, according to the time of year, the favoring wind which had brought them thus far, becomes weaker and weaker; at first, it ceases for a little while; and, at last, drops entirely. Around extends the sea, an endless glassy surface. The ship, hitherto speeding onward with a bird-like flight, lies bound on the crystal fluid. The rays of the sun, falling perpendicularly, glow through and through the narrow space in which the men are inclosed. The heated deck burns through the soles of the shoes. A stifling vapor fills the cabins. A fortnight has the ruler of the sea lain immovable in the same spot. The store of water is exhausted. Glowing thirst glues the parched tongue to the palate. Each man looks upon his companion in suffering, with the wild, murderous glance of despair.

440. "The sun sinks below the horizon, the evening sky is illumined by a peculiar coppery redness; and with the advancing night, arises a black wall to the eastward; a low, shrill pipe resounds from the distance, from whence a streak of foam advances over the black ocean. The ship sways and rocks upon the irregular waves, but the sail still hangs against the mast, flapping dismally upon the spars. Suddenly the storm bursts over with frightful roar; with a shriek the sails are torn asunder, and fly in ribbons! A loud crack! a second, and the mainmast goes overboard! By a violent effort the crew succeed in cutting through the remaining ropes, and the ship now flies

Questions.—433. Where do these breezes prevail? How are regular inland breezes produced? 439. How wide is the Zone of Calms?

over the ocean—now borne high upon the backs of the waves—now hurled down into the depths; so that every seam cracks and groans as though it would part asunder. The thunder rolls unceasingly; continuous lightning darts through the agitated atmosphere; the rain falls in streams instead of drops. Ten times the sailors give themselves up for lost, when the quaking bark falls into the trough of the sea, and as many times does it rise over the waves again.

441. "At last the storm lulls; single shocks follow, always at longer intervals; the waves become smoother, and when the consoling sun rises in the east, it illuminates the same dreary picture as on the former day. Mirror-like the endless surface again expands, and in eight days is the store of collected water exhausted; and again the silent specters creep about and turn murderous looks upon each other. A new storm, and a new calm, and so in frightful alternation, until at last the ship is driven into the region of the peaceful trade-wind on the other side of the equator. Hundreds of ships have gone down in storms here; hundreds lost their crews by the most frightful of deaths,—that of thirst; and those who have passed the fearful region of calms, turn in earnest worship to Heaven with thanks for their new-won life."*

LESSON VI.

HURRICANES.

442. THE terms hurricane, whirlwind, water-spout, land-spout, sand-pillar, tornado, white squall, pampero, etc., have been applied to rotary movements of the atmosphere in different parts of the world.

443. *Hurricanes* are revolving storms which occur in the West Indies and in the Indian Ocean. Of a similar kind are the *typhoons* in the Chinese Seas. These gyrating movements occupy a space from 50 to 500 miles in diameter. They revolve the more rapidly the nearer the center, up to a certain distance, *within which there is a calm.*

444. The center of rotation advances steadily along a definite line upon the globe, with a velocity varying from 2 to 30 or 40

Questions.—442. What terms have been applied to the rotary movements of the atmosphere? 443. What are hurricanes? What space do these circulating movements occupy? Where do they revolve the more rapidly? 444. What is the velocity of the center of rotation? What is a remarkable fact? What is the rotation of the storms in the northern hemisphere? In the southern hemisphere?

* Schleiden's "Lecture about the Weather."

miles per hour. It is a remarkable fact, that in the same hemisphere these whirling storms always revolve the same way, but that this direction is opposite in opposite hemispheres. In the northern hemisphere their rotation is *retrograde*, or in a direction opposite the hands of a watch. In the southern hemisphere their rotation is direct, conformable to the hands of a watch.

445. There are three well-known hurricane regions—the West Indies, the Indian Ocean, and the Chinese Sea. The general course of the West Indian hurricanes is from the Leeward Islands N. W., passing around the shores of the Gulf of Mexico or across it, then following the Gulf Stream and terminating in the Atlantic, or exhausting their fury in the United States. From Oct. 3, 1780, to Aug 25, 1837, inclusive, 38 hurricanes occurred in this region, in the following months: in June, 1; July, 4; August, 13; September, 10; October, 8; exclusive of 2, the months of which have not been recorded. Thus they are very rare in June, and most frequent in August. The only instance in June occurred in 1831, when Trinidad, Tobago, and Granada were devastated, before supposed to be exempt from hurricanes.

446. The hurricanes of the Indian Ocean come from the N. E., near Sumatra and Java, and travel to the S. W. toward Rodriguez and the Mauritius. They occur chiefly from December to April, the hot season in that hemisphere; are very rare in November and May, and are quite unknown during the other months of the year.

447. In the Chinese Sea, hurricanes, there styled *typhoons*, range from 10° to 30° N. They occur from June to November, after an interval of three or four years.

LESSON VII.

MOISTURE.

448. If we place a vessel of water in the open air on a warm day, the quantity of the fluid will soon be sensibly diminished,

Questions.—445. Which are the three well-known hurricane regions? What is the general course of the West Indian hurricanes? When are hurricanes in this region most rare, and when most frequent? 446. Describe the hurricanes of the Indian Ocean. When do they chiefly occur? 447. What is said of the typhoons? When and how often do they occur? 448. What will happen if we place a vessel of water in the open air on a warm day? Where does evaporation transpire on a grand scale?

being evaporated, or converted by the action of heat into invisible vapor, and diffused through the air. In like manner, evaporation proceeds on a grand scale from the oceans, lakes, and rivers, and from the moist ground. It is subject to diurnal and annual variations.

449. The quantity of vapor in the air is least just before sunrise. Evaporation increases with the rise of atmospheric temperature, or, other things being equal, with the ascent of the sun. Hence, more vapor is generated during the day than during the night; and yet, the greatest degree of dryness in the atmosphere is felt during that portion of the day, when evaporation is going on most rapidly. This is attributable to the influence of solar heat in expanding, and thereby increasing, the capacity of the atmosphere to receive and retain moisture. In January, the quantity of vapor is at its minimum. It increases, from thence, till July, when it attains its maximum; and then decreases to the end of the year.

450. Moisture in the atmosphere is essential to the life of animals and plants. The quantity of vapor in the atmosphere, as the direct result of the action of solar heat on water, diminishes as we recede from the equator toward the poles. It also decreases as we pass from the coast regions to the interior of continents. This rule finds confirmation in the comparative dryness of the air in the interior of the United States, the middle of the plains of the Orinoco, the steppes of Siberia, the deserts of Asia and Africa, and the central parts of Australia. In the temperate zones, the average annual evaporation is estimated at from 36 to 37 inches; in the torrid zone, from 97 to 100 inches.

451. The air is capable of receiving a variable quantity of vapor; its capacity depending on its temperature. According to Professor Leslie, air at the freezing point is capable of holding moisture equal to the 160th part of its own weight; at the tem-

Questions.—449. When is the quantity of vapor diffused through the air the least? When does evaporation increase? When does the air feel driest, and why? In what month is the quantity of vapor at its minimum, and in what at its maximum? 450. What is said of the moisture in the atmosphere? How does the quantity of vapor diminish? In what does this rule find confirmation? Annual evaporation in the temperate zone? In the torrid zone? 451. What is said of the capacity of air for receiving vapor? Upon what does it depend? Give its capacity at different states of temperature.

perature of 59° , the 80th part; at that of 86° , the 40th part; at 113° , the 20th part; and at that of 140° , the 10th part.

452. When a volume of air contains as much aqueous vapor as at its particular temperature it is capable of receiving, it is then said to be at the point of saturation, being as humid as can be. If the temperature then rises, it will be capable of receiving more, but if it falls, some of the contained vapor will be rejected, and become visible as mist. Thus the effect of a change of temperature upon a saturated volume of air is analogous to that of the hand relaxing or tightening its grasp on a piece of imbibing sponge.

453. It has been frequently observed that the summits of some mountains are constantly covered with clouds. The formation of such clouds may be thus explained: The winds, laden with vapor from lower and warmer districts, in passing over such ranges are forced up into a colder region, where they are obliged to part with a portion of the vapor, which thus forms a cloudy state of the atmosphere.

454. *Mists* and *fogs* are formed when the air is saturated, and generally when the moist soil, or the water of lakes and rivers is warmer than the air, the vapors of which are immediately condensed. In like manner the vapor of the air breathed from our mouths in winter becomes condensed and visible. Mists differ in no respect from clouds except in position, being on the surface of the earth, instead of being suspended at a height in the atmosphere.

455. The thick mists which prevail in the neighborhood of Newfoundland arise from the warm waters of the Gulf Stream, which flow to that locality, the temperature of which is much higher than that of the saturated air.

456. Soon after sunset, in calm and clear weather, mists are frequently formed over the beds of lakes and rivers, while the adjacent land is free from them. This arises from the land more rapidly losing its heat by radiation than the lake or river. The air over the land necessarily becomes the coldest; and when the situation of the ground is such as to bring the cold air of the land over the warmer water, a fog confined to its expanse ensues.

Questions.—452. When is a volume of air said to be at the point of saturation? 453. What has been frequently observed? How may the formation of such clouds be explained? 454. When are mists and fogs formed? How do mists differ from clouds? 455. Origin of the mists which prevail in the neighborhood of Newfoundland? 456. Explain why mists are frequently formed over the beds of lakes and rivers while the adjacent land is free from them.

457. *Dew* is formed by the gradual condensation of the vapors of the atmosphere. In summer, when the heat of the sun has filled the air with aqueous vapor, the earth, becoming, after sunset, gradually cooled by radiation under a clear sky, imparts its lower temperature to those portions of the atmosphere in contact with its surface, and thus diminishes their capacity for moisture which is, in consequence, gradually and gently deposited in the form of fluid drops, called dew. In some countries, dew supplies the place of rain. In Palestine and other parts of western Asia, where showers are unknown for several months in succession, the dew formed at night, moistens the earth, and sustains the vegetation; being often so abundant as completely to saturate the tents, baggage, and clothing of travelers exposed to it.

458. All substances have not the same capacity for radiating heat, some cooling much more rapidly than others; and, hence, we frequently find certain bodies densely covered with dew, as grass and leaves; while the bare ground, metals, stones, and wood are comparatively dry. A thermometer, laid on a grass plot during a cloudless night, has been observed to indicate a temperature 16° lower than another laid, at the same time, on a gravel walk. Hence, there must have been a much more copious deposition of dew on the grass than on the walk,—the herbs needing the nourishment, thus receiving it in preference to the bare soil—a striking evidence of an all-wise Being operating in the economy of nature.

LESSON VIII.

CLOUDS.

459. **CLOUDS** are masses of visible vapor, floating in the atmosphere, at different distances from the surface of the earth. They exhibit an endless diversity of outline, density, and color. The dense clouds are usually formed toward noon, when the vapors are carried up by the ascending currents of air, and condensed by the cooler temperature of the upper regions.

Questions.—457. How is dew formed? Explain particularly the operation of its formation. What is said of the dews of Palestine and western Africa? 458. Why does dew collect more on some bodies than on others? 459. What are clouds? What is said of them?

460. Clouds are sometimes composed of very fine particles of congealed vapor. In winter, during periods of severe cold, we often observe the ascending vapors to be composed of brilliant needles which glisten in the sun, and resemble minute flakes of snow. As there is no reason for supposing this appearance to be confined to the lower strata of the atmosphere, we must infer the existence of clouds of snow, as well as of aqueous vapor, in the upper regions of the air.



1, 1. Cirrus. 3. Cumulus. 5. Stratus. 2, 2. Cirro-Cumulus. 4. Nimbus

Questions.—460. Of what are clouds composed? What two kinds?

461. Notwithstanding the varied aspect of clouds, they may be arranged in three principal classes—the *cirrus*, the *cumulus*, and the *stratus*.

462. *Cirrus*—*Curlicloud*. Fig. 1.—The *cirrus* (the *cat's-tail* of sailors) is composed of thin filaments, variously disposed, in the form of woolly hair, a crest of feathers, or slender net-work. The cirri appear in the higher regions of the atmosphere, and are the most elevated of the clouds. Viewed from the summits of high mountains, while the traveler looks down upon other forms of clouds, he beholds these still above him, and apparently at as great a distance as when seen from the plains. The appearance of the true cirrus, or curlicloud, is supposed to indicate variable weather; when most conspicuous and abundant, to pre-
 sage high winds and rain; and when the streaming fibers have pointed in a particular direction for any length of time, the gale may be expected to blow from that quarter.

463. *Cumulus*—*Stackencloud*. Fig. 3.—This form of cloud (*ball of cotton* of sailors) occurs in the lower regions of the atmosphere, and is easily recognized. It is commonly under the control of the surface winds, and frequently exhibits a very magnificent appearance. It consists of a vast hemispherical or conical heap of vapor rising gradually from an irregular horizontal base and increasing upward. Hence the names, *cumulus*, a pile or heap, and *stackencloud*, a number of detached clouds stacked into one large and elevated pile.

464. Cumuli are indications of fine weather. They begin to form soon after sunrise from irregular and scattered specks of cloud; as the morning advances the clouds enlarge; and early in the afternoon, when the temperature of the day is at its maximum, the cumulus attains its greatest magnitude. The cloud decreases as the sun declines, and is usually broken up toward sunset. The cumulus may be called the cloud of day, from the interval between morning and evening generally measuring the term of its existence. Its appearance considerably varies in the detail, and often exhibits a brilliant silvery light, and a copper

Questions.—461. Into what three principal classes may clouds be arranged? 462. Describe the cirrus or curlicloud. What is said of the height of the cirri? What is the cirrus supposed to indicate? 463. Describe the cumulus or stackencloud. Of what does it consist? 464. What do cumuli indicate? Describe their successive changes during the day.

tinge, when in opposition to the sun, indicating a highly electrical condition of the atmosphere.

465. *Stratus*—*Fallcloud*. Fig. 5.—This cloud consists of horizontal bands near the surface of the earth. It belongs to the night, forming at sunset and disappearing at sunrise. This class of clouds comprehends all those fogs and creeping mists which sometimes spread like a mantle over the surface of the valleys, plains, lakes, and rivers.

466. To the above primary varieties three transition or composite forms are added. *Cirrocumulus*—*Sondercloud*. Fig. 2. This name designates the feathery accumulated cloud, familiarly known as fleecy, intermediate between cirrus and cumulus. It consists of small patches, arranged in extensive beds, the component parts being quite distinct or asunder. *Cirrostratus*—*Wanecloud* and *Cumulostratus*—*Twaincloud* (not represented in the cut), are combinations,—the former of the cirrus and stratus, and the latter of the cumulus and stratus.

467. *Nimbus*—*Raincloud*. Fig. 4.—Any of the preceding modifications may pass over into the actual rainy clouds, first exhibiting a great increase of density, and a bluish-black tone of color, then putting on a lighter shade, or gray obscurity, and becoming fringed at the edges.

468. Clouds are generally higher within the tropics than in the temperate zones; and in the temperate zones they are commonly higher in summer than in winter. The cirri are the highest clouds. They are supposed to range from 3 to 5 miles above the level of the earth. Kaemtz states that during a stay of eleven weeks within sight of the Finsteraarhorn, upward of 14,000 feet high, he never observed any cirri below the summit of the mountain. It is highly probable that they consist of flakes of snow.

Questions.—465. Of what does the stratus or fallcloud consist? When does it prevail? What does this class of clouds comprehend? 466. Describe the cirrocumulus or sondercloud. What other composite forms are mentioned? 467. Change to the nimbus or raincloud? 468. What is the comparative height of clouds in different zones and seasons? Height of the cirri? What does Kaemtz state?

LESSON IX.

RAIN.

469. RAIN is water, which, originally taken up into the atmosphere in the state of vapor, is returned to the earth in the form of liquid drops. It is produced by the continued condensation of vapor. Rain may begin to fall, and yet not reach the ground, being resolved into invisible vapor on arriving at strata of air removed from the point of saturation. For the same reason, rain-drops may become smaller in their descent, a portion being evaporated, and less rain arrive at the earth's surface than at a certain height above it. Usually the drops increase in their fall, bringing with them the low temperature of the upper regions.

470. The following are examples of very extraordinary showers :

1822....Oct. 25, at Genoa, 30 inches of rain fell in 24 hours.

1827....May 27, at Geneva, there fell 6 inches of rain in 3 hours.

1841....June 4, at Cuiseaux, a small town in the valley of the Saone, there fell about 11 inches in 68 hours.

At Cayenne, Admiral Roussin collected 10 inches in 10 hours.

471. Rain, is very unequally distributed over the regions of the globe. 1. The average annual quantity of rain is the greatest in tropical climates, and diminishes as we recede from the equator to the poles. 2. It decreases as we pass from maritime to inland countries, because the land supplies a less quantity of vapor than the sea. 3. More rain falls in mountainous than in low level districts, lofty heights arresting the clouds, and promoting the condensation of vapor by their cold summits. 4. The result of experiment shows that a greater amount of rain falls while the sun is below than when above the horizon.

472. The diminution of the average annual quantity of rain from the equator to the poles, appears from the following Table :

San Luis de Maranhao	lat.	3° S.	is equal to 276 inches.
Parimaribo, Guiana.....	“	6° N.	“ 229 “

Questions.—469. What is rain? How produced? 470. Give examples of very extraordinary showers. 471. What is said of the unequal distribution of rain? Where is the average annual quantity the greatest? Where does it decrease? What is observed of mountainous districts? What does the result of experiment show? 472. What is the annual quantity of rain in different places? The annual quantity within the Tropics of the Old World? Of the New World? Average for the Tropics generally? Annual quantity in the Temperate Zones of the New World? In the Temperate Zones of the Old World? In the Temperate Zone generally?

Sierra Leone, Guinea	"	9° N. is equal to 189 inches.
Island of Grenada, West Indies. "	12°	" 108 "
Havana, Cuba.....	" 23°	" 90 "
Calcutta.....	" 22°	" 81 "
Macao, China	" 22°	" 68 "
Charleston, South Carolina.....	" 33°	" 47 "
Rome	" 42°	" 39 "
Edinburgh.....	" 55°	" 24 "
St. Petersburg	" 60°	" 17 "
Uleaborg, Finland	" 65°	" 13 "

Annual quantity of Rain within the Tropics of the New World. 115 inches.

Annual quantity within the Tropics of the Old World 76 "

Average for the Tropics generally 95½ "

Annual quantity of Rain in the Temperate Zones of the New

World (United States) 37 inches.

In the Temperate Zones of the Old World (Europe)..... 31¾ "

Temperate Zone generally 34¾ "

473. Although the amount of rain is greater within the tropics than in the temperate zone, yet the number of rainy days is less, because two seasons divide the year—wet and dry; and during the dry season entire months frequently pass away without a drop falling or a cloud being seen. In the temperate zone also, in passing from south to north, the number of rainy days increases, although the intensity of rain diminishes.

Annual number of rainy days in North of Syria.....	54
" " " Straits of Gibraltar	68
" " " Plains of Lombardy	90
" " " Buda, Hungary	112
" " " Plains of Germany	141
" " " England and West France.....	152
" " " Poland	158
" " " St. Petersburg	169
" " " Netherlands	170
" " " East of Ireland	208

474. Countries situated in the vicinity of the sea receive, as we have remarked, a larger amount of rain than those inland. This is exemplified in the interior of the United States, of the llanos of the Orinoco, of the Siberian steppes, of Australia, and on comparing the amount of precipitation in inland and maritime countries. It declines from an annual fall of between 30 and 35 inches on the shores of Great Britain and France to from 15 to 18 inches as the borders of Asia are approached. Mountains produce

Questions—473. Where is the number of rainy days less than in the temperate zone, and why? What is observed in passing from south to north in the temperate zone? State the annual number of rainy days in different places. 474. What is said of countries situated in the vicinity of the sea? How is this exemplified? With what does the annual number of rainy days decrease? Illustrate.

several exceptions to this rule. The annual number of rainy days decreases also with the increased distance from the sea.

West coast of France	152 days.
Interior of France	147 "
Kasan, Plains of the Volga	90 "
Interior of Siberia	60 "

475. The annual fall of rain in mountainous districts, as compared with that of low and level countries, is sometimes very striking. At Keswick—a mountainous district in England—the annual average depth of rain is 67 inches, while on the sea-coast it is not half that amount. On the Great St. Bernard it is 63 inches, and at Paris only 21. “The description of Judea by the sacred writer, contrasting it with the flat lands of Egypt, though not intended to be philosophic, is in harmony with the teachings of science respecting the important part performed by mountains in the general economy of the earth:—‘For the land whither thou goest in to possess it, is not as the land of Egypt, from whence ye came out; but the land whither ye go to possess it, is a land of hills and valleys, and drinketh water of the rain of heaven.’ By arresting the course of the clouds, and producing a condensation of aqueous vapor when a warm current of air lights upon their cold summits, the elevations contribute to precipitate the moisture of the atmosphere, often amid a terrible display of electric phenomena—a blaze of fiery horrors, and the echo of heart-thrilling sounds.”*

476. In some portions of the world rain is entirely unknown, or occurs so seldom as to be quite a phenomenon. The rainless regions of the New World comprise portions of California and Guatemala, the Mexican table-land, and the coast line of Peru. Those of the Old World comprehend an immense territory, stretching from Marocco, through the Sahara, a part of Egypt, Arabia, and Persia, into Beloochistan, with another great zone, commencing north of the Hindoo-Koosh and Himalayas, including the table-land of Tibet, the desert of Gobi, and a portion of Mongolia.

477. The rains of most tropical countries are periodical,—seasons of extreme humidity regularly alternating with those of excessive drought. The length of time of the rainy season differs in different districts, but lasts generally from three to five

Questions.—475. What facts illustrate the difference between mountainous districts and low and level countries, with respect to the fall of rain? What is remarked of the description of Judea by the sacred writer? 476. What do the rainless regions of the New World comprise? What, those of the Old World? 477. What is said of the rains of most tropical countries? Length of the rainy seasons? When do they commence at Panama, etc.? Violence of these tropical showers?

months. The periodical rains commence in Panama, on the west coast of America, in the early part of March; in Africa near the equator, and on the banks of the Orinoco, they begin in April; in the countries watered by the Senegal, and at San Blas, in California, they begin in June. The violence of these tropical showers may be inferred from the large annual amount of rain, and from its fall being limited to a few months, and to a few hours during the day. The drops are enormous, very close together, and fall with such rapidity as to occasion a sensation of pain if they strike against the skin.

478. In both continents the districts which have their periodical rains are subject to an occasional intermission, and become rainless for considerable intervals, the drought inflicting terrible suffering on man and beast. Such a period happened between the years 1827 and 1830 in the state of Buenos Ayres, and is known by the name of the *gran seco*, or the great drought. This interval was very destructive to animals. The loss of cattle in the province of Buenos Ayres alone, was estimated at one million head. Cattle in herds of thousands rushed into the Parana, and being exhausted by hunger they were unable to crawl up the muddy banks, and thus were drowned.

LESSON X.


SNOW AND HAIL.

479. Snow is nothing more than rain congealed before it falls to the earth. Snow-flakes exhibit forms of exquisite beauty, regularity, and endless variety. These varied shapes are assumed while the body passes from the liquid to the solid shape. The tendency of water to crystalize, while in the process of congelation, may be observed in winter on panes of glass.

480. A microscope applied to a flake of snow will unfold its wonderful mode of structure. It is only in the polar regions that snow assumes its most beautiful and varied forms. Captain Scoresby has figured ninety-six different varieties, which he discovered during his Arctic voyages, and which he distributed into

Questions.—478. To what are the rainless districts of both continents subject? Example? Destruction of cattle? 479. What is snow? What do snow-flakes exhibit? When are these varied forms assumed? 480. In what region does snow assume its most varied forms? How many varieties discovered by Captain Scoresby, and how distributed? What does Kaemtz observe?

classes of lamellar,* spicular,† and pyramidal crystals, as shown in the annexed representation. It will be seen that the annexed forms are mostly hexagonal‡ stars, and consequently snow-flakes



Various Forms of Snow Crystals.

* LAMELLAR, composed of thin plates or scales. † SPICULAR, resembling a dart.
‡ HEXAGONAL, having six sides and angles.

belong to the hexagonal system of crystals. Kaemtz observes that flakes which fall at the same time have generally the same form; but if there is an interval between two consecutive falls of snow, the forms of the second are observed to differ from those of the first, although always alike among themselves.

481. The limits of the fall of snow at the level of the sea, in the northern hemisphere, are about the parallel of 30° in America, which cuts the southern part of the United States; 43° in the center of the North Atlantic; and 36° in the Old World, the latitude of Algiers. But for several degrees above these limits, it is of rare appearance and brief continuance.


482. Snow performs an important part in the general economy of nature. In winter it serves as a mantle to keep the ground warm, and thus protect vegetation from being destroyed by the frost, or by cold biting winds. Accumulated on elevated mountain chains, it affords, by its thawing, a regular supply to rivers and to the interior reservoirs of the earth, while in low latitudes it tempers the heat of warm regions.

483. *Hail* appears to be partly the result of a very intense degree of cold being rapidly produced in the atmosphere; it is supposed to be also somewhat dependent upon electricity, which is almost always powerfully developed during hail-storms. In very high latitudes it is unknown, and it is also rare at the level of the sea within the tropics. The icy particles which fall vary in shape and size. True hail is an opaque mass, and has generally the form of a pear, or of a mushroom; large hailstones are surrounded by a thick coat of ice, and are composed of alternate layers of snow and ice; no one has ever seen hailstones formed entirely of transparent ice.

484. Many instances are well authenticated of hailstones having a circumference of from 6 to 9 inches, and a weight of from 12 to 14 ounces; but much larger masses are recorded. June 15, 1829, the hail beat in the roofs of the houses at Cazorta, in Spain,—some of the hailstones weighing upwards of 4 lbs. avoirdupois. In Hungary, May 8, 1832, a block of ice fell,

Questions.—481. Limit of the fall of snow in America? In the center of the North Atlantic? In the Old World? 482. What are some of the uses of snow? 483. Of what does hail appear to be the result? Upon what is it supposed to be also somewhat dependent? Where is it unknown and where rare? Appearance of true hail? 484. Size of some hailstones observed? Examples of destructive effects of hail? What is remarked of these enormous masses?

about 39 inches in breadth and length, and 27 inches in depth. Mr. Darwin mentions a fall of hail in the state of Buenos Ayres which killed a large number of wild animals, ostriches, and smaller birds. These enormous masses are either the fragments of a thick sheet of ice suddenly formed, and broken in the atmosphere in falling, or are due to the union of a great number of hailstones in their descent.



Snow Storm.

LESSON XI.

CLIMATE.

485. CLIMATE, in its relation to animal and vegetable existence, constitutes one of the most interesting and important subjects belonging to physical geography. The term, as it is commonly understood, denotes the temperature of the air in the various regions of the globe; but taken in its more general sense, it signifies all those states and changes of the atmosphere which sensibly affect our organs,—temperature, humidity, variation of atmospheric pressure, the purity of the atmosphere, or its admixture with more or less deleterious exhalations, and lastly, the degree of habitual transparency of the air and serenity of the sky, which have an important influence on the feelings and the whole mental disposition of man.

Questions.—485. What is said of climate? What does the term climate commonly denote? Taken in its more general sense, what does it signify?

486. Climate is determined by a variety of causes, the chief of which are: 1. The latitude of a country; that is, its geographical position with reference to the equator. 2. Elevation of the land above the sea-level. 3. The proximity to, or remoteness of a country from, the sea. 4. The slope of a country, or the aspect it presents to the sun's course. 5. The position and direction of mountain chains. 6. The nature of the soil. 7. The degree of cultivation and improvement at which the country has arrived. 8. The prevalent winds. 9. The annual quantity of rain that falls in a country.

487. (1) *The latitude of a country*, and the consequent direction in which the solar rays fall upon its surface, are the principal causes of the temperature to which it is subject. At the equator, and within the tropics, the greatest heat is experienced, because the sun is always vertical to some place within those limits, and the solar action is more intense in proportion as the rays are perpendicular to the earth. As we recede from the equator, they fall more obliquely; and because fewer of them are spread over a larger space, they are less powerful, and consequently less influential in promoting temperature. It has been calculated that, out of 10,000 rays falling upon the earth's atmosphere, 8,123 arrive at a given point if they come perpendicularly; 7,024, if the angle of direction is 50° ; 2,821, if it is 70° ; and only 5 if the direction is horizontal.

488. The latitude of a place is therefore of the first importance in determining its temperature; since, at the same level above the sea, a decrease of heat accompanies an increase of latitude. This is true of countries lying between the tropics and the poles, but it is not true of places situated between the tropics and the equator.

489. "If the ecliptic, as shown on a terrestrial globe, be examined, it will be seen that toward the northern and southern limits, for a considerable distance, it neither approaches nor recedes from the equator or the

Questions.—486. What are the principal causes which determine climate? 487. What principally determine the temperature of a country? Why is the greatest heat experienced within the tropics? What happens as we recede from the equator? 488. Why is the latitude of a place of the first importance in determining its temperature? Is this true of countries lying between the tropics? 489. Explain why a greater degree of heat prevails at the tropics than at the equator.

pole, but has a direction due east and west. This ecliptic is, in point of fact, the path or the point of *direct heat and sunlight* over the earth's surface. Thus, then, it appears, that when this point has reached its nearest approach to either pole, it does not immediately turn back toward the other pole, but remains at that nearest distance for a considerable time; or, as it were, lingers there. It has been calculated, that if the space between the tropics be imagined to be divided into three equal bands of the earth, the point of direct sunlight would be found to linger in each of the two outer bands $3\frac{1}{2}$ times as long as in the middle band.

490. "This lingering of the point of direct heat and sunlight at its nearest approach to the poles, is a necessary result of that simple and admirable provision, by which the earth is made to revolve round the sun, rotating at the same time round an axis which has an inclined position, and which preserves its parallelism. The object of it is obviously to minister to the polar regions, in their due proportion, light and heat."*

491. In the northern hemisphere, the countries where the greatest heat is experienced—the banks of the Senegal, the Tehama of Arabia, and Mekran in Beloochistan—coincide with the tropic of Cancer; and it has been found that the snow-line of the Andes in 17° south latitude is higher than at the equator, an evidence of a higher temperature.


492. (2) The temperature of countries is largely affected by the extent of *their elevation above the level of the sea*. As we ascend in the atmosphere the cold increases,—an effect due to the rarefaction of the air, and to the circumstance of being farther from the heat reflected from the surface of the earth. We may travel several hundred miles from the equator toward the poles, along the level surface of the earth, before we become sensible of a diminished temperature; but the moment we begin to increase our elevation, a rapid change of temperature is experienced, until we arrive at a point where constant frost prevails.

493. The ratio of the diminution of temperature usually given, is 1° for 300 feet of height; 2° for 595 feet; 3° for 872 feet; 4°


Questions.—490. What is said of the lingering of the point of direct light and heat at the tropics? What is obviously its object? 491. What is said of the countries in the northern hemisphere where the greatest heat is experienced? 492. By what else is the temperature of countries largely affected? What occurs as we ascend in the atmosphere, and why? State the difference, as affecting climate, between traveling on the surface of the earth, from the equator toward the poles, and increasing our elevation. 493. What is the ratio of the diminution of temperature for different heights? What is remarked of the effect of elevation in the temperate zone?

* Professor Moseley's "Astro-Theology."

for 1,124 feet; 5° for 1,347 feet; and 6° for 1,539 feet. In the temperate zone generally, if one site is a thousand yards higher than another adjoining, it will have a climate 12° colder; and the higher the latitude the lower the snow-line becomes, till it meets the surface of the earth in the frigid zone. The following diagram represents the line of perpetual snow forming the arc



of an ellipsoid passing over the equator, from pole to pole. Making allowance for the fact that the snow-line of the Andes is higher at some distance from the equator, the diagram should not exhibit a continuous curvature, but be corrected as follows:



494. From this effect of elevation upon temperature, it is obvious that the mountainous regions of the torrid zone have great varieties of climate. The hot regions, *tierras calientes*, of Mexico include the country along the eastern and western shores under the elevation of two thousand feet, where the mean temperature is about 77° , and sugar, indigo, cotton, and bananas flourish luxuriantly. Above these are the temperate regions, *tierras templadas*, which lie along the slopes of the mountains at an elevation of from 2,000 to 5,000 feet. Here the yellow fever, the scourge of the low grounds, is unknown; and the mean heat of the year is from 68° to 70° . The traveler enjoys a genial air, and encounters the oaks, cypresses, pines, tree-ferns, and the cultivated grains of the United States. Still higher are the cold regions, *tierras frias*, which include the table-lands and the mountains above 5,000 feet. On the borders of this zone the climate is still pleasant, but beyond the elevation of 8,000 feet it becomes severe, and gradually assumes the character of polar latitudes.

495. Switzerland, from similar causes, exhibits a variety of climates. In the narrow and deep valley of the Valais may be found great extremes of

Questions—494. What is obvious from this effect of elevation upon temperature? Describe the hot regions, *tierras calientes*, of Mexico. The temperate regions, *tierras templadas*. The cold regions, *tierras frias*. 495. What may be found in the valley of the Valais, Switzerland? What are the heights to which different kinds of vegetation grow there?

climate,—the cold of Iceland and the heat of a Sicilian summer. Vines grow to the height of 2,380 feet above the level of the sea; trees to 6,500 feet; shrubs to 8,500; a few plants to 10,600, beyond which are a few lichens; and the vegetation ceases entirely at the height of 11,000 feet, amid Arctic cold.

496. The following is the extreme line of elevation above the level of the sea observed here of individual classes of vegetation :

	Feet.		Feet.		Feet.
Maize	2,772	The cherry.....	4,270	The silver birch .	5,500
The oak	3,518	Potato.....	4,450	The larch.....	6,000
The walnut	3,620	The nut	4,500	The fir le sapin ..	6,300
The yew.....	3,740	The beech	4,800	Pinus cembra ...	6,600
Barley	4,180	Mountain maple .	5,100	Rhododendron...	7,400

497. Etna is divided into three districts, each of which has a climate very different from either of the others. They are called *La Regione Culta*, or the fertile region; *La Regione Sylvosa*, the woody region; and *La Regione Deserta*, the barren region. The productions of these districts are as diverse from each other as are those of the three zones of the earth.

498. The Island of Teneriffe, with its celebrated Peak, presents another illustration of the effect of elevation on climate. The Peak, which rises to the height of 12,176 feet, has several zones of vegetation, arranged one above another, extending through a perpendicular elevation of 11,190 feet, to which vegetation ascends in that tropical latitude. The region of *Vines* rises from the level of the sea to a height varying from 1,200 to 2,000 feet. In this zone the date-tree flourishes, the sugar-cane, the plantain, the Indian fig, the olive, wheat, and the fruit-trees of Europe. The region of *Laurels* includes the woody part of Teneriffe, in which a hardy species of trees, as the oak, the laurel, etc., abound. Next comes the region of *Pines*, filled with trees resembling the Scotch fir. Higher still may be found species of grasses which reach nearly to the line of perpetual snow.

499. The delightful climate of the valleys of Cashmere, and of portions of Hindoostan lying on the declivities of the Himalaya Mountains, is owing to the elevations of those regions above the level of the sea. In these districts, as well as on the table-land between the eastern and western Ghauts, the temperature throughout the year is that of perpetual spring. The inhabitants of Quito, at an elevation of 9,540 feet, experience a genial and almost invariable climate, in which vegetation never ceases, while on the one hand, they behold the mountain ridges covered with perpetual snow, and at the distance of a few leagues, an intense and sickly degree of heat oppresses the plains and lower levels.

Questions.—496. What is the extreme line above the sea-level reached by certain classes of plants? 497. How is Etna divided? What are the districts called, and what is said of their productions? 498. What is said of the zones of vegetation on the Peak of Teneriffe? Describe the region of Vines. Of Laurels. Of Pines. 499. Climate of Cashmere and portions of Hindoostan? Quito?

LESSON XII.

CLIMATE—(*continued*).

500. (3) *THE nearness to, or remoteness of a country from, the sea*, is an important element in determining its climate. The ocean preserves a much more uniform temperature than the land, far lower than its extreme of heat, and higher than its extreme cold. The winds that sweep over it have this character to some extent impressed upon them, and communicate it to the countries over which they range. Hence islands and maritime districts have milder climates than inland regions under the same parallel of latitude, the currents from the ocean tempering their summer heat, and moderating their winter cold.

501. London, though situated in a higher latitude, enjoys a milder winter and cooler summer than Paris. The winters and summers of Ireland are much more temperate than those of any other country under the same parallel. A gradual increase of cold is experienced in proceeding from Western Europe in an easterly direction. At Dublin the mean annual temperature is 49.05, while that of Warsaw, in the same latitude, is 44.15; thus it is nearly 5° colder at Warsaw than at Dublin. Again, it is 6½° colder at Moscow than at Copenhagen, though they are equidistant from the equator.

502. America has a colder climate than corresponding latitudes in the Eastern hemisphere. With reference to this, Humboldt advances the following statement: "The comparative narrowness of this continent,—its elongation toward the icy poles,—the ocean, whose unbroken surface is swept by the trade-winds,—the currents of extremely cold water which flow from the Straits of Magellan to Peru,—the numerous chains of mountains abounding in the sources of rivers, and whose summits, covered with snow, rise far above the region of the clouds,—the great number of immense rivers that, after innumerable courses, always tend to the most distant shores,—deserts, but not of sand, and consequently less susceptible of being impregnated with heat,—impenetrable forests, that spread over the plains of the equator,

Questions.—500. What is the third cause which affects climate? What is said of the ocean? Climate of islands and maritime districts? 501. Comparative climate of London and Paris? Ireland? What is experienced in proceeding from Western Europe in an easterly direction? How much colder is it at Warsaw than at Dublin? At Moscow than at Copenhagen? 502. How does the climate of America compare with that of the Eastern hemisphere? Give the substance of Humboldt's statement.

abounding in rivers; and which, in those parts of the country that are the farthest distant from mountains and from the ocean, give rise to enormous masses of water, which are either attracted by them, or are formed during these acts of vegetation: all these causes produce, in the lower parts of America, a climate which, from its coolness and humidity, is singularly contrasted with that of Africa. To these causes alone must we ascribe that abundant vegetation, so vigorous and so rich in juices, and that thick and umbrageous foliage, which constitute the characteristic features of the new continent."

503. (4) *The slope of a country, or the aspect it presents to the sun's course*, has an important influence on its climate. The angle at which the sun's rays strike the ground, and consequently the power of those rays in heating it, varies with the exposure of the soil to that luminary. The irregular surface of the earth,—sunk into deep valleys in some parts, and raised into table-lands and mountains in others, with slopes at all possible angles to the general level,—presents every variety of inclination to the varying obliquity of the sun's rays.

504. The effect of aspect is, of course, most strikingly seen in regions covered with high mountains. "Under a vertical sun, the sides of the Andes receive the sun's rays as obliquely as they fall in our latitudes upon the earth's level surface,—nay, as obliquely, perhaps, as they fall in summer upon the level surface of the snows of Spitzbergen; while the Alps encounter on parts of their southern slopes as direct a heat as that which burns up the desert of Sahara; and on their northern they are as much hidden from the sun's influence as are the level snows of Lapland.

505. "In the Alps of the Valais, on the one side you may see the vine in luxuriant growth, when the other is thick ribbed with ice. Thus, too, the terraces and sloping plains which descend from the vast table-land of Central Asia, where, inclining from its northern limit, they pass into the steppes of Siberia, present, under the latitude of Edinburg, a cold intense enough to freeze mercury; while upon the southern terraces of the opposite Himalaya slope, flourish, at different elevations, the pineapple, the mango, the gigantic cotton-tree, and the saul. This tropical vegetation ascends there to an altitude of four or five thousand feet; mingling itself, and by degrees giving way to the plants of a temperate region,—elms, willows, roses, and violets, destined in their turn, at a yet higher region, to yield to Alpine forms of vegetable life."*

Questions.—503. What is the fourth cause which determines the climate of a country? What is said of the irregular surface of the earth? 504. When is the effect of aspect most strikingly seen? 505. How is the effect of aspect exhibited in the Alps? On the table-lands of central Asia?

* Professor Moseley's "Astro-Theology."

506. (5) *The position and direction of mountain chains.*—Mountains affect climate in more ways than one. They condense the vapors of the atmosphere, and thus give rise to those violent rains which are so often experienced in the neighborhood of lofty ranges. At Bergen, in Norway, there fall annually $88\frac{1}{2}$ inches of water, which is more than at any other city in Europe; this is because the clouds from the Atlantic are driven forward by the southwest winds into the fiords, where they are arrested by the mountains, and accumulated, and the water, as it were, mechanically squeezed out of them.

507. Mountains also afford shelter from the winds, while the absence of them often exposes regions to the chilling blasts of the north or the burning winds of the south. One reason why the central and southern parts of European Russia are exposed to a greater degree of cold than their latitude would lead us to expect, is the absence of any chain of mountains to protect them from the full influence of the winds blowing from the White Sea and Ural Mountains. The inhospitable climate of Siberia arises from its descent toward the north, exposing it to the winds of the Frozen Ocean; while, at the same time, vast mountain chains that cross Central Asia intercept the southern winds, whose access would tend to mitigate the rigor of the atmosphere.

508. (6) Another cause which affects climate is *the nature of the soil*. One soil acquires heat, keeps its acquired heat much longer, or radiates it more readily than another. All the varieties of soil,—light and open, vegetable molds, gravelly and rocky tracts, stiff, wet clays, and sandy plains,—have, it can not be questioned, their different powers of radiation and absorption; and whether a district be clay or sand, bare or covered with vegetation, for a like cause, greatly affects its temperature. The differences of surface so observable in various kinds of foliage,—their darker or lighter colors, their more or less glossy leaves,—are all circumstances which affect the radiation of their heat with an infinite variation.

Questions.—506. What is the fifth cause which affects climate? How do mountains cause rain? Annual fall of rain at Bergen? How accounted for? 507. What is another way in which mountains influence climate? How illustrated in the case of the climate of southern Russia? From what does the inhospitable climate of Siberia arise? 508. What is the sixth cause which affects climate? Different varieties of soil?

509. Thus clayey or marshy grounds lower the temperature, and, especially in hot and humid climates, affect the atmosphere in a manner pernicious to health. On the other hand, those which are light, stony, or calcareous tend to make the atmosphere salubrious. The great cold, and the unwholesome air, that prevail in the Russian governments of Astrakan and Orenburg, lying to the north of the Caspian Sea, are attributed partly to the saline nature of the soil; and it is well known that the arid tracts of sand in Africa and Arabia conduce not a little to the excessive heat of those countries.

510. (7) *The degree of cultivation and improvement at which a country has arrived.*—The clearing of forests, the draining of swamps and marshes, the cultivation of the soil, etc., are among the operations of man by which the climate of a country is greatly modified and improved. The clearing of a country from trees has the effect of raising the mean annual temperature, but at the same time greater extremes of heat and cold are introduced. Open grounds are always frozen deeper than woodlands, but the latter retain the snow and ice of winter to a much later period in the spring than the former. In the cleared portions of North America, the winters are known to be much less severe now than formerly, when woods spread over a greater part of the country. There is little doubt that many parts of Europe enjoy a milder climate now than they did in the time of the Romans, or even at periods much more recent.

511. (8) *The prevalent winds* of a country constitute another cause which affects its climate. This is obvious enough from what has been said in the lessons on Winds, from which we learn that the character of a wind depends upon the region whence it comes. In the United States the winds from the north are usually noted for their coolness, a property they derive in the frozen regions of Hudson and Baffin Bays, while those from the south, coming from the Gulf of Mexico, impart a mildness throughout the whole country. The comparatively mild climate

Questions.—509. Effect of different kinds of ground on temperature? Illustrate. 510. Seventh cause which affects climate? Effect of clearing a country from trees? 511. Eighth cause which affects climate? The north winds of the United States? The south winds? The comparatively mild climate of the British Isles, to what owing? How is the temperature affected by certain winds in Venezuela?

of the British Isles is owing to the prevalence of westerly winds which are warmed by sweeping over the region of the Gulf Stream. In Venezuela, the temperature, which is from 87° to 90° in March, rises to 104° or 105° , whenever the wind blows from the parched surface of the llanos or great plains.

512. (9) *The annual quantity of rain that falls in a country* considerably affects its climate by imparting a greater or less degree of humidity or dampness to the atmosphere. In general, more rain falls in islands and on sea-coasts than in inland districts, among mountains than in level regions, and within the tropics than in the other zones: the great heat which prevails in the equatorial regions causes the amount of evaporation to be much greater than in higher latitudes, and hence the atmosphere becomes loaded with a greater quantity of moisture.

LESSON XIII.

CLIMATE—(continued).

513. IN almost all northern latitudes, January and February are the coldest months of the year, and July and August the warmest. The greatest cold during the day is usually about an hour before sunrise. The greatest heat in latitudes between 35° and 60° is from two to three o'clock P.M., and from one to two o'clock, between the equator and 35° .

514. The mean temperature of different months, in various places, takes a very wide range above and below the mean annual temperature. An "excessive" climate is where the contrast between the winter and summer temperature is very great. Such climates are chiefly found in northern and eastern Europe, in Asia and America.

515. The climates of the Atlantic region of the United States, and of the northern part of China, are among the most "exces-

Questions.—512. Ninth cause which affects climate? Where does the most rain fall? 513. Which are the coldest months in almost all northern latitudes? Which, the warmest? When is the greatest cold during the day? When, the greatest heat? 514. What is said of the mean temperature of different months in various places? What is an "excessive" climate? Where are "excessive" climates chiefly found? 515. What regions are subject to the most "excessive" climates? What examples are mentioned?

sive," the winters and summers strongly contrasting in their temperature. New York has the summer of Rome, and the winter of Copenhagen. At Quebec, grapes sometimes ripen in the open air, whereas the winter is that of St. Petersburg, during which the snow lies from three to five feet deep for several months. At Pekin, in China, the scorching heats of summer are greater than at Cairo, and the winters as rigorous as at Upsal.

516. The following table gives the difference in the mean temperature of the coldest and warmest months at different places :

Places.	Latitude.	Coldest Month.	Warmest Month.	Difference	Observations.
Cumana.....	10° 27'	80·1°	84·4°	4·3°	Uninterrupted trade-winds.
Pondicherry	11 55	76·1	91·4	15·3	Monsoons. Radiation of sands.
Manilla	14 36	63·0	86·9	18·9	Monsoons.
Vera Cruz	19 11	70·0	81·7	11·7	North winds in winter.
Cape François ...	19 46	77·0	86·0	09·0	Uninterrupted trade-winds.
Havana	23 10	70·0	83·8	13·8	North winds in winter.
Funchal	32 37	64·0	75·6	11·6	Insular climate.
Natchez	31 28	46·9	78·3	31·9	Interior region.
Cincinnati	39 06	29·6	74·4	44·8	do. do.
Pekin	39 54	24·8	84·2	59·4	Region of eastern Asia.
Philadelphia.....	39 56	29·8	77·0	47·2	Eastern America coast.
New York.....	40 40	25·3	80·8	55·5	do. do. do.
Rome	41 53	42·1	77·0	34·9	Southern Europe.
Milan	45 28	33·8	55·2	24·4	Interior land.
Buda	47 29	27·6	71·6	43·9	do. do.
Paris.....	48 50	35·1	69·8	34·7	Nearer the western coast.
Nantes	47 13	39·0	70·0	31·0	do. do. do.
Upsal	60 07	24·2	61·3	37·6	North Europe.
Quebec.....	46 04	14·0	73·4	59·4	Eastern America coast.
Dublin	53 21	37·6	60·3	22·7	Insular climate.
Edinburgh.....	55 53	38·8	59·4	21·1	do. do.
Warsaw.....	52 14	27·1	70·3	43·2	Interior land.
St. Petersburg. ..	59 56	08·6	65·7	57·1	Northern Europe.
North Cape.....	71 00	22·1	46·6	24·5	Climate of coasts and islands.

517. *Isothermal* lines (signifying lines of equal heat) are those drawn over places which have the same, or nearly the same, annual temperature. These lines do not coincide with the parallels for the reason that there are other causes besides solar action which influence climate, as explained in the last two lessons. The meteorological map shows, by the use of isothermal lines, those regions which have the same, or nearly the same, temperature. The figures attached to each curve indicate the mean annual temperature of the region traversed by it.

518. In the northern hemisphere, the curve line on the map, indicating the mean annual temperature of 80°, crosses Central America about the Gulf of Honduras, passes south of St. Domingo, descending across the At-

Questions.—517. What are isothermal lines? Why do not these lines coincide with the parallels? 518. What regions are crossed by the isotherm of 80°?

lantic to the west coast of Africa, which it cuts near Sierra Leone. It rises on that continent, and after crossing the Red Sea and Arabia, it returns toward the equator, traversing the southern part of Hindoostan, and the northern part of the peninsula of Malacca.

519. The Warmth Equator shows the district of the greatest heat, which have temperatures varying from 81° to 88° . It does not coincide with the geographical, but lies mostly to the north of that line, attaining its greatest distance in eastern Africa, and in the Indian Ocean.

520. The isothermal line of 70° crosses northern Mexico, and the peninsula of Florida, its course in America being nearly coincident with the parallel of 28° . It reaches the coast of Africa above the Canary Islands, ascends toward Tunis about latitude 34° , runs through the Mediterranean south of Candia, enters Syria north of Beyroot, traverses Asia south of the Hindoo-Koosh and Himalaya mountains, and descends in China to the tropic. This line marks the north boundary of the warm zone, and is generally the southern limit of the fall of snow at the sea-level.

521. The isothermal line of 50° , central to the temperate zone, passes the mouth of the Columbia river, on the west coast of America, latitude 46° , descends in the interior, and reaches the shores of the Atlantic near New York, latitude 41° . It then rises abruptly to latitude 56° in the north Atlantic, descends by Dublin, London, and through midland Europe to the mouth of the Danube, latitude 45° , cuts the north of the Black and Caspian seas, falls in the interior of Asia, rising on the eastern coast.

522. The isothermal line of 30° , indicating an average temperature below the freezing point, leaves the west coast of America in latitude 61° , rises and declines in the interior, falling to latitude 53° on the shores of Labrador. It then ascends abruptly to latitude 74° in the Arctic Ocean, and passing around the North Cape of Europe, as abruptly descends to latitude 50° in the interior of Asia. This line marks the southern limit of permanently frozen ground, which, in Asia, occurs in a latitude as low as that of London.

523. The isothermal lines indicating a lower degree of temperature can only be traced with certainty through portions of their course. That of 20° appears to descend from the mouth of the Mackenzie River, latitude 68° to latitude 59° on the coast of Labrador. From thence it rises to latitude 77° , cutting the south of Spitzbergen, and falls in Asia to latitude 56° . The isothermal line of 10° passes to the north of Hudson Bay in America, and of Yakutsh in Asia.

524. The western part of Europe has much greater warmth

Questions.—519. What does the Warmth Equator show? On which side of the equator does it mostly lie, and where does it attain its greatest distance? 520. Describe the course of the isothermal line of 70° . What does this line mark? 521. Describe the course of the isothermal line of 50° . 522. The isothermal line of 30° . What does this line mark? 523. What is said of the isothermal lines indicating a lower degree of temperature? That of 20° ? Of 10° ? 524. What is said of the comparative temperature of western Europe and eastern America? What is the first cause mentioned? The second? The third?

than corresponding latitudes in eastern America, as is indicated by the convexity of the isothermal lines about the meridian of Greenwich. This is due to a variety of causes. 1. The prevailing winds being from the southwest, come from the equatorial districts, and partially bear the heat of the tropics to the shores of Europe. 2. The warm waters of the Gulf Stream, which sweep across the Atlantic to the neighborhood of Europe, elevate the temperature of the coasts that are washed by them. 3. The Gulf Stream, it is true, runs along the east coast of America from Florida to Cape Hatteras, but the current is there very narrow, and the prevailing winds carry the hot superincumbent winds away from the shore. On the other hand, a sea current comes down from the Arctic Ocean to the coasts of Labrador and Newfoundland, which contributes to depress the temperature by its cold waters, but chiefly by the floating icebergs that descend with it.

525. With reference to climate and productions, the globe may be divided into the following regions,—the hot, warm, temperate, cold, and frigid.

526. The *Hot Regions* occupy a zone extending on each side of the equator to a few degrees beyond the northern and southern tropic. Here abound the finest spices, the sugar-cane, the palm and banana tribes. It includes the islands and mainland of southern Asia, the middle and northern countries of Africa, and the central parts of America.

527. The *Warm Regions* extend from the northern limit of the sugar-cane to the northern boundary of the olive and fig; and include the southern districts of Europe, part of midland and southwestern Asia, and portions of the southern United States. The frosts here are not severe in the plains; snow is rare; and the rivers are seldom frozen over. The winters are more distinguished for dampness than cold, resembling the spring of the temperate regions. Vegetables on the south of this zone grow during seven or eight months of the year, and the trees are not deprived of their foliage more than two months.

Questions.—525. Into what regions may the globe be divided with reference to climate and productions? 526. What are the limits of the Hot Regions? What abound here? What countries does it include? 527. Where do the Warm Regions extend? What districts do they include? What characterizes these regions?

528. The *Temperate Regions* reach from the northern region of the olive and fig to that of the grape-vine, and have a mean temperature varying from 50° on the northern border to 59° on the southern. The transition from winter to summer is here gradual, and the four seasons are distinctly marked. Grain, vegetables, and many fine fruits are produced in abundance, with excellent pasturage. The northern part of the United States is included in this region, with France, Germany, southern Russia, Holland, Belgium, England, and Ireland, in Europe.

529. The *Cold Regions* include the country between the grape-vine and the northern limits of the oak, or midland Russia and southern Scandinavia, in Europe, southern Siberia in Asia, and the British Provinces in North America. The summers are short, hot, and oppressive, and the winters severe and protracted. Nearly six months in the year the temperature of Stockholm and St. Petersburg is below the freezing point.

530. The *Frozen Regions* extend from the northern boundary of the oak to the pole. The birch, the hardiest of trees, generally ceases to grow about latitude 70° in Europe, where man is compelled to give up the cultivation of grain. Shrubs and vegetation linger on farther north; grasses and lichens then are only to be met with; and eternal snows and ice succeed. In regions north of 59° in Asia, 71° in Europe, and 54° in America, the mean annual temperature is below the freezing point. Around Hudson Bay and in North Siberia, lakes and standing water of no great depth are frozen to the bottom; the inhabitants remain crowded together in small huts; and if the cold air suddenly enters a habitation, the vapors fall in a shower of snow.

531. Observation in high northern latitudes has pretty nearly determined the fact that the point of greatest cold is not coincident with the pole, but that the lowest temperature is found at two points situated at about 78° of latitude, and 95° west longitude and 130° east. Captain Parry, who wintered at Melville

Questions.—528. What are the bounds of the Temperate Regions? Their temperature? What is said of the seasons here? What countries are included in this region? 529. What do the cold regions include? The seasons here? 530. Where do the Frozen Regions extend? Give particulars respecting this region. 531. What has observation in high northern latitudes nearly determined? Where are the supposed points of the greatest cold?

Island, often observed the thermometer in the ship at 50° , and at a distance from the ship at 55° below zero, perhaps the lowest temperature, upon which entire dependence may be placed, that has been remarked. He wintered on the south coast of the island in about latitude 74° , and obtained the following results of observation :

The greatest heat at Melville Island, was $+60^{\circ}$ Fahr. on the 17th of July.

The greatest cold at ditto, -50 " on the 15th of Feb.

Mean temp. of warmest month, July.... $+42.41$ "

" of coldest month, Feb..... -32.19 "

" of Winter.—Dec., Jan., Feb. -28.02 "

" of Spring.—Mar., Apr., May -03.27 "

" of Summer.—June, July, Aug. $+37.11$ "

" of Autumn.—Sept., Oct., Nov. -00.51 "

The mean temperature for 12 months ... $+01.33$ "

PART IV.

ORGANIC EXISTENCE.

LESSON I.

PLANTS.



THE term *organic existence* is applied to those objects which have life. Organic bodies are such as have *organs*, on the action of which depends their growth and perfection. They are either animals or plants. With animals, the stomach is the organ of digestion, the lungs of respiration, the limbs of motion, etc. A plant is also composed of parts, as the root, bark,

leaves, etc., which severally perform certain functions necessary to its existence and growth.

533. Botanical Geography, or the "Geography of Plants," is a branch of natural science that treats of the laws which regulate the distribution of vegetable life over the surface of the earth. Plants occur over the whole globe under the most opposite conditions. They flourish in the bosom of the ocean as well as on land, under the extremes of cold and heat, in polar and equatorial regions, on the hardest rocks and in the most fertile valleys, amid the perpetual snow of lofty mountains and in springs at the temperature of boiling water, and in deep caverns where the sun has never sent a cheering ray.

534. The life and healthy growth of plants depend upon light, heat, and moisture. It is *light* that gives to plants the beautiful

Questions.—532. To what is the term *organic existence* applied? What are organic bodies? Name some of the organs of animals? of plants? 533. What is Botanical Geography? Under what opposite conditions do plants flourish? 534. Upon what does the life, etc., of plants depend? What gives the green color to plants?

green color, the intensity of which increases with the brilliancy of the light. "Plants always turn toward the light; the guiding power we know not, but the evidence of some impulsive or attracting force is strong, and the purpose for which they are constituted to obey it is proved to be the dependence of vegetable existence upon luminous power."*

535. *Heat* is another essential which determines the condition of plants, by the amount of it which prevails during the season of vegetation. In the cold regions of very high latitudes vegetation scarcely exists, and even in the temperate zones its luxuriance is materially diminished by the severe climate of winter. The influence of heat on vegetable life is most strikingly exhibited on high mountains in the torrid zone, where the growth and luxuriance of plants diminish in proportion to elevation, and consequently in proportion to the diminution of heat.

536. Without *moisture* there can be no vegetation, and this element is supplied to the plant in three different forms: that of vapor which the plant absorbs,—that of liquid water by which some plants are surrounded, and that of moisture which the plant extracts, as nutriment from the earth. The development of plants is further dependent upon the chemical qualities of the soil in which they live, whether it be composed of pure or mixed earths, or of soil rich in clay or vegetable mold.

537. It belongs to Botany, Vegetable Physiology, and Agricultural Chemistry to investigate the structure and nature of plants, and to examine in detail the treasures of the vegetable kingdom. The business of the physical geographer is to notice the disposition of the vegetable tribes, and the circumstances which seem to regulate their distribution.

538. Scarcely fourteen hundred species of plants appear to have been known by the Greeks and Romans. At the time of

Questions.—535. Where is the effect of heat on vegetation most strikingly exhibited? 536. What is said of moisture, and in what three forms is it supplied to plants? Upon what else is the development of plants dependent? 537. What is the business of the physical geographer? 538. How many species of plants were known by the Greeks and Romans? How many at the time of Linnaeus in 1762? In 1835? How many have been collected at the present time? Probable number on the earth?

* "The Poetry of Science," by Robert Hunt.

Linnaeus (1762) the number of known species was 8,800. In 1835, Lindley gave the number at 86,000. At the present time, according to Lyell, there have been collected upward of 100,000 species; and when we reflect that the interior of Africa, of Australia, and of the great islands of Oceanica, have not been visited by the naturalist, it will not be deemed extravagant to estimate the total aggregate of species on the earth at 133,000.

539. "A species embraces all such individuals as may have originated from a common stock. Such individuals bear an essential resemblance to each other, as well as to their common parent, in all their parts. Thus the white clover is a *species*, embracing thousands of cotemporary individuals, scattered over our hills and plains, all of a common descent, and producing other individuals of their own kind from their seed."*

540. The vegetable kingdom consists of two great natural divisions, namely, Phænogamia, or Flowering Plants, and Cryptogamia, or Flowerless Plants. The PHÆNOGAMIA possess a woody structure, have leafy appendages, develop flowers, and produce seeds. They have two subdivisions, depending upon their manner of growth, called Exogens and Endogens.

541. The *Exogens* (*exo*, outside, and *gennaō*, to produce) are a class of flowering plants whose stems have bark, wood, and pith. The bark is increased by layers deposited within the previously formed layers, and the wood by layers or rings placed outside of those of the previous year. This class embraces the forest trees, as the oak, elm, pine, chestnut, poplar, hazel, willow, birch, etc., most of the flowering shrubs and herbs, as the arbutus, sage, mint; also the dahlia, artichoke, thistle, lettuce, marigold, dandelion, daisy, etc. They are also called *dycotyledons*, from the seed consisting of two lobes.

542. As a new layer is formed every year, it is easy to determine the age of an exogenous tree; by counting the number of layers or rings. In this way De Condolle advances proof of the following ages:

Questions.—539. What is a species? Example. 540. Of what two great natural divisions does the vegetable kingdom consist? Describe the Phænogamia. What two subdivisions have the Phænogamia? 541. What are the Exogens? How are the bark and wood of this subdivision increased? What does this class embrace? By what other name are they called, and why? 542. How may the age of an exogenous tree be determined? Ages of several species of trees?

* Wood's "Class-Book of Botany."

Elm	335 years.	Oriental Plane, 720 years and upward.
Cypress about	350 "	Cedar of Lebanon about . . 800 years.
Cheirostemon about	400 "	Oak..... 810, 1080, 1500 "
Ivy.....	450 "	Lime..... 1076, 1147 "
Larch	576 "	Yew 1214, 1458, 2588, 2880 "
Orange	630 "	Taxodium. 4000 to 6000 "
Olive	700 "	Baobab... 5150 "

543. The *Endogens* (*endon*, within, and *gennaō*, to produce) are those which have their stems increasing from within, and present no appearance of wood, pith, or bark. They comprehend the numerous grasses, and the most important of all the vegetable tribes; namely, the valuable pasture and all the grain-yielding plants, wheat, barley, oats, maize, rice, sugar-cane, etc., also lilies and the palm family. They are often called *monocotyledons* (*monos*, single, and *kotyledōn*, cavity), from their having only one seed-lobe.

544. The CRYPTOGRAMIA, or flowerless plants, include mosses, lichens, fungi, ferns, sea-weeds, etc.

545. Station indicates the peculiar nature of the locality where each species is accustomed to grow, and has reference to climate, soil, humidity, light, elevation above the sea, etc.; by habitation is meant a general indication of the country where a plant grows wild. Thus the *station* of a plant may be a salt-marsh, a hill-side, the bed of the sea, or a stagnant pool. Its *habitation* may be Europe, North America, or New Holland, between the tropics.

LESSON II.

DISTRIBUTION OF PLANTS.

546. IN considering the distribution of the vegetable species it is important to observe the distinction between indigenous and exotic plants. The former are the native productions of a country; the latter are those which have been introduced from abroad. The number of exotic plants is comparatively small. They consist, for the most part, of those species which are eminently use-

Questions.—543. What are the Endogens? What do they comprehend? By what other name are they called, and why? 544. What do the Cryptogamia include? 545. What does station indicate? Habitation? Illustrate? 546. What are indigenous plants? Exotic plants? Of what species do the exotics, for the most part, consist?

ful to man, in furnishing him food, the materials for clothing, etc., besides a variety of flowering plants and shrubs.

547. The indigenous class comprehends the great proportion of the vegetable species which adorn the surface of the globe. It includes many useful plants which can not be successfully transplanted to foreign climes ; but by far the greater number are those which are not so especially serviceable to man, and hence there is no inducement to transfer them from the countries in which they are naturally produced.


548. Of the indigenous plants, it has been ascertained that different regions are inhabited by distinct species. This fact is strikingly exhibited by an examination of New Holland, where they are found to be, almost without exception, distinct from those known in other parts of the world. Countries situated between the same parallels of latitude differ essentially in their species of vegetation. Out of 2,891 species of flowering plants observed by a naturalist in the United States, there were only 385 which are found in northern or temperate Europe. Humboldt and Bonpland, in all their travels in equinoctial America, found only twenty-four species common to America and any other part of the world.


549. It is a remarkable fact, that in the more widely separated parts of the eastern continent, notwithstanding the existence of an uninterrupted land-communication, the diversity of species is almost as striking as between countries separated by wide oceans. Thus there is found one assemblage of species in China ; another, in the countries bordering the Black and the Caspian seas ; a third, in those surrounding the Mediterranean ; and a fourth, in the great platforms of Siberia and Tartary.

550. By the term *botanical province* is meant a district having a peculiar species of vegetation. Twenty great botanical provinces have been established, although many of these contain a variety of species which are common to several others. Professor Mar-

Questions.—547. What does the indigenous class comprehend ? What does it include ? 548. What has been ascertained respecting the indigenous plants ? What is said of the vegetation of different countries situated between the same parallels of latitude ? Illustrate. 549. What is said of the diversity of species in the eastern continent ? Illustrate. 550. What is meant by the term botanical province ? How many botanical provinces have been established ?







tius, of Munich, has divided the vegetation of the globe into 51 provinces, namely, 5 in Europe, 11 in Africa, 13 in Asia, 3 in New Holland, 4 in North and 8 in South America, besides Central America, the Antilles, the Antarctic Lands, New Zealand, Van Diemen's Land, New Guinea, and Polynesia.

551. "The first travelers were persuaded that they should find, in distant regions, the plants of their own country, and they took a pleasure in giving them the same names. It was some time before this illusion was dissipated; but so fully sensible did botanists at last become of the extreme smallness of the number of phænogamous plants common to different continents, that the ancient Floras fell into disrepute. All grew diffident of the pretended identification; and we now find that every naturalist is inclined to examine each supposed exception with scrupulous severity. If they admit the fact, they begin to speculate on the mode whereby the seeds may have been transported from one country to the other, or inquire on which of two continents the plant was indigenous, assuming that a species, like an individual, can not have two birthplaces."*

552. Plants are diffused in a variety of ways. The principal of the inanimate agents provided by nature for scattering the seeds of plants over the globe, are the movements of the atmosphere and of the ocean, and the constant flow of water from the mountains to the sea. A great number of seeds are furnished with downy and feathery appendages, enabling them, when ripe, to float in the air, and to be wafted easily to great distances by the most gentle breeze. As winds often prevail for days and weeks, or even months together, in the same direction, such seeds may be conveyed to a great distance from the parent plant. Even the heavier grains may be borne through considerable spaces by the hurricanes and whirlwinds which prevail in some regions. The germs of many plants, as mosses, fungi, and lichens, consist of a fine powder, the particles of which are scarcely visible to the naked eye, and there is no difficulty in accounting for their being dispersed throughout the atmosphere, and carried to any point of the globe where there is a station fitted for them.

553. Rivers aid in the distribution of vegetation by bringing down to the valleys the seeds which may accidentally fall into

Questions.—552. What are the principal inanimate agents employed in scattering the seeds of plants? Explain the agency of winds. 553. Of rivers. The Gulf Stream.

* Lyell's "Principles of Geology."

them. Thus the southern shores of the Baltic are visited by seeds which grew in the interior of Germany, and the western shores of the Atlantic by seeds that generated in the interior of America. The Gulf Stream is known to convey to the western coasts of Europe the fruits and seeds of plants which are indigenous to America and the West Indies, in such a state that they might have vegetated had the climate and soil been favorable.

554. Seeds are also distributed by the agency of animals. Some kinds adhere, by means of prickles, hooks, and hairs, with which they are provided, to the coats of animals, to which they remain attached for weeks, or even months, and are borne along into every region whither quadrupeds may migrate.

555. The diffusion of the vegetable species is also promoted by migratory birds, which every year alternate in millions between different countries, and convey to and fro the seeds of plants preserved in their gizzards, or attached to their feathers. When we reflect that these causes have acted incessantly for thousands of years, we can not doubt the immense effect of their joint influence in distributing the forms of vegetable life upon the surface of the globe.

556. But man has been a voluntary agent in effecting the same object, with reference to those plants which are serviceable for food and clothing, or as articles of luxury and ornament, or for building purposes.

557. "The date-palm has been introduced from Africa into the south of Spain. The grape-vine, now so common in western Europe, has been naturalized from western Asia. The coffee-bush, native to the highlands of Ethiopia, was taken thence to the scene of its present cultivation, the southern part of the Arabian peninsula; and the culture of the tea-plant, indigenous to China, has recently been attempted with success in the south of France. Rice, known in the southern regions of Asia from the remotest antiquity; the valuable bread-fruit tree, indigenous in the same district, and in the Polynesian islands; and the more important cereals, wheat, barley, oats, and rye, have all been transferred from the old world to the new, since the discovery of the latter by Europeans."

558. "In return, the old world has received from the new, maize or Indian corn, and the potato, the cultivation of which extends from Lapland to

Questions.—554. How distributed by animals? 555. By birds? 556. What kinds of plants have been distributed by the voluntary agency of man?

the extremity of Africa. Our principal fruit trees appear to have traveled into Europe and Great Britain from Syria; the damson plum, with the damask rose, as their names import, from the neighborhood of Damascus; the cherry from Pontus; the walnut and the peach from Persia; the apricot from Armenia; the citron, lemon, and orange from the warmer parts of Asia.”*

LESSON III.

FOOD PLANTS.

559. MAN, in almost every country, has selected *annual plants* for food; that is, such plants as complete their whole vegetative processes within the course of a few months. These, for the most part, possess a subterraneous and usually tuberous stem, which sends up shoots above the soil; after some time, flowers appear, and afterward fruit. During the remainder of the year, the plants sleep, as it were, beneath a protecting coverlet of earth, and are thus beyond the influence of excessive heat or cold. By the cultivation of these plants, man has rendered himself independent of the destroying action of the dry season in semi-tropical regions, and of the killing influence of the winter cold in higher latitudes. It is remarkable that there are only three arborescent vegetables in the whole world which can be included among the true food-plants, namely, the *bread-fruit*, the *cocoa-nut*, and the *date*, and these have become subject to culture, and furnish, in certain regions, the chief articles of food for large bodies of men.

560. The following are the principal food-plants. The species of the *grains*, or *cereal grasses*, which prevail, in the Old World, are *barley*, *oats*, *rye*, *wheat*, *rice*, *millet*, *sorghum*, and the *olive*; of the tree-kind, the *date-palm*, *banana*, *cocoa-nut*, *bread-fruit*, *batatas*, and the *pandanus*. Those which have their origin in the New World, are the *potato*, *maize*, *manioc*, and *arrow-root*. The food-plants cultivated, to some extent in both continents, are

Questions.—559. What plants has man selected for his food? What is said of these plants? Which are the only three arborescent vegetables included among the true food-plants? 560. What species of food-plants prevail in the Old World? The trees? What species have their origin in the New World? What food-plants are cultivated to some extent in both continents?

those producing *sugar, coffee, tea, grapes, cocoa, pepper, cinnamon, nutmegs, cloves, and cassia.*

561. The regions over which these plants are distributed may be seen by inspection of Map 4. They range from the poles toward the equator in the following order. *Barley*, which has the widest distribution of all the cerealia, is cultivated from the extreme limits of culture in Lapland, to the heights immediately beneath the equator; but it is only in a narrow zone of the northern hemisphere that it is reared as the sole bread-grain. Beside it, appear *Rye* and *Oats*; the former, the most common bread-grain in Norway, Sweden, Finland, and in the northern part of Russia; the latter, extensively cultivated throughout northern Europe. These grains are also produced in North America, though chiefly confined to British America and the northern part of the United States.

562. *Wheat* is the most commonly cultivated cereal in Great Britain, Germany, France, and a wide range toward the east including the whole of the region of the Caspian. In the basin of the Mediterranean, and throughout North America, it is associated with maize. Its northern limit in America is unknown; the country being uninhabited. At Cumberland House, one of the stations of the Hudson Bay Company, in 54° north latitude, there are fields of wheat, barley, and Indian corn. Wheat thrives luxuriantly in Chile and Rio de la Plata, at elevations of 8,500 and 10,000 feet above the level of the sea. It even produces grain, in sheltered situations, on the banks of Lake Titicaca, in the Peru-Bolivian Andes, at the absolute height of 12,795 feet above the sea-level. *Buckwheat* is a plant of tolerably extensive culture in the northern temperate zone. It is a native of Asia, from whence it was brought into Europe, in the fifteenth century.

563. *Maize or Indian Corn* is much cultivated in Europe and America, south of the 47th parallel of latitude. In the United States, great attention is paid to the culture of this grain, of which there were produced, in 1850, over 592 million bushels. *Rice*

Questions.—561. What is the region of barley? Rye? Oats? 562. Wheat? Its northern limit in America? At what elevation does it grow in South America? Buckwheat? 563. Maize or Indian corn? Rice? What does its cultivation require?

has been cultivated in the southern regions of Asia from the earliest ages. It constitutes the staple food of the inhabitants of the Indian peninsulas, China, Japan, and the East Indian Islands. Rice is the food of a greater number of human beings than any other grain. It requires excessive moisture, and a temperature of 73° at least; consequently its cultivation is limited to countries between the equator and the 45th parallel.

564. The *Olive* in the Old World embraces two zones or bands, north and south of the equator, about 9° in width, from latitude 35° to latitude 44° . The climate of the New World, which is subject to the extremes of heat and cold, is not favorable to the cultivation of this plant. The *Date-Palm* yields one of the most nourishing fruits in existence. It grows spontaneously on the southern slopes of the Atlas chain, on the banks of the Nile, and in the Canary Islands; its range extends to Palestine and Hindoostan, and it has been introduced into the south of Spain. It is said that each tree yields annually from 150 to 260 pounds of fruit.

565. The *Date-Palm* is a member of the palm family, and grows chiefly within the tropics. From their noble and stately appearance, palms have been called by Linnæus, "the princes of the vegetable kingdom." Wine, oil, flax, flour, sugar, and salt, says Humboldt, are the produce of this tribe; to which Von Martius adds thread, utensils, weapons, food, and habitations. The cultivation of the date-palm is an object of high importance in the countries of the East. In the interior of Barbary, in Egypt, in the more dry districts of Syria, and in Arabia, it is almost the sole article of culture. It is a slow-growing tree. The age of one sixty feet high, it has been estimated, can not be less than 300 years. In the country between the Barbary States and the Desert it is so abundant, and so unmixed with any thing else which can be considered as a tree, that this region is called the Land of Dates (*Belad-el-Jareed*).

566. The *Banana* or *Plantain*, which yields a great amount of nutritious substance, is a native of the southern portion of

Questions.—564. The olive? Date-Palm? 565. What is said of the palm family of plants? What do they produce? What is remarked respecting the cultivation of the date-palm? 566. The banana or plantain? Its productiveness?

the Asiatic continent, but has been transplanted into the Indian Archipelago and Africa, and has also found its way into the tropical parts of the New World. The fruits weigh, altogether, about 70 or 80 pounds, and the same space which will bear 1,000 pounds of potatoes, brings forth, in a much shorter time, 44,000 pounds of bananas; and if we take account of the nutritious matter which this fruit contains, a surface which, sown with wheat, feeds one man, when planted with bananas, affords sustenance for twenty-five.

567. The *Cocoa-nut Palm* also belongs to inter-tropical climes, flourishing especially on islands and near the sea-shores. It is cultivated nowhere so extensively as in the islands of Ceylon, Sumatra, and Java. This tree grows to the average height of eighty feet. The nuts hang in clusters of a dozen each on the top of the tree. The fruit consists externally of strong, tough, stringy filaments resembling coarse oakum, which is formed into *coir*, and extensively used in the East for making cordage. Inclosed within this fibrous mass is the shell, of great firmness, and used for many domestic purposes. While the nut is green, the whole hollow of the shell is filled with an agreeable, sweetish, refreshing liquor. When the nut is gathered, a formation of albumen takes place upon the inside of the shell, producing that white, firm, pleasant-tasted, but rather indigestible substance, which is called the kernel of the nut. A tree generally furnishes about 100 nuts.

568. The *Bread-fruit Tree* is distributed generally among the Friendly, the Society, and the Caroline Islands. The tree is beautiful, as well as useful, and rises to the height of about forty feet; when full grown it is from a foot to fifteen inches in diameter. The fruit is green, heart-shaped, about nine inches long, and equaling a large melon in size. The nuts, when roasted, are said to be as excellent as the best chestnuts, but it is principally for the fleshy receptacle or pulp that it is valued. When roasted it is soft, tender, and white, resembling the crumb of a loaf, but it must be eaten new or it becomes hard. Others compare the flavor to that of a roasted potato. Such is the abundance

of the fruit, that two or three trees will suffice for a man's yearly supply.

569. The *Potato* is a native of Chile, and was first introduced into Britain from Virginia, by Sir Walter Raleigh, in 1586. Of all the vegetable productions especially adapted for the sustenance of man it has the widest range, extending according to Humboldt, from the northern extremity of Africa, to Labrador, Iceland, and Lapland. In tropical regions an elevation of 4,000 feet is necessary for its growth.

570. The *Cassava* or *Manioc* is a shrub, a native of Brazil. The fleshy roots of this plant yield a nutritious substance, from which we obtain our tapioca. This latter article is a kind of starch, and is capable of being made into excellent puddings; it is a very wholesome food for children, and for persons whose digestive organs are feeble. A considerable quantity of this preparation is exported annually from Brazil to the United States. *Arrow Root*, which forms a pleasant and useful aliment for children and invalids, is much cultivated both for domestic use and for exportation in the West India Islands, Surinam, and in some parts of Hindoostan. It is so named from the property it is said to possess of being an antidote to the poisoned arrows of the Indians.

571. *Sugar-Cane*. The range of this plant may be said to extend to all the regions of the torrid zone. In countries where the mean temperature is not less than 64° , it extends to latitude 30° on each side of the equator in the New World, and to about latitude 35° or 36° in the Old. The native country of the sugarcane is China, from whence it was conveyed to Arabia, Nubia, Egypt, and Ethiopia, where it became extensively cultivated. Early in the fifteenth century it first appeared in Europe. Shortly after the discovery of the New World by Columbus, the plant was conveyed to Hayti and Brazil, from the latter of which it gradually spread through the Islands of the West Indies and the southern part of the United States.

572. *Coffee*. This bush or tree is a native of the Ethiopian

Questions.—569. The potato? 570. The cassava or manioc? Arrow root? 571. Sugar cane? Of what country is it a native, and into what regions was it successively introduced? 572. Coffee?

highlands of Africa, whence it has been introduced into Arabia, the East and West Indian Islands, Surinam, Cayenne, and Brazil. The tree grows upright with a single stem, covered with a light-brown bark, to the height of from eight to twelve feet, and has long, undivided, slender, horizontal branches, which cross each other. These are furnished with evergreen, opposite leaves, not unlike those of the bay tree. The flowers grow in clusters at the root of the leaves, and close to the branches. They are of a pure white, and of an agreeable odor. The fruit, which is a berry, grows in clusters along the branches, under the axils of the leaves. Each berry contains two seeds.

573. *Tea* consists of the dried leaves of the tea tree, which is indigenous to China and Japan. It was first imported by the Dutch in 1610, and was brought into England in 1666. "The tea country" in China is situated on the eastern side between the 30th and 33d parallel of north latitude. A species of holly, called Paraguay Tea, grows spontaneously in the forests of Paraguay, and yields a beverage called Maté in Brazil.

574. The *Vine* comes to perfection in Europe as far north as latitude 50° or 52°; but its profitable culture does not extend much beyond latitude 48°,—the best wines being produced between the 30° and 45° north latitude. Its range in America is much more limited, a difference of 10° occurring between its limits in the Old and in the New World. The *Fig* is the fruit of a small tree with broad leaves. It is produced in India, Turkey, Greece, France, Spain, Italy, and northern Africa; but the best figs come from Turkey. The *Cocoa*, or *Chocolate-tree*, grows spontaneously in several of the countries of tropical America; its fruit resembles a cucumber, the seeds of which furnish a substance from which chocolate is prepared.

Questions.—573. Tea? Paraguay tea? 574. The vine? Fig? The cocoa or chocolate-tree?

LESSON IV.

ANIMALS.

575. THE animal kingdom is supposed to comprehend about 250,000 distinct species, of which, however, an immense proportion belong to the insect class. Its members are arranged in four grand divisions, namely: 1. Vertebrated animals. 2. Molluscous animals. 3. Articulated animals. 4. Radiated animals.

576. *Vertebrated animals* are those which have a vertebral column, or back-bone. This class is subdivided into four orders: 1. Mammalia, or animals which suckle their young. 2. Birds. 3. Reptiles. 4. Fishes.

577. Mammalia, or mammiferous quadrupeds, stand at the head of the animal creation, and are distributed into eight groups; though they differ vastly in appearance and habit, they nevertheless correspond in one particular, that of suckling their young. The groups, with some of their types, are as follows: 1. *Quadrumana* (four-handed),—monkeys, apes. 2. *Carnivora* (flesh-eaters),—cat, hyena, lion, bear, civet, glutton, mole. 3. *Marsupialia* (pouched),—opossum, kangaroo, wombat. 4. *Rodentia* (gnawers),—beaver, porcupine, squirrel. 5. *Edentata* (toothless), sloth, armadillo, ornithorynchus. 6. *Pachydermata* (thick-skinned),—elephant, rhinoceros, hippopotamus, zebra, tapir, horse, ass, boar, and badger. 7. *Ruminantia* (chewing the cud),—camel, ox, goat, sheep, deer, antelope, giraffe. 8. *Cetacea* (belonging to whales),—whale, dolphin, norwhal, seal, porpoise.

578. Birds are distributed into the following six divisions: 1. *Rapaces*—Birds of prey; 2. *Scansores*—Climbers; 3. *Oscines*—Songsters; 4. *Galilinaeæ*—Hen-like birds (*gallina*, a hen); 5. *Grallatores*—Waders; 6. *Natatores*—Swimmers. The known number of species is upward of 6,000.

579. Reptiles are distributed into four divisions, as follows: 1. *Chelonia* (Tortoises); 2. *Sauria* (Lizards); 3. *Ophidia* (Serpents); 4. *Batrachia* (Frogs).

580. *Molluscous*, or *soft-bodied* animals, are those which have no bones, but whose muscles are attached to a soft skin, which is inclosed, with few exceptions, in a hard case or shell. In this

Questions.—575. How many distinct species is the animal kingdom supposed to comprehend? Into what four grand divisions are its members arranged? 576. What are the vertebrated animals? How is this class subdivided? 577. What is said of the mammalia? Into what eight groups are they divided? 578. Into what six divisions are birds distributed? 579. Into what four are reptiles? 580. What are molluscous or soft-bodied animals? What six orders does this class include?

class there are six orders: 1. Includes those which have their heads furnished with feet, as the cuttle-fish, nautilus, etc. 2. Those of wing-like feet, as the clio, the chief food of the whale. 3. Those creeping on the stomach,—the slug, snail, limpet, and whelk. 4. Headless, as the oyster, muscle. 5. Arm-like feet, as bivalve shells. 6. Thread-like feet, as the barnacle.

581. *Articulated animals* are those in which the body is divided into joints or rings, sometimes hard and sometimes soft, which supply the place of a skeleton; this class consists of four orders: 1. *Anelides*, or ringed worms, as worms, leeches, and centipedes. 2. *Crustacea*, animals covered with shells, as crabs, lobsters, shrimps, and locusts. 3. Spiders, scorpions. 4. Insects of various families, as flies, bees, wasps, and butterflies.

582. *Radiated animals* are so called because they have their organs arranged like rays proceeding from a center: they are also called zoophytes or *animal plants*, from their resemblance to some families of vegetable forms. This class contains five orders, which include *star-fishes*, *sea-urchins*, *sea-nettles*, *corals*, *madrepores*, *infusoria*, and microscopic animals.

LESSON V.

DISTRIBUTION OF ANIMALS.

583. ANIMALS exhibit a wonderful diversity in their organizations, from the gigantic forms of the elephant and whale to the atom so minute that the strongest magnifying-glass is required to detect its individual existence. By the use of the microscope it is ascertained that every leaf of the forest, flower of the garden, and drop of water, teems with myriads of living beings, utterly inappreciable by the unaided senses of man, yet perfectly organized according to their grade. The variety of form, size, strength, and uses, found among animals, with their adaptation to every existing climate and soil, are evidences of the power, wis-

Questions.—581. What are articulated animals? Of how many, and what, orders does this class consist? 582. Why are radiated animals so called? By what other names are they also called? What animals are included in this class? 583. What is said of the diversity in the organization of animals?







The general Range of the principal Animals is shown, either by continuous lines drawn below their names or by the various dotted lines, which mark their limits of distribution. Nearly the whole of those here illustrated belong to the class Mammalia.



dom, and goodness of the Creator; for, while some beasts of prey with poisonous reptiles, and mischievous insects, are only scourges to the human race, the greater number of the animal tribes are subject to the control of man, and contribute essentially to his subsistence and comfort.

584. It is in the regions within the tropics that we find animal life, like vegetable existence, most intensely developed, whether we consider the number of individual, or of species, or the qualities of size and strength. The coral-forming tribes, which belong to the lowest or radiated order, are chiefly confined to those parts of the ocean which lie in the torrid zone. (For an account of the structures of these animals, see Lesson V., Part I.) Of the molluscous class, marine shell-fish, of unimportant size and appearance in cold latitudes, become larger and finer on approaching the equatorial seas. Among articulated animals, the arachnidæ, spiders and scorpions, attain an enormous size in the torrid zone; the butterflies are magnificent; and the insect class, in general, occur in such numbers, as frequently to become formidable, laying waste the earth, and driving nations before them. The termites, or white ants of India and Africa, erect pyramids of clay to the height of ten or twelve feet, sufficiently compact to sustain the weight of several men,—far more wonderful works, in proportion to the size of the builders, than the pyramids of Egypt.

585. No part of the world is so remarkable for the profusion of insect life as the regions of the Orinoco, and other great rivers of tropical America. Humboldt informs us that at no season of the year, at no hour of the day or night, can rest be found there, and that whole districts in the upper Orinoco are deserted on account of these insects. Different species follow one another with such precision, that the time of day or night may be known accurately from their humming noise, and from the different sensations of pain which the different poisons produce. The only respite is the interval of a few minutes between the departure of one gang and the arrival of their successors, for the species

Questions.—534. Where is animal life most intensely developed? What is said of the coral-forming tribes? Of the molluscous class? Of the articulated animals? 585. Profusion of insect life in tropical countries?

do not mix. On some parts of the Orinoco the air is one dense cloud of poisonous insects to the height of 20 feet.

586. Among vertebrated animals, the reptiles are especially numerous and formidable in this zone,—as the crocodile of Africa, the gaival of India, and the alligator of America,—and the serpent tribe, some distinguished by their prodigious length and power, the python of India, and the boa of America, and others of smaller proportions, armed with a poison of a peculiar deadliness, the hooded snake of Asia, the cerastes of Africa, and the rattlesnake of America. The birds here are of the most beautiful forms, splendid colors, and largest dimensions,—as the graceful birds of Paradise, inhabiting New Guinea; the parrot tribe of Brazil, the ostrich of Africa, and the cassowary of Australia. The mammiferous quadrupeds are likewise found, in tropical regions, in the greatest variety, including the most colossal, the elephant, rhinoceros, hippopotamus, and giraffe; and the most sanguinary, the lion, tiger, leopard, panther, ounce, hyena, puma, and jaguar.

587. The animal tribes of the temperate and cold regions are, with a few exceptions, distinguished for their positive utility to man. Advancing from the equator toward the pole, they are found, as a general rule, gradually to diminish in number, magnitude, and ferocity. The insects of temperate regions are much smaller in size than their tropical fellows, and except in the hottest parts of the year, and in marshy localities, they produce little inconvenience. The great voracious reptiles totally disappear, and the venomous serpents are few and upon a lesser scale. The birds of two families, swimmers and waders, chiefly subsisting upon fish, increase in numbers with the distance from the equator; the songsters likewise have more melodious notes in temperate than in tropical countries; but all the varieties are marked with greater simplicity of coloring.

588. In the temperate and cold regions the quadrupeds of the carnivorous class are chiefly represented by the lynx, wild-cat,

Questions.—586. What is said of the vertebrated animals of tropical regions? Examples? Examples of large mammiferous quadrupeds? 587. For what are the animal tribes of the temperate and cold regions distinguished? The insects of these regions? The reptiles? The birds? 588. What animals in the temperate and cold regions represent the carnivorous class? The rodents? The ruminants? The cetacea? What animals are restricted to the coldest climates? What to the hottest?

weasel, fox, wolf, and bear; the rodents, or gnawing animals, by the porcupine, squirrel, rat, mouse, hare, and beaver; the ruminants, which chew the cud, by various species of the ox, sheep, goat, and deer tribes; and the cetacea, inhabitants of the ocean, by the porpoise, seal, walrus, narwhal, and whale. The herbivorous reindeer, elk, and musk ox; and the carnivorous Arctic fox and white polar bear, are restricted to the coldest climates, as the herbivorous rhinoceros and elephant and carnivorous tiger and hyena are to the hottest.

589. The animals of temperate and cold districts are generally remarkable for a tendency to be gregarious or social. Wolves often hunt in packs; beavers form a colony; the wild goats and mountain sheep, with the domestic breeds, associate in flocks; the bison, or American buffalo, is rarely seen solitary on the plains of the Missouri, but has membership with a vast herd; and the reindeer, with other species of the tribe, have eminently the same characteristics. The gregarious tendency of some kinds of fish is observed in the immense shoals of herrings and mackerel that visit our coasts, and the salmon and shad that flock into our rivers, at certain seasons of the year. Many kinds of birds are remarkably gregarious, of which the wild pigeon of America is an example.

590. Animals are adapted to different climates and diverse physical circumstances, by clothing, differing in quantity and quality. The quadrupeds of the torrid zone are furnished only with a coat of short and thin hair; but with increasing latitudes, soft and abundant fleeces become common; while, in still colder regions, the beaver, sable, ermine, and bear are supplied with the thickest furs. The aquatic tribes of birds which swim in the cold waters of high latitudes, are supplied with a compact coat of oily feathers, which abound most upon the breast, as it, in swimming, first meets and cleaves the cold fluid. The whale and walrus, which permanently dwell in the cold ocean, derive protection from the chilling waters by the enormous amount of blubber, a bad conductor, which surrounds their bodies.

Questions.—589. For what are the animals of the temperate and cold regions remarkable? Illustrate. 590. What is said of the adaptation of animals to different climates? Illustrate.

LESSON VI.

ZOOLOGICAL REGIONS.

591. THE peculiarities which distinguish the animals of the warm, the temperate, and the cold parts of the earth were briefly explained in the preceding lesson. It must not be inferred, however, that the same species are found in the same latitudes, or in countries which possess the same temperature.* Different regions are characterized by distinct species of animals as well as vegetables. It was observed by Buffon that "when America was discovered, its indigenous quadrupeds were all dissimilar to those previously known in the Old World. The elephant, the rhinoceros, the hippopotamus, the camelopard, the camel, the dromedary, the buffalo (Asiatic), the horse, the ass, the lion, the tiger, the apes, the baboons, and a number of other mammalia, were nowhere to be met with on the new continent; while in the old, the American species of the same great class were nowhere to be seen—the tapir, the lama, the peccary, the jaguar, the cougar, the agouti, the paca, the coati, and the sloth."

592. The earth has been divided by naturalists into ten zoological regions. *First*, the *European region*, which comprehends, besides Europe, the borders of the Mediterranean, and even the north of Africa, and extends into Asia, beyond the Ural mountains and the Caspian. The bear, the fox, the hare, the rabbit, and the deer are among the animals which belong to this district.

NOTE.—It is important to bear in mind that the same name is often applied, in different countries, to animals of different species. Thus in North America are found bears, foxes, rabbits, and deer; but they are of different species from those of Europe. The buffaloes which roam in vast herds over the prairies of America are very unlike those of India; and the species of India and America differ greatly from the Cape buffalo of Southern Africa.

593. *Secondly*. The *African region* is inhabited by many animals not found elsewhere. The hippopotamus, for example, the

Questions.—591. What must not be inferred respecting the species of different countries in the same latitudes? What was observed by Buffon? 592. Into how many zoological regions has the earth been divided? What countries does the European region comprehend, and what animals belong to it? 593. What animals are exclusively African? Which of the African animals are common to Asia? How does the elephant of Africa differ from that of India?

giraffe, the chimpanzee, the blue-faced baboon, and the four-fingered monkey, are exclusively African. A few of the species inhabiting the northern confines of this continent, such as the dromedary, lion, and jackal, are common to Asia. The elephant of Africa is smaller, has a head more nearly round, and larger ears than that of India, and has only three instead of four nails on each hind foot. In like manner, not one of the three African species of the rhinoceros agrees with any of the three kinds found in India.

594. *Thirdly.* The *Southern* region of *Africa*, where that continent extends into the temperate zone, constitutes another separate zoological province. This region is cut off from the countries of milder climate in the northern hemisphere by the intervening torrid zone. Here may be found peculiar species of the rhinoceros, the hog, and the hyrax, among the thick-skinned races; and among the ruminating, the Cape buffalo, and a variety of remarkable antelopes, as the springbok, the oryx, the gnou, and several others.

595. *Fourthly.* The island of *Madagascar*, though separated from Africa by a channel only 300 miles wide, forms another province, all the species, except one, being peculiar. This district is distinguished by the number of monkeys of the Lemur family which inhabit it.

596. *Fifthly.* Another of the great nations of terrestrial mammalia is that of *India*, containing a great variety of peculiar forms, such as the sloth-bear, the musk-deer, the nylghau, the gibbon or long-armed ape, and many others. *Sixthly.* A portion of the *Indian Archipelago*, embracing the large islands of Java, Sumatra, and Borneo. A few of the species inhabiting these islands are common to the continent of India, but most of them are distinct.

597. *Seventhly.* The islands of Celebes, Amboina, and *New Guinea* constitute another region, in which are found many marsupial quadrupeds. Of this region Lyell remarks: "As we pro-

Questions.—594. What is said of the southern region of Africa? What animals are peculiar here? 595. What is said of the island of Madagascar? 596. What forms are peculiar to India? What is said of the species inhabiting the Indian archipelago? 597. Of the islands of Celebes, Amboina, and New Guinea? What does Lyell remark of this region?

ceed in a southwesterly direction, from Celebes to Amboina and thence to New Guinea, we find the Indian types diminishing in number, and the Australian (*i. e.*, marsupial forms) increasing. Thus in New Guinea seven species of pouched quadrupeds have been detected, and among them two singular tree-kangaroos; yet only one species of the whole seven, viz., the flying opossum, is common to the Indian archipelago and the mainland of Australia."

598. *Eighthly*. When *Australa* was discovered, its land quadrupeds belonged almost exclusively to the marsupial or pouched tribe, such as the kangaroos, wombats, flying opossums, kangaroo-rats, and others. From recent investigations it has been ascertained that there are no less than 170 species of marsupial quadrupeds, and of the whole number all but thirty-two are exclusively restricted to Australia.

599. *Ninthly*. *North America* constitutes another vast zoological province, inhabited by species of animals very rarely identical with those of Europe or Asia. The influence of climate in limiting the range of animals is here conspicuously displayed. The animals of the state of New York are of quite a different species from those of the arctic regions, and also from those of South Carolina and Georgia. Among the quadrupeds which inhabit the northern part of the continent, are the musk-ox, polar-bear, and reindeer, besides numerous species of fur-bearing animals. The grizzly bear, the largest and most ferocious of its kind, inhabits the range of the Rocky Mountains; and the American buffalo roams in herds of thousands over the prairies which extend west from the head waters of the Mississippi.

600. *Tenthly*. *South America* is the most distinct, with the exception of Australia, of all the provinces into which the mammalia can be classed geographically. The monkey tribe, which are very numerous in the forests of Brazil, differ widely from those in the Old World; many of them having prehensile tails, and all being noted for their widely separated nostrils. The sloths and armadilloes, the true blood-sucking bats or vampires, and many other animals, are peculiar to South America.

Questions.—598. What is said of the land quadrupeds inhabiting Australia on its discovery? 599. What is said of the animals of North America? Of the influence of climate in limiting the range of animals? Name some of the principal quadrupeds of this division. 600. What is said of South America? Illustrate.

LESSON VII.

MAN.*

601. THE number of the human race is variously estimated from 600 to 1,000 millions. The impossibility of stating it with any degree of precision arises from the fact, that in but few countries is any enumeration of the inhabitants ever made; while there are vast and populous regions which have scarcely been visited by civilized man. The best opinion appears to be that 900 millions is a close approximation to the real number.

602. Mankind, pre-eminently distinguished from the lower animals by the high endowments of reason, conscience, and speech, also differ from them in consisting only of a single species. They are geographically diffused through almost every climate, from the hottest to the most frigid. Under the scorching rays of a tropical sun, upon the banks of the Senegal, the human body supports a heat which causes alcohol to boil; and in the polar regions of northeast Asia it resists a cold which freezes quicksilver.

603. Few lands have been discovered destitute of a native human population. Iceland, Spitzbergen, Nova Zembla, Madeira, the Azores, St. Helena, the Falkland Isles, and South Shetlands, some groups in the Pacific Ocean, as the Galapagos Isles, and a large number of small islets, with all the lands within the Antarctic circle, were uninhabited when first made known to European nations, but have, in several instances, since been colonized. The range of man extends from the 75th parallel of north latitude to the 55th of south latitude. The most northern dwellers are the Esquimaux, on the shores of Baffin's Bay; the most southern are the inhabitants of Tierra del Fuego.

604. On man's capability of accommodating himself to a great diversity of circumstances, Dr. Paley remarks: "The human animal is the only one which is naked, and the only one which can clothe itself. This is one of the

Questions.—601. How is the number of the human race variously estimated? Most probable number? 602. How are mankind distinguished from the lower animals? What is said of their wide diffusion? 603. What regions were uninhabited when first made known to Europeans? Between what parallels does the range of man extend? 604, 605. Give the substance of Dr. Paley's remarks.

properties which renders him an animal of all climates and of all seasons. He can adapt the warmth or lightness of his covering to the temperature of his habitation. Had he been born with a fleece upon his back, although he might have been comforted by its warmth in high latitudes, it would have oppressed him by its weight and heat as the species spread toward the equator.

605. "Within the tropics, where a vegetable diet is found to be most grateful and conducive to health, nature supplies, in the greatest abundance, the most valuable vegetable productions. In the temperate regions, animal food is more or less abundant; and the various kinds of grain, roots, and fruit, afford plentiful and wholesome nutriment. As we approach the polar regions, grains and fruit gradually disappear, and animal food becomes more and more exclusively used, until we reach the Samoieds and Esquimaux, who are unacquainted with bread."

LESSON VIII.

RACES OF MEN.

606. WE are informed in the Sacred Scriptures that it pleased the Almighty Creator to make of one blood all the nations of the earth, and that all mankind are the offspring of common parents. Though differing greatly in form, stature, features, and complexion, the members of the human race are found to possess no specific differences,—the hideous Esquimaux, the refined and intellectual Caucasian, the thick-lipped Negro, and the fair, blue-eyed Scandinavian being mere varieties of the same species.

607. Classifications of mankind have been based upon differences in the color of the skin, hair, and eyes, and the form of the skull. Taking the *color of the hair* as the characteristic, there are three principal varieties of mankind: *first*, the *Melanic*,* or black class, which includes all individuals or races having black hair; *second*, the *Xanthous*,† or fair class, comprising those who have brown, auburn, flaxen, or red hair; *third*, the *Albino*,‡ or white variety, including those whose hair is of a pure white, and who have red eyes.

Questions.—606. What do the Sacred Scriptures inform us? 607. Upon what have classifications been based? What are the three varieties distinguished by the color of the hair?

* MELANIC, from the Greek *melan*, black. † XANTHOUS, from the Greek *xanthos*, yellow.

‡ ALBINO, from the Latin *albus*, white.

608. Taking the *shape of the skull* as the basis of a classification, mankind are divided into five grand classes, or races—the Caucasian, Mongolian, Ethiopic, American, and Malay.

609. In the *Caucasian* race, the head is commonly of the most symmetrical shape, almost round; the forehead of moderate extent; the cheek-bones rather narrow, without any projection; the face straight and oval with the features tolerably distinct; the nose narrow, and slightly arched; the mouth small, with the lips a little turned out, especially the lower one; and the chin full and rounded.



610. The most perfect examples of this variety are found in the regions of western Asia, bordering on Europe, which skirt the southern foot of the Caucasus mountains, from whence the class derives its name, and which is near what is supposed to be the parent spot of the human race. Here are the Circassians and Georgians, among whom are found the most exquisite models of female beauty.

611. The Caucasian race comprises the ancient and modern inhabitants of Europe, except the Laplanders and Finns, the Turks, and the Magyars of Hungary. It comprises also the inhabitants of western Asia, as far as the river Ganges, the Africans who live on the shores of the Mediterranean, the Egyptians and Abyssinians, with those Europeans who colonized America, and other parts of the world.

612. In the *Mongolian* race the hair is coarse, straight, and black, the eyes rise in an oblique line from the nose to the temples, the arches of the eyebrows are scarcely to be perceived,

Questions.—608. Into what classes are mankind divided, taking the shape of the skull as the basis of a classification? 609. Describe the Caucasian race. 610. Where are the most perfect examples of this variety found? 611. What people belong to this race? 612. Describe the Mongolian race.




and the face is broad and flat, with the parts imperfectly distinguished. The complexion is generally of a tawny or olive color, which is described as intermediate between that of wheat and of dried orange peel, varying from a tawny white to a swarthy or dusky yellow.

613. This division embraces the tribes that occupy the central, east, north, and southeast parts of Asia; the people of China and Japan, of Tibet, Bootan, and Indo-China, the Finns, Laplanders, and Hungarians of Europe, and the Esquimaux on the shores of the Arctic Ocean. A portion of this family is distinguished for a considerable degree of culture, especially the Chinese and Japanese, but owing to their exclusive social system, which has separated them from the rest of mankind, they have made but little progress for ages.




614. The *Ethiopic* race have black eyes, black woolly hair, flat noses, thick lips, and a projecting upper jaw. The forehead is retreating, and the head less globular than that of the European. The best examples of this race are the negroes south of the Sahara, in Upper and Lower Guinea, Soudan, and Nubia. The natives of Senegambia and the Kaffres of the southeastern part of Africa resemble others of this race in their jet-black color, and some of their features, but they are taller, more slender, and better proportioned than the rest.



Questions.—613. What people are comprised in this division? 614. Describe the *Ethiopic* race. Where are the best examples found?

615. The nations of this race are widely dispersed; they occupy all Africa south of the Great Desert and Abyssinia, Australia, the greater part of Borneo, and several other islands in the Indian Archipelago. To this race belong also the negroes in America, who were originally brought from Africa, and who have multiplied in the New World to a vast extent.

616. The *American* race are distinguished by a copper-colored complexion, long, coarse, coal-black hair (which is never crisped like that of the African, or curled, as that of the white sometimes is), prominent cheek-bones, broad face, and a scantiness of beard. Their senses of sight, hearing, and smell are remarkably acute. In war and the chase they are indefatigable; but they are averse to regular and mechanical labor. They are cold and phlegmatic in temperament, and manifest an extraordinary insensibility to bodily pain.



617. The native American tribes and nations, excepting the Esquimaux, belong to this class. The Indian tribes of North America are fast disappearing before the spread of the white man, being now confined principally to the unsettled regions west of the Mississippi. Among the most warlike of these tribes, are the Sioux and Camanches. The Indians of South America are in a most abject condition, indolent, and destitute of that nerve and spirit which distinguish their brethren of the north.

618. In the *Malay* class, the top of the head is slightly narrowed; the face is broader than that of the negro; the features are generally more prominent; the hair is black; the color of the skin is tawny, but sometimes approaching to that of ma-

Questions.—615. What is said of their wide dispersion? 616. Describe the American race. 617. What tribes and nations belong to this race? 618. Describe the Malay race. What tribes does this race include?

hogany. This division embraces the principal tribes of the Indian Archipelago, and all the islanders of the Pacific, excepting those which belong to the Ethiopic variety.



619. "The diffusion of mankind over the globe has transpired in the course of ages under the influence of various causes. The pressure of population in one district outstripping the means of subsistence, the love of enterprise, the spirit of acquisition, social disturbances, and foreign violence, have contributed to scatter the human family far from the common center where the race originated. Endowed with intelligence to devise means of surmounting natural barriers—mountains, deserts, rivers, lakes, and the ocean,—there is no difficulty in accounting for the geographical range of man. The contiguity of the mainland of northeastern Asia to that of northwestern America, with the nearly-connected chains of the Japan, Kurile, and Aleutian isles intermediate, point to the New World as having received its original population from the Old in that direction. In modern times, adverse winds have driven Japanese junks across from one continent to the other; and, probably, more frequently than we are apt to imagine, crews have been compelled to expatriation by the tempest, surviving its perils, and colonizing distant isles and archipelagoes."—*Rev. Thomas Milner.*





180

150

120

90

60

30

Map of

THE WORLD

Illustrating the

PRODUCTIVE INDUSTRY

OF VARIOUS COUNTRIES.

Exhibiting the principal features of
COMMERCE & NAVIGATION

STATISTICAL TABLE OF THE PRINCIPAL COUNTRIES

THE FIGURES IN THE 1ST COLUMN EXPRESS

Abyssinia	300,000	3,000,000	10	Canada	357,822	2,501,888	7	Germany	
Austrian Empire	2,49,943	33,000,000	160	Cape Colony	110,000	267,000	2	Greece	
Barbary (Morocco &c)	600,000	10,000,000	13	Central America	209,184	2,160,000	10	Holland	
Belgium	11,876	1,671,000	410	Chili	249,952	1,558,000	6	India (Banco)	
Bolivia	473,298	2,326,000	5	China	2,000,000	113,018,000	306	India beyond Ganges	
Brazil	2,973,406	7,678,000	3	Cuba	47,278	1,024,000	22	Anam	
British Isles				Denmark (Exclusive of Iceland & Faroe Is)	21,850	2,605,000	110	Birmah	
England	50,387	18,950,000	372	Ecuador	206,692	1,108,000	5	Siam	
Wales	7,426	1,112,000	150	Egypt	140,000	1,550,000	10	Italy (including Sicily & Sardinia)	
Scotland	31,324	3,610,000	98	France	213,241	37,382,000	173		
Ireland	31,874	5,765,000	147						

180

150

WEST

120

90

60

30

LONGIT



ENGLISH SQUARE MILES		THE 2 ND THE POPULATION		THE 3 RD THE NUMBER OF INHABITANTS TO A SQUARE MILE.	
44,165,000	81	Jamaica	6,400	977,500	59
1,301,000	64	Japan	163,717	25,000,000	153
3,324,000	63	Java	50,000	12,500,000	250
184,905,000	119	La Plata, or Argentine Republic	1,126,000	1,459,000	1
8,500,000	39	Mexico	829,910	8,400,000	10
4,000,000	38	New Granada	521,910	2,363,000	4
4,000,000	33	Norway	122,400	1,434,000	12
4,000,000	21	Persia	526,812	10,000,000	19
22,568,000	219	Peru	498,728	2,106,000	4
		Philippine Is.	53,274	1,600,000	86
		Portugal	35,232	3,669,000	101
		Prussia	107,004	17,740,000	164
		Russia, European	1,791,295	65,891,000	37
		Spain	189,550	15,230,000	80
		Sumatra	147,000	15,000,000	102
		Switzerland	170,240	3,734,000	21
		Turkey, European	15,272	2,531,000	168
		United States, including the Territories	2,975,544	31,749,000	11
		Venezuela	426,712	1,361,000	3



APPENDIX.

CHIEF PRODUCTIONS OF THE EARTH, AND THE COUNTRIES FROM WHICH THEY ARE PRINCIPALLY DERIVED.

AGATES	Sicily, Germany, Scotland; India; South Africa.
ALABASTER	Spain, Italy, France, Germany, Ireland.
ALMONDS	Syria; Northern Africa; Spain, Portugal, and France.
ALOES	Socotra I.; Arabia; East Indies; Barbadoes.
AMBER	Prussia, Sicily; Mozambique, Madagascar; Japan.
AMBERGRIS	Madagascar; Guiana; Java, etc.
AMETHYSTS	Brazil; Ceylon, India, Siberia; Germany, Sweden, and Spain.
ANCHOVIES	Northern coast of the Mediterranean Sea, Atlantic coast of France and Portugal.
ANISE-SEED	Spain, Germany; China.
APPLES	Extensively cultivated in most temperate climates, especially in the United States.
ARENOTTO (<i>otter</i>)	West Indies, Guiana, Brazil; and East Indies.
ARROW-ROOT.	South America, West Indies, Bermuda Is.; Madeira Is.; East Indies.
ASPHALTUM	Trinidad I.; Dead Sea, etc.
ASAFETIDA	Persia, and those parts of Beloochistan and India near the mouth of the Ganges.
BAMBOO } BANANA }	All intertropical countries.
BAEILLA	United States; Spain, Sicily; Canary Is.; East Indies.
BARLEY	North America between lat. N. 35° and 60°, and all temperate climates.
BLACK-LEAD (<i>plumbago</i>)	North of England.
BREAD-FRUIT	West Indies; Islands of the Pacific; East Indies; Malaysia, etc.
BUCKWHEAT	North America between lat. N. 35° and 60°, and all temperate climates.
CAMPHOR	Cochin China; Japan, Malaysia, etc.
CAOUTCHOUC (<i>ind. rub.</i>)	Central America, Guiana, Brazil, etc.
CASSIA	China, Malaysia, East Indies; and West Indies.
CHESTNUTS	Mediterranean coasts, Italy, France, Spain, Turkey, etc.
CINNAMON	Ceylon, Cochin China, China; Brazil, etc.
CITRON	Madeira Is.; Spain, Italy; Persia, China.
CIVET	Brazil, Guiana; Africa; Sumatra, East Indies, etc.
CLOVES	Molucca Is.; Guiana, etc.
COAL (anthracite)	Pennsylvania; Wales, etc.

- COAL (bituminous) Ohio Valley throughout, Nova Scotia; Great Britain, Belgium, France; Japan; Australia, etc.
- COBALT Saxony.
- COCHINEAL Mexico, Central America, West Indies, etc.
- COCOA (*cocoa*) Central America, West Indies, New Granada, Venezuela, Guiana, Ecuador, Brazil, Argentine Republic, etc.
- COCOA-NUTS In all tropical countries.
- COFFEE Arabia; Java; Brazil; West Indies; Mauritius.
- COPPER Michigan, Wisconsin, North Carolina, East Tennessee, Cuba, Chile; Great Britain, Sweden; Siberia, Persia, Japan; Australia.
- CORAL In all parts of the ocean, but most perfect and plentiful in tropical countries.
- CORK Spain, Portugal, France, Italy; Northern Africa.
- COTTON Southern United States, Brazil; East Indies; Egypt.
- CURREANTS Ionian Islands, Greece.
- DATES Northern Africa, Egypt; Arabia, Persia.
- DIAMONDS Brazil; Borneo; East Indies.
- DOWN (*feathers*) Iceland, Greenland, Norway, Sweden; Labrador.
- EBONY India, Ceylon, Malay Peninsula; Madagascar, Mauritius.
- EMERALDS New Granada, Peru, Brazil; Egypt; Siberia.
- FIGS Turkey, Arabia; Greece, France, Spain, Italy; North Africa.
- FLAX United States, Canada; Great Britain and Ireland, Russia, Netherlands, Belgium, France, Germany, Italy, etc.
- FURS Northern parts of America and Asia; Argentine Republic, S. A.
- FUSTIO United States, West Indies, South America; Italy, south of France, Greece, etc.
- GALL-NUTS Asia Minor, Syria, Persia.
- GAMBOGE Siam, Camboja, etc.
- GARNETS United States; Germany; Ceylon, Pegu; Greenland.
- GINGER West Indies; East Indies, China.
- GINSENG United States, Canada; Chinese Tartary.
- GOLD United States; Australia; Russia; Central and South America, Mexico; Siberia; Central Africa; Hungary, Saxony; East Indies, etc.
- GRINDSTONES United States, New Brunswick, Nova Scotia; Europe.
- GUANO Peru, Mexico, West Indies; African Islands, and islands of the Pacific Ocean.
- GUM-ARABIC Arabia, and many parts of Africa.
- GUM-SENEGAL Senegal Island, off the coast of Senegal, Western Africa.
- GUTTA-PERCHA Malay Peninsula, Borneo, Sumatra, Java, and the East Indies generally.
- GYPSUM United States, Nova Scotia; France, England, etc.
- HEMP Missouri, Kentucky; Russia, Italy; Egypt; Persia; Chile, etc.
- HIDES AND SKINS South America, Mexico; Australia; South Africa; East Indies; Russia.

HONES.....	Germany and Turkey.
HOPS	United States, Canada; England, Germany.
INDIGO	West Indies, Mexico, Central America; East Indies.
IPECACUANHA.....	Brazil, Venezuela, New Granada, Peru.
IRON	Great Britain, Russia, Sweden; United States.
ISINGLASS.....	Russia.
IVORY	Africa generally; East Indies, Cochin China .
JALAP	Mexico.
JET.....	Germany, France, Spain.
LAC DYE	East Indies, Malaysia.
LEAD.....	Illinois, Wisconsin, Iowa, Missouri; Great Britain, Germany, Spain.
LEECHES	Germany, Hungary, Sweden, France.
LEMONS.....	West Indies; Southern Europe, Azore Is.; Eastern Asia, etc.
LIQUORICE	Spain, Southern Europe.
LOGWOOD.....	Central America, West Indies.
MACE	Molucca Is., Sumatra; Mauritius, etc.
MADDER.....	Holland, Italy, France; Asia Minor, Afghanistan.
MAHOGANY	Cuba, Hayti, Central America.
MAIZE (or <i>Indian corn</i>).....	Northern temperate and tropical countries. Its culture extends from the 50th degree of N. latitude to the 40th S. latitude.
MANILA HEMP.....	Philippine Islands, East Indies.
MANNA.....	Sicily.
MARBLE	Italy, Greece; Egypt; Siberia; Great Britain; United States.
MAROCOCCO	Turkey; Northern Africa; Spain, the Levant, etc.
MILLET	Germany, Poland; India; Africa.
MOHAIR	Asia Minor.
MOLASSES.....	All sugar-producing countries.
MOTHER-OF-PEARL	India, China; west coast of America.
MULBERRY.....	India, China, Persia; the Levant, Italy, Spain, etc.
MUSK.....	Siberia, China, and the table-lands of Asia.
MYRRH	Arabia; Nubia; East Indies.
NICKEL	Germany.
NUTMEGS	Molucca Is.; Sumatra; Mauritius, etc.
NUX VOMICA	Ceylon, Malabar, and Coromandel coasts.
OATS	Chiefly grown in cool climates.
OCHRE.....	United States; Great Britain, Italy, etc.
OLIVES	The Levant, Italy, Spain; Asia Minor; Brazil.
OPAL	Hungary, Faroe Is., Saxony; Honduras, South America.
OPIUM	Asiatic Turkey; East Indies.
ORANGES	Spain, Portugal, Azore Islands, Italy; China; West Indies, Florida; islands of the Pacific.
ORRIS-ROOT.....	Southern Europe.
PALM-OIL.....	Brazil; western coast of Africa; India, etc.

- PEARLS** Ceylon, Persian Gulf; coast of Venezuela, Bay of Panama, Gulf of California; coast of Algiers.
PEPPER East and West Indies.
PERUVIAN BARK Peru, Bolivia, Ecuador, New Granada.
PIMENTO (*allspice*) West Indies, particularly the island of Jamaica; South America.
PINE-APPLES } All intertropical countries.
PLANTAINS }
PLATINA Ural Mountains; Spain; Brazil, Peru.
POMEGRANATES Southern Asia; Southern Europe; West Indies, etc.
POTATOES Cultivation extensive in all tropical countries, and common throughout the temperate zones.
PRUNES Spain, Portugal, south of France, etc.
PUMICE-STONE Island of Lipari.

QUICKSILVER (*mercury*) .Spain, Austria; Peru, Mexico, California.

RAISINS Asiatic Turkey; Spain, Italy, etc.
RATTAN East Indies, Malay Peninsula.
RHUBARB Central Asia, Asiatic Russia, Turkey, China, etc.
RICE India, China, Malaysia; Italy; Africa; Southern United States, West Indies, etc.
ROSEWOOD Brazil; Canary Is.; Siam.
RUBY Ava, Siberia; Egypt; Brazil, etc.
RYE Germany, Russia, Great Britain; United States, Canada, New Brunswick, etc.

SAFFRON Essex in England, Southern Europe; and Asia generally.
SAGO East Indies, Cochin China, China.
SALT Very widely distributed in almost every country.
SALTPETRE (*nitre*) United States, Peru; Spain, France, Germany, Sweden, Hungary; Egypt; India, etc.
SAPPHIRE France, Saxony, Bohemia; Birmah.
SARSAPARILLA Central America, Jamaica, Venezuela, Brazil.
SENNA Arabia, Syria; Egypt; East Indies.
SILK Italy, France, Turkey; Persia; India, China.
SILVER Mexico, Peru; Hungary, Saxony, Spain; Siberia.
SLATE United States; Great Britain, and many parts of continental Europe.
SPONGE Florida Channel; Mediterranean Sea; Red Sea, etc.
SUGAR (from beet) France, Belgium, Russia, Germany.
SUGAR (from maple) Northern part of the United States, Canada, New Brunswick.
SUGAR-CANE All tropical countries.
SULPHUR Sicily; Iceland; Mexico.

TAMARINDS East Indies; Arabia; Egypt; West Indies, Brazil.
TAPIOCA Brazil.
TAR United States; Northern Europe.
TEA China, Assam.
TIN England, Saxony, Austria, Spain; East Indies, China.

TOBACCO	United States, Cuba, Canada; Turkey, Germany, France; Southern Europe and Southern Asia generally;—and all tropical countries.
TOPAZ.	United States, Mexico, South America; East Indies; Egypt; Siberia.
TORTOISE-SHELL	East Indian Archipelago, Singapore.
TUMERIC.....	Bengal, Java, China.
TURQUOISE.....	Persia, East Indies, Ceylon.
VANILLA	Central America, Brazil, Ecuador.
VINE	Southern Europe; Northern Africa; and throughout America within the temperate zone.
WALNUTS.....	Spain, France, Italy, Turkey.
WHEAT	All temperate climates.
WINES.....	<i>Port</i> —Province of Upper Douro in Portugal;— <i>Sherry</i> —Xeres near Cadiz in Spain;— <i>Claret</i> —Bordeaux in France;— <i>Champagne</i> —from a province in France of the same name;— <i>Burgundy</i> —ditto.;— <i>Madeira</i> —from the Madeira Islands;— <i>Malmsey</i> —ditto.;— <i>Teneriffe</i> —from the island of Teneriffe;— <i>Marsala</i> —Sicily; and <i>Cape-wines</i> from South Africa.
YAMS.....	West Indies; East Indies; islands of the Pacific.
ZINC	United States; Belgium, England, Germany; China.

STAPLE PRODUCTIONS AND EXPORTS OF COUNTRIES.

NORTH AMERICA.

HUDSON BAY TERRITORIES. Furs.

CANADA	Wheat, flour, timber, pot and pearl ashes, furs, balsam, fish.
NEW BRUNSWICK	Timber, grindstones, fish.
NOVA SCOTIA	Timber, coal, gypsum, grindstones, fish, oil.
NEWFOUNDLAND	Fish, seal-skins, oil.
LABRADOR	Furs, seal-skins, fish.
UNITED STATES	{ Wheat, Indian corn, flour, pork, beef, wool, hemp, timber, iron, copper, lead, zinc, coal, salt, cotton and woolen goods, machinery, hardware. Cotton tobacco, rice, sugar, fruit, resin, turpentine, timber, gold, coal. Gold, quicksilver.
Northern Section, <i>north of 38° N. lat.</i>	
Southern Section, <i>south of 38° N. lat.</i>	
California	
MEXICO	Gold, silver, quicksilver, cochineal, sarsaparilla, tobacco, mahogany, logwood.
CENTRAL AMERICA	Gold, silver, cochineal, indigo, coffee, sarsaparilla, dye-woods, hides.
WEST INDIES.	
Cuba.....	Coffee, sugar, tobacco, rum, mahogany, beeswax, honey, copper.
San Domingo	Coffee, sugar, tobacco, cotton, logwood, mahogany, ginger, wax.
Jamaica	Coffee, sugar, rum, pepper.

Porto Rico.....	Sugar, coffee, tobacco, rum.
Bahamas	Salt, fruit, sponge, shells, turtle, dye-woods, bark.
Little Antilles.....	Sugar, coffee, rum, tobacco, cocoa, arrow-root, oranges, indigo, pepper, asphaltum, etc.

SOUTH AMERICA.

VENEZUELA.....	Coffee, cotton, cocoa, indigo, sugar, tobacco, hides, cattle, barks, dye-woods.
GUIANA.....	Sugar, rum, coffee, cocoa, cotton, pepper, cloves.
BRAZIL	Sugar, coffee, cotton, rice, tapioca, tobacco, cocoa, dye and cabinet woods, gold and precious stones, cattle, horses and mules, wool, hides, and tallow.
URUGUAY	Wool, hides, and tallow.
PARAGUAY	Yerba matte (<i>Paraguay tea</i>).
ARGENTINE REPUBLIC ...	Wheat, rice, cocoa, cotton, wool, hides, tallow, skins, horns, jerked beef, etc.
CHILE	Gold, silver, copper, hides, tallow.
BOLIVIA.....	Cotton, rice, sarsaparilla, balsam of Peru.
PERU	Cotton, Peruvian bark, cabinet-woods, wool, gold, silver, salt-petre.
ECUADOR	Wax, gums, resins, sarsaparilla, gold, lead, quicksilver, sulphur.
NEW GRANADA.....	Gold, silver, platina, salt, emeralds, pearls.

EUROPE.

BRITISH ISLES.....	Corn, cattle, coal, iron, copper, lead, salt, tin, machinery, hardware, cutlery, leather; cotton, woolen, silk, and linen goods; earthenware.
FRANCE	Wines, brandy, silk, wheat, fruit, eggs, beet-root sugar; silk, cotton, linen, and woolen goods, laces, gloves, jewelry, fancy articles, etc.
HOLLAND AND BELGIUM ..	Butter, cheese, cattle, bark, madder, seeds, oil, corn, flax, iron, coal, zinc, linen goods, laces.
GERMANY	Wheat, wool, timber, flax, hogs, bristles, bark, iron, zinc, coal, salt, amber, leather, ironware, woolen and linen goods, porcelain, glassware.
DENMARK.....	Corn, cattle, rape, butter, wool, hides, bark.
SWEDEN AND NORWAY ..	Iron, copper, lead, cobalt, timber, bark.
RUSSIA	Grain hemp, flax, timber, furs, leather, linens, wool, hides, tallow, bristles, linseed, tar, pitch, pot and pearl ashes.
AUSTRIA.....	Wheat, maize, silk, cheese, wine, sheep, wool, cattle, hogs.
SPAIN	Wine, fruits, cork, wool, lead, quicksilver, silk, olive-oil.
PORTUGAL.....	Wine, fruits, wool, olive-oil, cork.
ITALY	Grain, cattle, silks, velvets, olive-oil, fruits, wine, wool, sulphur, charcoal, marble, fish, sumac.
IONIAN ISLANDS	Wine, currants, olive-oil.
GREECE	Wheat, cotton, fruits, marble, wax, honey, silk, oil.
TURKEY	Wine, cotton, wool, cattle, wheat, silks, tobacco, raisins, figs.

ASIA.

TURKEY	Fruits, olive-oil, madder, raw silk, cotton, opium, drugs, gums, sponges, galls, carpets, leather.
ARABIA	Coffee, dates, aloes, myrrh, frankincense, gum-arabic, asphaltum.
PERSIA	Naptha, silk, cotton, wool, carpets, shawls, tobacco, fruit, drugs, copper.
AFGHANISTAN	Horses, furs, madder, tobacco, fruit, shawls.
BELOOCHISTAN	Horses, skins, grain.
HINDOOSTAN	Rice, sugar, silk, cotton, indigo, coffee, wool, opium, saltpetre, tobacco.
CEYLON.....	Cinnamon, coffee, cocoa-nut oil, coir, areco-nuts, tobacco.
BIRMAH	Teak timber, cotton, rice, indigo.
MALAY PENINSULA	Sugar, pepper, ivory, ebony, gutta-percha.
ANAM OR COCHIN CHINA ..	Sugar, cinnamon, anise-seed, silk, cotton, spices, gamboge, ivory.
SIAM	Sugar, pepper, lac, ivory, tin, dye-woods.
CHINA.....	Tea, silks, cotton-goods, porcelain, lacquered-ware, gums, paper, drugs, ginger.
TIBET	Gold, skins, goat hair, woolen cloth, shawls, musk.
CASHMERE	Shawls.
TOORKISTAN	Silk, cotton, wool, skins.
SIBERIA	Furs, gold, topaz, musk.
JAPAN	Copper, camphor, silk, lacquered-ware, tea, etc
KUEILE ISLANDS.....	Furs, oil, whalebone, spermaceti.

AFRICA.

MAROCOCO	Wax, hides, skins, leather, gums, olive-oil, wool, indigo, dates, honey.
ALGERIA	Copper, hides, wax, oil, wool, dates, honey
TUNIS	Wheat, barley, Castile soap, red woolen caps, ivory, marococo leather, etc.
TRIPOLI	Cattle, hides, wool, salt, olive-oil
EGYPT	Wheat, rice, flax, cotton, gums.
NUBIA	Ivory, ostrich-feathers, senna, gums
ABYSSINIA.....	Ivory, gold-dust.
ZANGUEBAR	Rice, sugar, gums, fish, ivory.
MOZAMBIQUE.....	Gold-dust, ivory, wax, gums, amber.
CAPE COLONY.....	Wool, wine, skins, hides, grain, flour.
NATAL	Grain, hides, cotton, ivory
MADAGASCAR	Amber, ambergris
MAURITIUS ISLAND	Sugar, ebony, tortoise-shell, nutmegs.
BOURBON ISLAND	Sugar, coffee, cloves.
LOWER GUINEA	Palm-oil, barwood, ivory
GUINEA.....	Gold-dust, palm-oil, ivory
LIBERIA	Palm-oil, camwood, ivory, gold-dust, coffee, indigo, ginger arrow-root, pepper

SIERRA LEONE AND SEN- GAMBIA	} Gums, indigo, coffee, pepper, wax, camwood, ivory, gold-dust.
CAPE VERDE ISLANDS.....	
CANARY ISLANDS	Orchilla, fruits, poultry.
MADEIRA ISLANDS	Wines, fruits, orchilla, honey, rosewood.
MADEIRA ISLANDS	Wine, citron, fruits, coffee, arrow-root.
AZORE ISLANDS	Oranges, wine, brandy.

OCEANICA.

PHILIPPINE ISLANDS	Sugar, rice, hemp, manilla, indigo, cigars, hides, tortoise-shell.
BORNEO	Gold-dust, diamonds, antimony, camphor, gutta-percha, sago, gums.
SUMATRA	Pepper, rice, copal, camphor, gold-dust, gutta-percha.
JAVA.....	Coffee, sugar, rice, indigo, cinnamon.
CELEBES.....	Rice, maize, cassava, tobacco, cotton.
MOLUCCA ISLANDS	Nutmegs, cloves, sago, cabinet-woods.
MALDIVE ISLANDS	Cocoa-nuts, cowry and cowry shells.
LACCADIVE ISLANDS	Cocoa-nuts, cowry shells.
NEW SOUTH WALES	Sheep, cattle, wool, tallow.
VICTORIA.....	Sheep, cattle, wool, tallow, gold.
SOUTH AUSTRALIA	Wheat, flour, gold, copper, lead.
NEW ZEALAND	Wool.
POLYNESIA	Bread-fruit, cocoa, banana, plantain, banyan, sugar-cane, yam, cotton-plant, whale-oil, etc.

TRADE ROUTES.

THE navigation of the ocean constitutes an important branch of industry, in which a greater or less number of people of all civilized countries are engaged. The most wealthy and powerful nations are those which have the most extended foreign commerce; as Great Britain, France, the United States, Holland, Denmark, Sweden, and Russia. Commerce has always been a fruitful source of individual and national prosperity.

In former times, maritime pursuits were very slowly conducted. This was owing to the imperfect construction of vessels, which were built more with reference to strength than qualities of fast sailing, and to the ignorance, among mariners, of the prevailing winds and currents of the ocean, and of the manner in which they might be best employed in navigation.

The winds and currents of the ocean have formed subjects of the most careful study and research, and the results of these inquiries have been of the greatest utility to all engaged in navigating the sea. No one is qualified to direct the course of a ship who is not familiar with the winds and currents of the region in which he is sailing, and with the methods in which he may use them to advantage in prosecuting his voyage.

On this subject Captain Basil Hall remarks,—“It is one of the chief points

of a seaman's duty to know where to find a fair wind, and where to fall in with a favorable current. If we take a globe and trace on it the shortest route by sea to India, and then fancy that such must be the best course to follow, we shall be very much mistaken. And yet this is very much what our ancestors actually did, till time and repeated trials, and multitudinous failures, gradually taught them where to seek for winds, and how to profit by them when found."

Map 6 exhibits the tracks usually taken by ships proceeding from New York across the Atlantic, Pacific, and Indian oceans. The *outward* and *homeward* tracks, are distinguished by arrows.

ROUTE FROM NEW YORK TO SAN FRANCISCO.—The route marked on the map shows the course taken by vessels which have made the quickest passages between these ports. The pupil will notice that it is not the shortest as regards distance. Between New York and the point where it crosses the equator (on or near the 30th meridian), and also between Cape Horn and San Francisco, it diverges very considerably from a direct line.

To understand this route, and others marked on the map, it is necessary for the learner to bear in mind the direction of the prevailing winds as explained in Lesson IV., Part III. From the parallel of about 30° north and south, nearly to the equator, there are two zones of perpetual winds, namely: the zone of northeast trade-winds on this side, and of southeast trade-winds on that. Now, a vessel sailing from New York to Cape Horn is necessarily obliged to pass through these zones. Before striking the northeasterly trades, she must make a good deal of easting, that is, proceed to the east; for if this is not done they would, perhaps, carry the vessel too close to the Windward Islands and the northern coast of South America, so that she would find it very difficult to double Cape St. Roque. (See Diagram of the Trade-winds, page 132.)

After crossing the equator the route extends through the South Atlantic, at no great distance from the eastern coast of South America, passing inside the Falkland Islands. The most difficult part of the route is that which extends from the 50th parallel in the South Atlantic to the same parallel in the Pacific. In this part of the voyage is performed the labor of doubling Cape Horn, a very troublesome operation in consequence of the continuous cold westerly winds which sailors always find there. The best months for doubling the Horn are our winter and summer, excepting July. October appears to be the most unpropitious month for the passage.

After reaching the 50th parallel, the California vessel stands far out into the Pacific at a great distance from the coast. This is done to get the southeast trades in their full force; for, it is to be remembered, these winds are considerably impeded by the continent, and are, the strongest and steadiest at a distance from shore. On passing the region of calms, near the equator, the zone of the northeast trades is met with, and in crossing this belt, the track, instead of leading directly to San Francisco, continues on still in a northwest direction until the vessel, in about the 35th parallel

north latitude, has got beyond the influence of these trades: then easting is made and the port reached.*

Returning from San Francisco, a vessel pursues a course nearly due south, between the meridians of 120° and 125° west longitude, to about the 50th parallel south latitude, where westerly winds are met which rapidly bear her past Cape Horn into the South Atlantic. Here her course is rather slow and irregular until Cape St. Roque is reached. At the latter point she enters the strong current which sweeps westwardly from the Gulf of Guinea, and flows along the northern coast of South America. (Art. 364, 365.) From the equator to New York the track is very nearly straight.

FROM NEW YORK TO PORT PHILIP, AUSTRALIA.—The track of vessels bound from New York to Australia is the same as that pursued by ships bound for California, until the 20th parallel south latitude is reached. Indeed, all vessels sailing for the South Atlantic, whether their destination be Rio Janeiro, San Francisco, Cape of Good Hope, or Port Philip, are advised to follow about the same course until they have passed the latitude of Cape St. Roque.

The following remarks relating to this route are taken from the "*Sailing Directions*:"† "The gold ports of Australia, whether the distance be measured *via* Cape Horn, or by the way of the Cape of Good Hope, are between 12,000 and 13,000 miles from the Atlantic ports of the United States or Europe. The best way for vessels in the Australian trade, from Europe or America, *via* the Atlantic, to *go*, is by doubling the Cape of Good Hope; and the best way to *come* is, *via* Cape Horn; and for this reason, viz.: The prevailing winds in the extra-tropical regions of the southern hemisphere are from the N. W., which of course makes fair winds for the outward bound around the Cape of Good Hope, and fair winds for the homeward bound around Cape Horn. Here, all is plain sailing; vessels homeward bound should steer by the shortest cut for Cape Horn, and the outward bound, after doubling the Cape of Good Hope, should shape their course as direct for the port of destination as the land and winds will permit them."

Many of the other routes, as marked on the map, appear to be very circuitous, and some of them are actually so; but they are such as the long experience of seamen have found to be the best, and such, too, as would be pursued, without much experience by a commander of a vessel who was fully acquainted with the regular movements of the air and ocean. The limits of this book do not admit of a further explanation of the tracks of vessels.

* The track above described is sometimes departed from, more or less, by vessels bound from New York to San Francisco; but it is the one recommended in the "*Sailing Directions*." It is very nearly the course taken by the ship "Flying Cloud" on the trip she made in 99 days—the quickest passage ever performed between these ports.

† This is a most valuable work prepared by Lieut. M. F. Maury, Superintendent of the National Observatory, Washington. It is designed to accompany and explain the "*Wind and Current Charts*," prepared by the same authority. These works are published at the expense of the United States Government, and distributed gratuitously to the commanders of all vessels who pledge themselves to keep a journal of their voyages, and, on their return, to transmit the same to the National Observatory.

By perusing Lesson XVI., Part II. on the Currents of the Ocean, and also Lesson IV., Part III., on the Permanent Winds, the learner may be able to understand why particular deviations from a direct line are made in the several routes marked on the map.


METALLIC PRODUCTIONS.

Of the great number of metallic substances found in the earth, those of the greatest use are gold, silver, mercury, tin, copper, zinc, lead, and iron.*

Minerals are deposited in veins or fissures of rocks, in masses, in beds, and sometimes in gravel and sand. Most of the metals are found in veins; a few, as gold and tin, iron and copper, are disseminated through the rocks, though rarely. The veins are cracks or fissures in rocks, seldom in a straight line, yet they maintain a general direction, and sometimes extend to an unfathomable depth.

Metals are peculiar to particular rocks: gold and tin are most plentiful in granite and the rocks lying immediately above it; copper is deposited in various slate formations; lead is found in the mountain-limestone system; iron abounds in the coal strata; and silver occurs in almost all these formations; its ores being frequently combined with those of other metals, especially of lead and copper.

When a mine is opened, a shaft like a well is sunk perpendicularly from the surface of the ground, and from it horizontal galleries are dug at different levels according to the direction of the metallic veins. When mines extend very far in a horizontal direction, it becomes necessary to sink more shafts, which are connected together by horizontal galleries. Shafts are from eight to twelve feet square, and are usually walled up with timber or stone to prevent the sides from caving in.




Shaft.

The water which filtrates through the earth would soon collect into a


* Thirty-five metals are now known: they are gold, silver, platinum, copper, lead, tin, iron, zinc, arsenic, bismuth, antimony, nickel, quicksilver, manganese, cadmium, cerium, cobalt, iridium, uranium, chrome, lanthanum, molybdenum, columbium, osmium, palladium, pelapium, tantalum, tellurium, rhodium, titanium, vanadium, tungsten, dydinium, ferbium, erbium.

mine and put a stop to the work, were not adequate means employed to remove it. This is done in two ways: first, by digging a horizontal gallery (called an *adit-level*) from the mine to some adjacent valley; in this way is drained all that part of the work which lies above; and, secondly, by the use of pumps for drawing out the water from that part of the mine which is below the adit-level, or drain. Many of these drains are of great length, and are dug at great expense. One of these, in the mining region of Cornwall, England, begins in a valley near the sea, and a very little above its level, and goes through all the neighboring mines, which it drains to that depth, and with all its ramifications is 30 miles long.



Mode of Opening a Mine.

The mode of raising ores varies with the depth of the mine. For a distance of fifty feet, or even one hundred, the ore and rubbish may be raised to the surface by the simple windlass, worked by hand, on which a rope is so wound, that one bucket descends while the other ascends. As soon, however, as the depth of the shaft becomes more considerable, it is necessary to resort to horse or steam power for raising the ore. The common machine used for this purpose is called a whim; as usually constructed when worked by horse-power, it is represented in the annexed cut. A steam-whim is generally used when the shaft has a depth of more than two hundred feet.



Mode of Hoisting Ores.

DISTRIBUTION OF GOLD.*

IN THE UNITED STATES.—The United States contains two gold regions, but they are of very unequal importance. The one, that of the Atlantic slope, the “Apalachian gold-field,” has been worked to a moderate extent for over thirty years; the other, “the Californian gold-field,” which has, during the period since it was discovered, produced more than twelve times as much as has hitherto been obtained on the Atlantic side.

The Apalachian gold-field extends from Georgia, in a northeasterly direction to Maryland, and is developed in the following counties: in *Georgia*, in Carroll, Cobb, Cherokee, Lumpkin, and Habersham counties; in *South Carolina*, through the whole northwestern corner of the State, especially in the following districts: Abbeville, Pickens, Spartanburg, Union, York, Lancaster; in *North Carolina*, in Mecklenburg, Rutherford, Cabarras, Rowan, Davidson, Guildford, and Rockingham; thence through *Virginia*, in Pittsylvania, Campbell, Buckingham, Fluvanna, Louisa, Spottsylvania, Orange, Culpeper, Fauquier; in *Maryland*, Montgomery county. Gold has also been found in Canada on the Du Loup and Chaudière rivers.

The California gold-field is the richest in the United States, and, compared with what we know of other similar regions, it is the richest in the world. It was first discovered in 1848, and it is calculated that, up to the end of 1853, it had yielded the enormous sum of two hundred and sixty million dollars, and that the annual product is now about fifty million dollars. This rich mineral region is in the great valley of California, which has a length of about 500 miles, and a breadth of from 50 to 100. It is drained by two principal rivers,—the Sacramento and the San Joaquin, the former flowing south, and the latter north. The gold is most usually obtained in fine particles, and scales or flattened grains, and is obtained by *washings*, or the separation of the metal from the earthy substances with which it is mixed. Lumps or “nuggets” are not frequent, and rarely exceed a few pounds in weight.

IN FOREIGN COUNTRIES.—Of the foreign countries, those most productive of gold are Australia, the Russian Empire, South Asia, the East Indies, Equador, New Guinea, Mexico, Brazil, and the Austrian Empire.

The *Australian* gold district is, next to that of California, by far the most productive of any known. The existence of gold there was first made known in May, 1851. The gold region embraces the southeast corner of Australia. The annual yield is estimated at about thirty-seven million dollars. The gold of the *Russian Empire* is obtained almost entirely from the eastern slope of the Ural Mountains, from Siberia, and in the Caucasus. It is supposed that the countries of Russia yield gold to the value of about fourteen million dollars annually.

* The author is indebted for the following facts, relating to the distribution of metals, to the very able work of J. D. Whitney, Esq., entitled “METALLIC WEALTH OF THE UNITED STATES:” Lippincott, Grambo & Co., Philadelphia.

DISTRIBUTION OF SILVER.

IN THE UNITED STATES.—There is no silver mine at present worked in the United States. The silver furnished by this country comes almost wholly from the native gold of California, with which silver is alloyed. From this source a very considerable amount is obtained.

IN OTHER COUNTRIES.—The countries particularly distinguished for their extensive yield of silver are Mexico, Peru, Chile, Bolivia, and Spain. Mexico is by far the richest in mines of this metal, from which, it is estimated, not less than twenty-eight million dollars worth are now annually obtained, an amount considerably greater than the annual yield of all the other mines in the world.

The province of Guanajuata is supposed to furnish about one half the amount of the silver produced in Mexico. In *Peru*, the richest mines are at Pasco, on the Andes, over 13,000 feet above the sea. Besides the Pasco mines, which are the richest in the world, there are numerous other mining districts in Peru, especially in the province of Pataz, Huamanchuco, Caxamarca, and Hualgayoc. The richest silver mines of *Chile* are those of Copiapo; those of *Bolivia* are at Potosi, more than 16,000 feet above the sea-level. Of the silver furnished by Europe, that of *Spain*, *Russia*, and *Great Britain* is derived almost exclusively from the working of silver-lead ores. The only mining districts of importance, in Europe, in which silver ores are worked by themselves, are those of *Hungary* and *Transylvania*, of the Erzgebirge in *Saxony* and *Bohemia*, and of Kongsberg in *Norway*.

DISTRIBUTION OF MERCURY.

IN THE UNITED STATES.—No mercury is known to have been found east of the Mississippi River. It is produced in considerable quantities in California, from a mine at New Almaden, in one of the side valleys of the San José.

IN FOREIGN COUNTRIES.—Nearly all the mercury supplied by Europe is obtained from the mines of Almaden in *Spain*, and Idria in the *Austrian Empire*. The mines of Almaden are situated in the province of La Mancha, near the frontier of Estramadura. These mines have been worked longer than any others in the world; they were known to the Greeks at least 700 years before the Christian era. The present yield of the Spanish mercury mines is about $2\frac{1}{2}$ million of pounds per annum. Mercury is obtained from several localities in South America, but chiefly from the mines of Huancavelica, in *Peru*, which yield about 100,000 pounds per annum.

DISTRIBUTION OF TIN.

IN THE UNITED STATES.—Tin, which is used in the manufacture of tin plates, is nowhere found in the United States in any considerable amount. The only locality in this country where this ore has been found in any no-

ticeable quantity, is at Jackson, in Carroll county, New Hampshire, but it has not been obtained there in a quantity sufficient to render its manufacture profitable.

IN FOREIGN COUNTRIES.—The most productive tin mining region in the world is in Cornwall, *England*. The Cornish mines have been worked from a very early period, the metal from which formed an article of traffic with the Phœnicians and Greeks before the time of our Saviour. It is estimated that about 7,000 tons of tin are annually made from the ores of these mines. The most valuable tin mines on the continent of Europe are those of Erzgebirge, which are partly in *Saxony* and partly in *Bohemia*. One of the richest deposits of tin known is in the province of Tenasserim, in the *Malayan* peninsula. The best quality of tin is obtained from the island of *Banca*, at the extremity of the Malacca peninsula.

DISTRIBUTION OF COPPER.

IN THE UNITED STATES.—Copper is, next to gold, iron, and lead, the most important metal in the United States. The richest copper mining district in this country is that of Lake Superior. The occurrence of native copper on this lake was known to the Jesuit Fathers, who, in the latter half of the seventeenth century, traveled extensively in that region. The mines were not extensively worked until after the year 1844, when the country was ceded to the United States by the Chippewa Indians, and opened to settlement. Since that time, numerous companies have been organized, and large amounts of stock contributed, for the purpose of opening and working mines in this region. The principal mines are those of Kewenaw Point, Isle Royale, Ontonagon River, and Portage Lake. The Cliff Mine of Kewenaw Point has been worked for the longest period, and has yielded the greatest amount of metal,—the total product of it, up to the close of 1853, being more than 2,700 tons. This mine has been excavated to the depth of 600 feet.

Copper deposits are found at numerous localities in the valley of the Mississippi,—those in the neighborhood of Mineral Point, Wisconsin, being the best known. They are found also in the region which extends along the western slope of the Apalachian chain of mountains from New Hampshire to Georgia. The principal localities in this district occur at, or near, the following places: Warren in *New Hampshire*; Orange in *Vermont*; Bristol, Manchester, Litchfield, and Plymouth, in *Connecticut*; Belleville, Griggstown, Brunswick, Woodbridge, Greenbrook, Somerville, and Flemington, in *New Jersey*; Montgomery and Chester counties in *Pennsylvania*; Liberty and New London, in *Maryland*; Fauquier county in *Virginia*; Greensboro in *North Carolina*; and Polk county in *Tennessee*.

IN FOREIGN COUNTRIES.—The most noted copper mines of foreign countries are those of Cornwall and Devonshire, in *England*, which have been worked longer, and have produced more of this metal than any other mines in the world: they are supposed to yield about 14,000 tons annually. The country next in importance to England, as a copper region, is *Chile*, in South America, where copper is the most important product. England and Chile together

supply more than half the amount of copper consumed in the world. The principal mines of Chile are those of Carrisal, north of the valley of Huasco; and at San Juan and La Higuera, between Huasco and Coquimbo. Numerous mines are worked in the vicinity of Copiapo.

The other principal copper-mining districts are those of the Ural Mountains, and the Caucasus, in the *Russian Empire*; Mansfield, in *Prussia*; Upper Hungary, in *Austria*. Copper is also obtained in *Norway*, *Sweden*, *Spain*, and in the *East Indies*, *Japan*, *Australia*, and *Cuba*.

DISTRIBUTION OF ZINC.

IN THE UNITED STATES.—The ores of zinc are distributed over the United States in great abundance. Some of the more important localities are at or near the following places: Easton, in *New Hampshire*; Wartsboro, in Sullivan county, *New York*; Sussex county, *New Jersey*; and Friedensville, in Lehigh county, *Pennsylvania*. Of the above mines, those in New Jersey have, as yet, yielded by far the greatest amount of this metal. The ores of zinc are plentifully distributed through the lead mines of the Mississippi valley.

IN FOREIGN COUNTRIES.—Zinc is procured in Great Britain, Austria, and Poland; but the countries particularly distinguished for extensive zinc mines are *Belgium* and *Prussia*, which, together, yield more than eight tenths of all that is manufactured in the world. The great Belgian zinc-works are in the province of Liège. The principal zinc district of Prussia is in the province of Upper Silesia, which produces nine tenths of the whole amount of this metal furnished by Prussia.

DISTRIBUTION OF LEAD.

IN THE UNITED STATES.—The lead mines of this country are abundantly scattered over its surface, and have yielded a larger amount in value of this metal than of any other, with the exception of iron and gold. The most productive mines are those of the Upper Mississippi lead region; but there are numerous localities in the Atlantic States where considerable amounts of lead have been obtained. The most noted of the lead districts in the latter division are those of Rossie, in St. Lawrence county, Ancram, in Columbia county, Northeast in Dutchess county, *New York*; Middletown, in *Connecticut*; and Chester and Montgomery counties, in *Pennsylvania*.

The great lead deposits of the Mississippi valley are known as the Upper Mississippi and the Missouri mines. The first of these divisions comprehends the lead region lying in the southwestern portion of Wisconsin and including a small part of the adjacent states of Illinois and Iowa. The principal mining centers of this division are Galena, in *Illinois*; Mineral Point, in *Wisconsin*; and Dubuque, in *Iowa*. The Mississippi runs along the western edge of this tract, and the course of the Wisconsin River is nearly parallel with the northern line, and distant from it only a few miles. The mines of this division yield annually upward of 13,000 tons. The second division

embraces the mines of the State of *Missouri*, lying principally south of the Missouri River. The principal mines are in Washington county, near Big River and Mineral Creek.

IN FOREIGN COUNTRIES.—Lead mines are distributed through most of the countries of Europe, but those of Great Britain and Spain are by far the most productive. The most extensive lead mining districts of Great Britain are in Cardiganshire and Montgomeryshire in Wales, and at Alston Moor, where the three counties of Northumberland, Durham, and Cumberland come together.

DISTRIBUTION OF IRON.

IN THE UNITED STATES.—Iron is so very extensively distributed throughout the United States, that only a mere mention of the states in which it is most abundant can be given in this article. Rich deposits of this metal are found in almost, if not quite, every State in the Union; but the states in which it is manufactured to the greatest extent are Connecticut, New York, New Jersey, Pennsylvania, Maryland, Virginia, Tennessee, Kentucky, Ohio, and Missouri. Pennsylvania excels all other states in the manufacture of iron, yielding more than half of all that is made in the Union. The number of tons of iron annually made in the United States, according to the census of 1850, was 850,000. Owing to the cheapness of foreign iron, and the extensive importation of it, the iron mines of this country are not worked as largely as they otherwise would be.

IN FOREIGN COUNTRIES.—Great Britain stands pre-eminent for the abundance of its iron and the extent of its manufacture, the annual produce of its mines being estimated at about 3,000,000 tons. Of the other foreign countries noted for the production of iron, are France, Belgium, the Austrian Empire, the Russian Empire, Sweden, and Prussia.

NOTE.—For the amount of metals produced throughout the world, see Table on the next page, taken, by permission, from "WHITNEY'S METALLIC WEALTH OF THE UNITED STATES."

ESTIMATED AMOUNT OF METALS PRODUCED THROUGHOUT THE WORLD IN THE YEAR 1854.

COUNTRIES.	Gold. lbs. Troy.	Silver. lbs. Troy.	Mercury. lbs. Av.	Tin. Tons.	Copper. Tons.	Zinc. Tons.	Lead. Tons.	Iron. Tons.
Russian Empire	60,000	58,000	--	--	6,500	4,000	800	200,000
Sweden	2	3,500	--	--	1,500	40	200	150,000
Norway	--	17,000	--	--	550	--	--	5,000
Great Britain	100	70,000	--	7,000	14,500	1,000	61,000	3,000,000
Belgium	--	--	--	--	--	16,000	1,000	300,000
Prussia	--	30,000	--	--	1,500	33,000	8,000	150,000
Harz	6	30,000	--	--	150	10	2,000	--
Saxony	--	60,000	--	100	50	--	5,000	7,000
Rest of Germany	--	3,000	--	--	--	--	1,000	100,000
Austrian Empire	5,700	90,000	500,000	50	3,300	1,500	7,000	225,000
Switzerland	--	--	--	--	--	--	--	15,000
France	--	5,000	--	--	--	--	1,500	600,000
Spain	42	125,000	2,500,000	10	500	--	30,000	40,000
Italy	--	--	--	--	250	--	500	25,000
Africa	4,000	--	--	--	600	--	--	--
South Asia and East Indies ..	25,000	--	--	5,000	3,000	--	--	--
Australia and Oceania	150,000	8,000	--	--	3,500	--	--	--
Chile	3,000	250,000	--	--	14,000	--	--	--
Bolivia	1,200	130,000	--	} 1,500	} 1,500	--	--	--
Peru	1,900	300,000	200,000			--	--	--
Benador, New Granada, etc. ...	15,000	13,000	--	--	--	--	--	--
Brazil	6,000	700	--	--	--	--	--	--
Mexico	10,000	1,700,000	--	--	--	--	--	--
Cuba	200,000	22,000	1,000,000	--	3,500	5,000	15,000	1,000,000
United States	481,950	2,965,200	4,200,000	13,660	56,900	60,550	133,000	5,817,000

PRINCIPAL MOUNTAINS, WITH THEIR ELEVATIONS.

THE names in capital letters apply to an entire range or chain of mountains, and the height stated, in such cases, is an approximation to the *average* elevation which its crest attains. The names in small letters, where they immediately follow that of a range, are those of some of its principal summits of which the exact height has been ascertained. The figures in all cases indicate the height above the level of the sea.

The letter (V.) attached to any name, signifies that it is a volcano which has been active within the historical period.

NORTH AMERICA.

The Rocky Mountains extend from 34° N. lat. to the shores of the Arctic Ocean, 70° N. lat. From Paso del Norte (about 32° N. lat.) to the South Pass, at 42° N. lat., they have an altitude of from 7,000 to 15,000 feet. From 42° to 47° 30' N. lat., Lewis and Clark's Pass, from 10,000 to 14,000; and from 47° 30' to 70° N. lat. from 3,000 to 10,000.

ROCKY MOUNTAINS:

Height

in feet.

Mount Brown (lat. 52° 35')	15,690
Fremont's Peak	13,570
Long's Peak	12,500
James' Peak	11,320
Spanish Peaks	11,000

SIERRA MADRE OR PLATEAU OF ANAHUAC:

Popocatepetl (V.)	17,884
Istaccihuatl	15,705
Peak of Orizaba (V.)	17,373
Colima (V.)	11,929
Bufa de Zacatecas	8,514

PLATEAU OF CENTRAL AMERICA:

Soconusco	7,805
Volcano de Agua.	13,578
Momotombo (V.)	7,000
Cartago.	11,480

ALLEGHANY OR APPALACHIAN MOUNTAINS:

Mount Washington, <i>White Mts., N. H.</i>	6,285
Mansfield Mt., <i>Green Mts., Ver.</i>	4,359
Saddleback, <i>Berkshire Mts., Mass.</i>	3,500
Tahawas or Mt. Marcy, <i>Adirondack Mts., N. Y.</i>	5,467
Round Top, <i>Catskill Mts., N. Y.</i>	3,804
Peaks of Otter, <i>Blue Ridge, Va.</i>	4,260
Clingman's Peak <i>Black Mts., N. C.</i>	6,760

SIERRA NEVADA OR SNOWY MTS. OF CALIFORNIA, about 10,000 feet.

Mount St. Joseph	10,000
Table Mountain	8,000

	Height in feet.
NORTHWEST COAST RANGE:	
Mount St. Elias (lat. 60° 20' N.)	17,900
Mount Fairweather	14,708
Mount Ilaeman (V.)	12,066
CASCADE RANGE:	
Mount St. Helens (V.)	12,000
Mount Ranier	12,330
Mount Shasta	14,390

ISLANDS OF AMERICA.

CUBA: Peak of Tarquino	7,900
La Gran Piedra	5,300
HAYTI: Cibao Mountains	7,200
JAMAICA: Blue Mountains	6,739
PORTO RICO: Sierra de Languilla	3,763
GUADELOUPE: Souffriere	5,500
DOMINICA: Solfatara	6,075
ST. LUCIE: Volcano	4,000
ST. VINCENT: Morne Garou	3,000
GREENADA: Highest peak	3,000

SOUTH AMERICA.

The Andes or Cordillera de los Andes have, between 5° N. lat. and 2° S. lat., a mean altitude of from 11,000 to 12,000 feet; between 15° and 19° S. lat. about 15,000; southward of 42° S. lat. about 3,000.

ANDES:

Tolima (lat. 4° 48' N.)	18,320
Cayambe (lat. 0° 04' S.)	19,534
Antisana (V.) (lat. 0° 30' S.)	19,370
Cotopaxi (V.) (lat. 0° 39' S.)	18,875
Chimborazo (lat. 1° 22')	21,424
Illimani (lat. 16° 32' S.)	21,180
Sahama	22,350
Aconcagua (lat. 32° 38' S.)	22,801
Tupungato (lat. 33° 22' S.)	22,456
Antuca (V.) (lat. 37° 07' S.)	9,245
Villa Rica (V.) (lat. 39° 14' S.)	16,000

MOUNTAINS OF VENEZUELA, from 4,000 to 5,000 feet:

Horqueta (Sierra Nevada de Santa Marta)	19,184
Silla de Caracas (Sierra Costanera)	8,632

MOUNTAINS OF PARIMA AND GUIANA, from 4,000 to 5,000 feet:

Maravaca (Sierra de Parima)	10,500
Duida " "	8,467
Roraima	7,450

MOUNTAINS OF BRAZIL, from 2,000 to 3,000 feet:

Itacolumi (Serra Mantigueira)	5,750
Itambe (Serra Espinhaço)	5,755
Morro dos Canados (Serra dos Orgaos)	4,476

EUROPE.

THE BALKAN MOUNTAINS (Turkey) from 2,000 to 3,000 feet:	Height in feet.
Orbelus	9,000
MOUNT PINDUS (Turkey and Greece):	
Mount Guiona	8,239
St. Elias (<i>ancient</i> Taletou)	7,912
DINARIC OR EASTERN ALPS (Turkey), from 6,000 to 8,000 feet:	
Mount Kom	9,575
Mount Dinari	6,667
THE ALPS (Italy and Switzerland), western part from 8,000 to 9,000 feet:	
Gross Glockner (Great Bell)	12,776
Orler Spitz	12,818
Monte Leone or the Simplon	11,541
Monte Rosa	15,152
Great St. Bernard	11,063
Mont Blanc	15,760
Mont Iseran	13,267
Mont Cenis	11,457
Monte Viso	12,532
BERNESE ALPS (Switzerland):	
Finster-aar-horn (Dark Peak of the Air)	14,106
Jungfrau (Virgin)	13,710
Schreck-horn (Peak of Terrors)	13,357
MOUNT JURA (France and Switzerland), from 3,000 to 4,000 feet:	
Reculet	5,959
THE APENNINES (Italy), from 4,000 to 5,000 feet:	
Monte Cimone	6,973
Monte Corno	9,521
Vesuvius (V.)	3,932
THE PYRENEES (France and Spain), from 7,000 to 9,000 feet:	
Montcalm	10,513
Pic Nethou, or Maladitla	11,168
Mont Perdu	10,991
CANTABRIAN MOUNTAINS (Spain), from 4,000 to 6,000 feet:	
Pena de Penaranda	10,998
CASTILIAN MOUNTAINS (Spain and Portugal), from 4,000 to 5,000 feet:	
Serra d'Estrella	7,524
MOUNTAINS OF TOLEDO (Spain), from 2,000 to 3,000 feet.	
SIERRA MORENA (Spain), from 3,000 to 4,000 feet.	
SIERRA NEVADA (Spain), from 6,000 to 9,000 feet:	
Mulhacen	11,658
Veleta	11,382
THE CEVENNES (France), from 3,000 to 4,000 feet:	
Monte Mezen	6,561
MOUNTAINS OF AUVERGNE (France):	
Pays de Sauey (Mont D'Or)	6,190
Plomb de Cantal	6,095

THE VOSGES (France), from 2,000 to 3,000 feet:	Height in feet.
Ballon d'Alsace.....	4,124
HERCYNIAN MOUNTAINS (Germany):	
Brocken (Harz Mts.)	3,760
Feldburg (Schwarzwald)	4,386
Schnee-kopf (Riesin-gebirge)	5,274
CARPATHIAN MOUNTAINS (Hungary and Transylvania), from 5,000 to 6,000:	
Lomnitz Peak (group of Mount Tatra)	8,779
Krywan	8,150
Mount Petrosch	6,884
Mount Szural	7,122
SCANDINAVIAN MOUNTAINS (Norway and Sweden):	
Skaestol-tind (in the Langfeld)	8,101
Snec-hätten (in the Dovrefield)	8,101
Sulitelma (in the Koelen Mountains)	6,173

ISLANDS OF EUROPE.

BRITISH ISLANDS: Ben Wyvis (Northern Highlands), <i>Scotland</i>	3,720
Ben Macdhu (Grampians), <i>Scotland</i>	4,305
Ben Nevis " "	4,363
Ben Lomond " "	3,175
Broadlaw (Mts. of Scotland), " ..	2,741
Seaw Fell (Cumbrian Mts.), <i>England</i> ..	3,166
Snowdon (Cambrian Mts.), <i>Wales</i>	3,571
Lugnaquilla (Wicklow Mts.), <i>Ireland</i> ..	3,039
Carn Tual (Mountains of Kerry), " ..	3,404
Paps of Jura (Island of Jura), <i>Hebrides</i>	2,470
Ben-more (Island of Mull), "	3,163
Cuehullan (Island of Skye), "	2,995
Highest point of Hoy Island, <i>Orkney Islands</i>	1,590
Mount Rona (Mainland), <i>Shetland Islands</i>	1,470
ICELAND: Oraefa Jokull	6,409
Hekla (V.)	5,095
AZORES OR WESTERN ISLANDS: Peak of Pico (V.), Pico I.....	7,911
CORSICA: Monte Rotondo.....	9,068
SARDINIA: Monte Schiuschiu	5,276
SICILY: Etna (V.)	10,617
CANDIA: Psilorati (<i>ancient Ida</i>)	7,674

ASIA.

ALDAN OR STANOVOL MOUNTAINS (Siberia):	
Mount Kapitan.....	4,263
MOUNTAINS OF KAMTCHATKA, from 10,000 to 15,000 feet:	
Kliuchevsk (V.)	16,512
ALTAI MOUNTAINS (Siberia and Mongolia), from 5,000 to 7,000 feet:	
Mount Bielukha (lat. 50°, long. 86° 30').....	11,063
BELOOE-TAGH (<i>Bolor Mts</i>) (Toorkistan and Bokhara), from 15,000 to 20,000.	

HIMALAYA MOUNTAINS (Hindoostan and Tibet), from 15,000 to 28,000 feet.	Height in feet.
Chumalari	23,946
Kunchinjinga	23,156
Mount Everest	29,002
Dhawalagiri (<i>White Mt.</i>)	26,826
Numerous other peaks exceed	20,000
HINDOO KOOSH (Afghanistan):	
Highest summit	20,230
KOH-I-BABA MOUNTAINS (Afghanistan):	
Koh-i-Baba	17,640
SULEIMAUN MOUNTAINS (Afghanistan):	
Takt-i-Suleimaun	12,150
CASPIAN MOUNTAINS OR CHAIN OF ELBROOZ (Persia):	
Demavend	14,695
MOUNTAINS OF ARARAT (Armenia):	
Mount Ararat	17,823
MOUNTAINS OF ZAGROS (Persia and Koordistan), from 6,000 to 9,000 feet:	
Sheikiwa	10,423
MOUNT TAURUS (Asia Minor):	
Arjish-dagh (<i>ancient Argæus</i>)	12,869
Cheshish-dagh (<i>ancient Olympus</i>)	9,000
ARAVULLI MOUNTAINS (India), about 3,000 feet.	
VINDHYA MOUNTAINS (India), from 2,500 to 3,000 feet.	
WESTERN GHATS (India), from 3,000 to 4,500 feet:	
The highest summit about	8,000
NEILGHERRY HILLS (India):	
Dodabetta Peak	8,429
EASTERN GHATS (India), about 3,000 feet.	
CAUCASIAN MOUNTAINS (Circassia and Georgia), from 8,000 to 10,000 feet:	
Elburz	18,493
Kasbek	16,592
URAL MOUNTAINS (between Europe and Asia), from 2,000 to 2,500 feet:	
Konjakovski	5,397
MOUNTAINS OF LEBANON (Syria), from 6,000 to 7,000 feet:	
Jebel esh Sheikh (<i>ancient Hermon</i>)	11,030
JEBEL TUE OR MOUNTAINS OF SINAI (Arabia):	
Jebel Katherine (Mount St. Catherine)	8,593
Jebel Mousa (Mount Moses)	7,497

ISLANDS OF ASIA.

JAPAN ISLANDS: Fudsi-jamma (Island of Nippon) about	12,000
FORMOSA ISLAND: Highest summit	12,000
JAVA ISLAND: Slamet	11,300
Pangeranga (V.)	8,000
SUMATRA ISLAND: Gimong Pasaman (Mount Ophir)	13,800
BORNEO ISLAND: Mt. Kini Balu (Chinese Widow)	13,693
PHILIPPINE ISLANDS: A range of elevated volcanoes.	
CEYLON ISLAND: Pedrotallagalla	8,323

AFRICA.

EGYPTIAN AND NUBIAN MOUNTAINS (west coast of Red Sea), 3,000 to 4,000 feet.	Height in feet.
Mount Agrib	5,600
MOUNTAINS OF ABYSSINIA, from 8,000 to 9,000 feet:	
Abba Yaret	15,200
Buehat	14,364
MOUNTAINS OF ZANGUEBAR (Jebel el Kumri, Mountains of the Moon):	
Mount Kilimandjaro (supposed)	20,000
Mount Kenia "	20,000
Kenia (V.)	16,000
NIEUVELDT MOUNTAINS (South Africa):	
Spitz Kop	10,240
Table Mountain, near Cape Town	8,582
CAMEROON MOUNTAINS: Highest peak	13,760
Mt. Atlantika	9,000
MOUNTAINS OF KONG (Soudan), from 3,000 to 4,000 feet:	
Mount Loma	5,000
ATLAS MOUNTAINS (North Africa), from 3,000 to 5,000 feet:	
Mount Mitsin (lat. 31° 12' N.)	11,400
Iientet	15,000
GHARIAN MOUNTAINS (Tripoli): Highest peak	2,200
MOUNTAINS OF CENTRAL AFRICA: Mount Dogem	4,500

ISLANDS OF AFRICA.

MADEIRA ISLANDS: Pico Ruivo	6,165
CANARY ISLANDS: Peak of Tenerife	11,946
CAPE VERDE ISLANDS: Fogo	7,884
FERNANDO PO ISLAND: Clarence Peak	10,655
MADAGASCAR ISLAND, Ankaratra Mountains, from 8,000 to 10,000 feet.	
BOUEBON ISLAND: Piton de Neiges	10,335

OCEANICA.

AUSTRALIA, Australian Alps, mean elevation 2,500 feet.	
Mount Wellington (<i>New South Wales</i>)	6,510
Mt. Mitchel "	4,120
Mount To-ol (<i>Victoria</i>), Grampian Mountains	4,500
Mount Bryan (<i>South Australia</i>)	3,012
Tulbanop (<i>West Australia</i>)	5,000
TASMANIA. Wylde's Craig	4,500
NEW ZEALAND: Mount Edgecombe	10,000
Mount Egmont	8,839
SOCIETY ISLANDS: Opureone (Tahiti)	8,000
SANDWICH ISLANDS: Manna Kea (V.), Hawaii	13,587
Mauna Loa (V.), Hawaii	13,175
SOUTH VICTORIA LAND: Mount Erebus (V.)	12,400
Mount Terror	10,900

PRINCIPAL RIVERS OF THE WORLD,

SHOWING THEIR SOURCES—THE COUNTRIES THROUGH WHICH THEY FLOW—THE SEAS INTO WHICH THEY FALL—THEIR APPROXIMATE LENGTH AND NAVIGABLE DISTANCE IN ENGLISH MILES.

AFTER the name of each river follow—1st (in parenthesis), that of the district in which it rises; 2d, *in Italics*, the countries through which it flows; 3d, the sea or ocean into which it falls; and, lastly, its length, inclusive of the principal windings of its stream, and its navigable distance, when it can be ascertained.

NORTH AMERICA.

Total Length. Nav's Dist.

MACKENZIE, including Peace R. (Rocky Mts.),— <i>British Possessions</i> :	Arctic O.	2,000	
NELSON, including Saskatchewan R. “ “ “	Hudson B.	1,400	
ST. LAWRENCE, with great lakes (Plateau of Minnesota),— <i>United States, Canada</i> :	Gulf of St. Lawrence	2,050	
Navigable for ships 550, and by artificial means for smaller vessels to within 150, miles of its source.			1,900
OTTAWA (table-land of Canada),— <i>Canada</i> :	St. Lawrence River	450	100
ST. MAURICE “ “ “ “		300	100
SAGUENAY “ “ “ “		230	70
SORELLE, or St. John, with Lake Champlain “		172	172
ST. FRANCIS (Lake St. Francis),— <i>Canada</i> :	“	130	
CHAUDIERE (Lake Megantic), “ “		125	4
ST. JOHN (divide between the U. S. and Canada),— <i>United States, Canada, and New Brunswick</i> :	Bay of Fundy.	320	80
PENOBSCOT “ “ — <i>Maine</i> :	Atlantic Ocean	275	50
KENNEBEC “ “ “ “		200	42
ANDROSCOGGIN “ “ “ “		140	13
CONNECTICUT “ “ — <i>Vermont, N. Hampshire, Massachusetts, Connecticut</i> :	Long Island Sound	410	50
MERRIMAC (White Mts.),— <i>N. Hampshire, Mass.</i> :	Atlantic Ocean	170	5
HOUSATONIC (Taghkanic Mts.),— <i>Mass., Conn.</i> :	Long Island Sound	130	14
HUDSON (Adirondac Mts.),— <i>New York</i> :	Atlantic Ocean	310	160
MOHAWK “ “	Hudson River	135	
GENESEE (Alleghany Mts.), “	Lake Ontario	145	6
DELAWARE (Catskill Mts.),— <i>N. York, N. Jersey, Penn.</i> :	Delaware Bay	309	75
SUSQUEHANNA (Alleghany Mts.),— <i>N. York, Penn., Md.</i> :	Chesapeake Bay	450	
POTOMAC “ — <i>Md., Va.</i> :	“	330	115
JAMES “ — <i>Virginia</i> :	“	375	110
ROANOKE “ — <i>Virginia, N. Carolina</i> :	Albemarle Sound	275	75
NEUSE — <i>North Carolina</i> :	Pamlico Sound	250	45
CAPE FEAR — <i>North Carolina</i> :	Atlantic Ocean	250	100
GREAT PEEDEE “ — <i>N. and S. Carolina</i> :	“	375	14
SANTEE “ “ “		360	150

	Total Length.	Nav's Dist.
SAVANNAH (Alleghany Mts.),— <i>Georgia, South Carolina</i> : Atlantic Ocean...	330	135
ALTAMAHA " — <i>Georgia</i> : Atlantic Ocean	320	190
ST. JOHN'S (Everglades),— <i>Florida</i> : "	230	175
APPALACHICOLA, with Chattahoochee River (Alleghany Mts.),— <i>Georgia, Alabama, Florida</i> : Gulf of Mexico	470	270
FLINT (Alleghany Mts.),— <i>Georgia</i> : Appalachicola River.....	275	80
MOBILE, with Alabama and Coosa Rivers (Alleghany Mts.),— <i>Georgia, Alabama</i> : Gulf of Mexico.....	1,090	367
TOMBIGBEE (Alleghany Mts.),— <i>Mississippi, Alabama</i> : Gulf of Mexico....	475	360
BLACK WARRIOR " — <i>Alabama</i> : Tombigbee River	300	133
PEARL (table-land, Miss.),— <i>Mississippi</i> : Gulf of Mexico	330	
MISSISSIPPI (Lake Itasca),— <i>Min., Wis., Iowa, Ill., Mo., Ky., Tenn., Ark., Miss., La.</i> : Gulf of Mexico	2,500	2,200
RED (Llano Estacado),— <i>Tennessee, Arkansas, La.</i> : Mississippi River	1,200	375
WASHITA (Poteau Hills),— <i>Arkansas, Louisiana</i> : Red River	460	250
YAZOO (table-land, Miss.),— <i>Mississippi</i> : Mississippi River.....	350	65
ARKANSAS (Rocky Mts.),— <i>Kansas, Indian Ter., Ark.</i> : Mississippi River ..	2,000	645
WHITE (Ozark Ridge),— <i>Missouri, Arkansas</i> : Arkansas River	550	140
ST. FRANCIS " " " Mississippi River	325	100
OHIO, with Alleghany River (Alleghany Mts.),— <i>Pennsylvania, New York, Ohio, Virginia, Kentucky, Indiana, Illinois</i> : Mississippi River	1,300	943
MONONGAHELA (Alleghany Mts.),— <i>Virginia, Pennsylvania</i> : Ohio River ..	300	140
MUSKINGUM (table-land, Ohio),— <i>Ohio</i> : " ..	250	100
GT. KANAWHA (Alleghany Mts.),— <i>Virginia</i> : " ..	400	66
SCIOTO (table-land, Ohio),— <i>Ohio</i> : " ..	200	130
LICKING (Cumberland Mts.),— <i>Kentucky</i> : " ..	180	70
MIAMI (table-land, Ohio),— <i>Ohio</i> : " ..	100	75
KENTUCKY (Cumberland Mts.),— <i>Kentucky</i> : " ..	300	60
GREEN " " " " ..	300	175
WABASH (table-land, Ohio),— <i>Indiana, Illinois</i> : " ..	500	300
CUMBERLAND (Cumberland Mts.),— <i>Tennessee, Kentucky</i> : " ..	550	120
TENNESSEE, with Holston River (Alleghany Mts.),— <i>Virginia, Tennessee, Alabama, Mississippi, Kentucky</i> : Ohio River.....	1,200	276
KASKASKIA (Grand Prairie),— <i>Illinois</i> : Mississippi River.....	300	7
MISSOURI (Rocky Mts.),— <i>Nebr., Min., Ia., Kan., Mo.</i> : Mississippi River ..	3,100	1,800
From the mouth of the Missouri to the Gulf of Mexico the distance is 1,350 miles—making the total length of the Missouri 4,450 miles.		
YELLOW STONE (Rocky Mts.),— <i>Nebraska</i> : Missouri River.....	750	264
PLATTE " " "	1,200	94
KANSAS (Great Plain),— <i>Kansas</i> : "	600	150
OSAGE " — <i>Kansas, Missouri</i> : "	450	165
ILLINOIS, with Kankakee River (Indiana),— <i>Ind., Ill.</i> : Mississippi River....	435	230
DES MOINES (Coteau des Prairies),— <i>Minnesota, Iowa</i> : " ...	400	200
IOWA " — <i>Iowa</i> : " ..	390	70
ROCK (Wisconsin),— <i>Wisconsin, Illinois</i> : Mississippi River.....	275	170
WISCONSIN (Ontonagon Ridge),— <i>Wisconsin</i> : "	400	120
CHIPPEWA " " "	260	70
ST. CROIX " — <i>Wis., Min.</i> : "	225	30

	Total Length.	Nav'o Dist.
ST. PETERS (Coteau des Prairies),— <i>Min.</i> : Mississippi River	300	100
SABINE (Red River divide),— <i>Texas</i> : Gulf of Mexico	460	
TRINITY “ “ “	530	60
BRAZOS “ “ “	750	250
COLORADO (Llano Estacado), “ “	690	220
NUECES (Guadalupe Mts.),— <i>Texas</i> : Gulf of Mexico	350	100
RIO GRANDE (Rocky Mts.),— <i>N. Mexico, Texas, Mexico</i> : Gulf of Mexico ...	2,000	700
COATZACOALCOS (Cordilleras),— <i>Mexico</i> : “ ...	120	20
USUMASINTA “ — <i>Guatemala, Mexico</i> : “ ...	250	120
HUMUYA, including Ulua (Cordilleras of C. Amer.),— <i>Honduras</i> : Caribbean S.	250	
CHOLUTECA, “ “ “ G. of Fonseca	150	
SAN JUAN (Cordilleras of C. Amer.),— <i>L. Nicaragua, Nicaragua</i> : Carib. S.	220	220
MEXCALA, with the Zacatula (Cordilleras),— <i>Mexico</i> : Pacific Ocean	600	
RIO GRANDE DE SANTIAGO (Lake Lerma),— <i>Mex., Quera., Micho., Guan.,</i> <i>Guadalajara</i> : Pacific Ocean	400	
COLORADO (Rocky Mts.),— <i>Oreg., Utah, N. Mex., Calif., Mex.</i> : G. of California	1,350	250
GILA (Sierra Madre),— <i>New Mexico</i> : Colorado River	650	
SAN JOAQUIN (Sierra Nevada),— <i>California</i> : Sacramento River	350	50
SACRAMENTO “ “ San Francisco Bay	450	150
COLUMBIA (Rocky Mts.),— <i>Brit. Possessions, Wash'n, Oregon</i> : Pacific Ocean.	1,300	135
LEWIS' FORK (Rocky Mts.),— <i>Oregon, Washington</i> : Columbia River	750	
CLARK'S FORK “ — <i>Washington</i> : “	500	
WILLAMETTE (Cascade Mts.),— <i>Oregon</i> : “	225	15
FEAZER (Lake Stuart),— <i>British Possessions</i> : Gulf of Georgia	500	
KWICHPAK (Rocky Mts.), “ <i>Russian Posses.</i> : Behring Sea.	1,000	

SOUTH AMERICA.

MAGDALENA (Andes),— <i>New Granada</i> : Caribbean Sea	860	400
ORINOCO (Parime Mountains),— <i>Venezuela</i> : Atlantic Ocean	1,200	800
ESSEQUIBO (Sierra Acaray),— <i>British Guiana</i> : “	450	60
DEMERARA “ — <i>Guiana</i> : Atlantic Ocean	180	
BERBICE “ “ “	250	165
CORENTYN “ “ “	375	150
SURINAM “ “ “	300	150
AMAZON, or Maranon (Andes),— <i>Ecuador, Brazil</i> : Atlantic Ocean	3,900	3,662
NEGEQ (Plateau of New Granada),— <i>N. Granada, Brazil</i> : Amazon River..	1,400	800
UCAYALI (Andes of Peru),— <i>Peru</i> : “ ..	1,000	200
MADEIRA (Andes of Bolivia),— <i>Bolivia, Brazil</i> : “ ..	2,000	1,000
TOCANTINS, with Para (Serra dos Vertentes),— <i>Brazil</i> : Atlantic Ocean	1,400	500
PARANAHIBA (Serra Borborema), “ “	650	
SAN FRANCISCO (Mountains of Brazil), “ “	1,500	
PARANA, with Rio de la Plata (Serra dos Vertentes),— <i>Brazil, Paraguay,</i> <i>Argentine Republic</i> :—Atlantic Ocean	2,350	1,250
PARAGUAY (Geral Mts.),— <i>Brazil, Argentine Republic</i> : Parana River	1,500	1,000
PILCOMAYO (Andes of Bolivia),— <i>Bolivia, Argentine Repub.</i> : Paraguay R..	900	

	Total Length.	Nav'e Dist.
VERMEJO (Plateau of Despoblado),— <i>Argentine Republic</i> : Paraguay River.	750	
SALADO “ “ “ Parana River ...	1,000	600
URUGUAY (Serra do Mar),— <i>Brazil, Uruguay</i> : Rio de la Plata.....	800	

EUROPE.

VOLGA (Plateau of Valdai),— <i>Russia</i> : Caspian Sea	2,200	1,800
DON (Gt. European Plain), “ Sea of Azof.....	1,000	700
DNIEPER “ “ Black Sea	1,200	1,100
DNIESTER (Carpathian Mountains),— <i>Galicia, Russia</i> : Black Sea	500	43
DANUBE (Schwarz Wald),— <i>Germany, Hungary, Turkey</i> : “	1,630	1,500
PO (Alps),— <i>Italy</i> : Adriatic Sea	450	230
TIBER (Apennines),— <i>Italy</i> : Mediterranean Sea	210	47
RHONE (Alps),— <i>Switzerland, France</i> : Mediterranean Sea	490	200
EBRO (Cantabrian Mountains),— <i>Spain</i> : “	420	220
GUADALQUIVER (Table-land of Spain),— <i>Spain</i> : Atlantic Ocean	290	150
GUADIANA “ — <i>Spain, Port.</i> : “	450	35
TAGUS “ “ “	510	90
DOURO “ “ “	460	110
GARONNE (Pyrenees),— <i>France</i> : Bay of Biscay	350	200
LOIRE (Cevennes), “ “	570	340
SEINE (Plateau of Langres),— <i>France</i> : English Channel	430	350
SCHeldT (Plain of North France),— <i>France, Belgium</i> : North Sea	250	140
RHINE (Alps),— <i>Switzerland, Germany, etc.</i> : “	760	550
WESER (Harz Mountains),— <i>Germany</i> : “	380	25
ELBE (Bohmerwald Mts.), “ “	690	430
ODER (Carpathian Mts.), “ Baltic Sea.....	550	310
VISTULA (Carpathian Mountains),— <i>Poland, Prussia</i> : Baltic Sea.....	628	
NIEMEN (Great European Plain),— <i>Russia, Prussia</i> : “	400	
DUNA (Plateau of Valdai),— <i>Russia</i> : Gulf of Riga	550	
NEVA (from Lake Ladoga), “ Gulf of Finland	45	
GOTA (from Lake Wener),— <i>Sweden</i> : Cattegat	53	
GLOMMON (Scandinavian Mountains),— <i>Norway</i> : Skager-rack	400	
DWINA (Great European Plain),— <i>Russia</i> : White Sea	760	
PETCHOEA (Ural Mountains), “ Arctic Ocean	900	
SPEY (Grampian Mountains),— <i>Scotland</i> : North Sea.....	96	
TAY “ “ “	120	35
FORTH (Grampian Mts.),— <i>Scotland</i> : North Sea	150	40
TWEED (Lowther Hills), “ “	96	10
TYNE (Pennine Chain),— <i>England</i> : “	70	12
HUMBER { OUSE (Pennine Chain),—..... } <i>England</i> : North Sea	180	40
{ TRENT (Staffordsh. Moorl'ds) }		
THAMES (Cotswold Hills), “ “	215	170
SEVERN (Welsh Mountains),— <i>Wales, England</i> : Bristol Channel	240	150
DEE “ “ Irish Sea	75	20
MERSEY (Pennine Chain),— <i>England</i> : Irish Sea	170	42
EDEN “ “ Solway Firth.....	80	15

	Total Length.	Nav's Dist.
CLYDE (Lowther Hills),— <i>Scotland</i> : Firth of Clyde	93	85
LIFFEY (Mountains of Wicklow),— <i>Ireland</i> : Irish Sea	75	
BARROW (Slieve Bloom Mts.), " Waterford Harbor	105	60
SUIR " " "	100	36
SHANNON (Mountains of Cavan), " Atlantic Ocean	224	200
BOYNE (Central Plain),— <i>Ireland</i> : Irish Sea	80	19

A S I A .

OBI (Altai Mountains),— <i>Siberia</i> : Arctic Ocean	2,530	900
YENESEI " " "	2,900	540
LENA " " "	2,400	800
AMOOE (Mongolia),— <i>Mongolia, Manchooria</i> : Gulf of Tartary	2,300	
HOANG-HO (Kuenlun Mountains),— <i>China</i> : Yellow Sea	2,600	500
YANG-TSE-KIANG " " "	3,200	700
CHOO-KIANG (Nan-ling Mountains),— <i>China</i> : China Sea	1,100	370
MAY-KIANG (Tibet),— <i>Tibet, China, Cambodia</i> : "	1,300	500
MEINAM (Mts. of Yunnan),— <i>China, Laos, Siam</i> : Gulf of Siam.	900	
SALUEN (Plateau of Tibet),— <i>Tibet, China, etc.</i> : Gulf of Martaban	1,700	
IRAWADY " — <i>Birmah</i> : Bay of Bengal	1,100	600
BRAMAHPOOTRA " — <i>Assam, Hindoostan</i> : Bay of Bengal	1,500	650
GANGES (Himalaya Mountains),— <i>India</i> : Bay of Bengal	1,460	900
GODAVERY (The Ghauts),— <i>Hindoostan</i> : Indian Ocean	700	60
KISTNAH " " "	650	
CAUVERY " " "	470	
INDUS (Plateau of Tibet),— <i>India</i> : Arabian Sea	1,700	942
EUPHRATES (Plat. of Armenia),— <i>Turkey in Asia</i> : Persian Gulf	1,700	1,000
TIGRIS " " Euphrates River	1,150	320
KUR " — <i>Georgia</i> : Caspian Sea	520	
JORDAN (Mountains of Lebanon),— <i>Palestine</i> : Dead Sea	237	
URAL, or Iaik (Ural Mts.),— <i>between Europe and Asia</i> : Caspian Sea	1,150	
AMOO, or Jihon (Plateau of Pamir),— <i>Toorkistan</i> : Sea of Aral	1,300	

A F R I C A .

NILE (Plateau Central Africa),— <i>Donga, Nubia, Egypt</i> : Mediterranean Sea ..	3,600	
SENEGAL (Mts. of Western Soudan),— <i>Senegambia</i> : Atlantic Ocean	900	400
GAMBIA " " "	650	300
QUORRA, or Niger (Mts. of Kong),— <i>Soudan</i> : Gulf of Guinea	2,500	730
ZAIRE, or Congo (Plateau Central Africa),— <i>Congo</i> : Atlantic Ocean	1,200	
COANZA " — <i>Angola</i> : "	500	
GARIEP, or Orange (Nieuveltd Mts.),— <i>S. Africa</i> : "	1,050	
ZAMBEZE (interior of Africa),— <i>East Africa</i> : Indian Ocean	1,600	


O C E A N I C A .

MURRAY (Warragong Mountains),— <i>Australia</i> : Indian Ocean	1,280	375
SWAN RIVER (Darling Range), " "	250	10
DERWENT (Lake St. Clair),— <i>Tasmania</i> : Pacific Ocean	140	20
WAIKATO,— <i>New Zealand</i> : Pacific Ocean		











JAN. 69

N. MANCHESTER,
INDIANA



LIBRARY OF CONGRESS



0 029 726 046 7